
New Mexico Department of Health Influenza & Respiratory Disease Report, 2023-2024

2023-24 Influenza Season Week 49 ending December 9, 2023



Activity map* and national ILI report is available on <u>CDC FluView</u>

Please visit https://cv.nmhealth.org for COVID-19 Epidemiology Reports

The <u>NM Viral Respiratory Infection Dashboard</u> provides additional data.

Summary of Activity: Week 49 December 3-December 9th, 2023

- New Mexico influenza-like illness (ILI) activity is currently 7.5% of patient visits statewide and is above the NM ILI baseline of 4.7%. Four of the five NM health regions are above the NM baseline.
- New Mexico baseline was revised after discussions with CDC and more closely aligns with their measurements.
- US ILI is 4.4%, above the national ILI baseline of 2.9%
- ILI and confirmed flu cases have jumped in the past two weeks in the state. Respiratory disease is widespread nationwide.
- Seasonal influenza vaccination in New Mexico remains very low (less than 25% of those eligible). Please plan to get your influenza and COVID-19 vaccinations.
- Long Term Care Facilities: One influenza outbreak was reported this week.




Please note: Influenza-like illness is a syndrome of respiratory illness, including conditions like COVID-19, Respiratory Syncytial Virus (RSV), and other seasonal respiratory viruses.

*The ILI activity indicator map is based on a statistical calculation performed by CDC for each ILI surveillance site based on individual provider activity and baselines, adjusting for week-to-week variation. This calculation does not reflect the ILI level in New Mexico or the statewide ILI baseline.




Influenza-Like Illness (ILI) Activity, 2020 to Present

New Mexico Department of Health (NMDOH) is collaborating with 21 ILI sentinel sites and 30 syndromic surveillance sites* for the 2023-2024 season. Sites report weekly on the number of patients that present to their facility with influenza-like illness (ILI). That number is then divided by the total number of patients seen for any reason, resulting in percent of ILI activity. ILI is defined as fever of greater than or equal to 100° F and cough and/or sore throat.




* See appendix for reporting sites

Regional Influenza-Like Illness (ILI) Activity, 2023-2024




Region	This Week	Last Week	+ Rapid Flu*	+ PCR at State Lab	Total Tested at State Lab
Metro	8.4%	6.6%	No Data Available	0	4
NE	5.0%	3.9%	28	0	0
NW	3.2%	2.9%	59	0	0
SE	8.9%	7.5%	14	0	0
SW	8.5%	6.5%	63	0	0



*PCR Testing: Polymerase Chain Reaction (PCR) tests can identify the presence of influenza viral RNA in respiratory specimens. PCR testing is performed at various laboratories across New Mexico.

Emergency Department Surveillance for COVID-19, Influenza, and RSV Discharge Diagnoses (DD), June 2023 – Present



This visualization is populated from data by New Mexico Emergency Departments. Complete reporting from emergency departments can take 7 days or longer. The % of visits from reporting facilities remains an accurate assessment of relative volume even when not all emergency departments have reported, but will be less representative of all statewide ED visits. Delayed reporting will be incorporated for the appropriate time period in these data visualizations through backfill. We provide you the most recent data available, however, data over one week-old will be more complete.

Discharge Diagnoses queries for all pathogens (SARS-CoV-2, Influenza, and RSV) excludes free text fields and is limited to ICD-9, ICD-10, and SNOMED codes for these infections.


ED Visit Week Start Date

Covid DD

Flu DD


RSV DD

Percentage of Emergency Department (ED) Visits with Discharge Diagnosis (DD) for COVID-19, Influenza, or RSV by New Mexico County* December 3-December 9, 2023




^{*}Percent of visits with COVID-19, influenza, or RSV discharge diagnoses have now been combined into one map to provide an approximation of overall respiratory illness burden at emergency departments in each New Mexico county.

Laboratory Influenza Surveillance Data, 2023-2024



Rapid Antigen RSV and Influenza Test Data*, 2023-2024




Rapid Influenza Diagnostic tests (RIDTs) are more likely to result in a false positive when community influenza activity is low. Early and late in the season, it is best to confirm a positive RIDT result by PCR.


Laboratory Sites Participating in Rapid Influenza Data Collection (Facility name, City)				
NW	Crownpoint Health Center, Crownpoint; Dzilth-Na-O-Dith-Hle Health Center, Bloomfield; San Juan Regional Medical Center, Farmington; Northern Navajo Medical Center, Shiprock; Rehoboth McKinley Christian Hospital, Gallup;			
NE	Los Alamos Medical Center, Los Alamos; Children's Clinic Los Alamos, Los Alamos; Christus St. Vincent's Hospital, Santa Fe; Jicarilla Apache Health Care Clinic, Dulce; Taos Holy Cross Hospital, Taos			
Metro				
SW	Gerald Champion Regional Medical Center, Alamogordo; Mimbres Memorial Hospital, Deming; Ben Archer Health Center, Columbus; Ben Archer Health Center – Dona Ana, Las Cruces; Ben Archer Health Center, Las Cruces; Mountain View Regional Medical Center, Las Cruces, La Clinica de Familia, Sunland Park			
SE	Lea Regional Medical Center, Hobbs; Carlsbad Medical Center, Carlsbad; Artesia General Hospital, Artesia			

^{*} Data reported to NMDOH via a weekly online survey

Weekly Influenza Hospitalization Rate, NM & US, 2023-2024*




Cumulative Influenza Hospitalization Rate, NM&US, 2023-2024*




^{*}Influenza data is derived from FluSurv-NET. Additional information on FluSurv-NET can be found here: Laboratory-Confirmed Influenza Hospitalizations (cdc.gov)

Weekly COVID-19 Hospitalization Rate, NM & US, 2023-2024*




Cumulative COVID-19 Hospitalization Rate, NM&US, 2023-2024*




^{*}COVID-19 data is derived from COVID-NET. Additional information on COVID-NET can be found here: COVID-NET Interactive Dashboard | CDC

Weekly RSV Hospitalization Rate, NM & US, 2023-2024*



Cumulative RSV Hospitalization Rate, NM&US, 2023-2024*



^{*}RSV data is derived from RSV-NET, which currently only covers hospitalizations of Bernalillo County residents. These rates may not be representative of the entire state.

Pneumonia and Influenza (P & I) Deaths, NM, 2019-2024*


Season	Pneumonia (P) Deaths	Adult Influenza (I) Deaths	Pediatric Influenza Deaths	Total P & I Deaths
2023-2024	46	0	0	46
2022-2023	179	83	2	264
2021-2022	180	16	1	197
2020-2021	157	3	0	160
2019-2020	187	62	5	254

Pneumonia death: Is defined as having a cause of death that is related to pneumonia & influenza (P & I) not including: aspiration pneumonia, pneumonitis, pneumococcal meningitis or pneumonia caused by COVID-19

Influenza death: Is defined as having a cause of death that is related to pneumonia & influenza (P & I) not including: parainfluenzae or Haemophilus influenzae.

^{*} Death data is delayed up to 8 weeks, reporting period for each season is October 1 – May 15.

Influenza Vaccination Trends, NM, 2023-2024



^{*}Vaccination data are derived from New Mexico State Immunization Information System (NMSIIS). While this serves as a centralized database for reporting vaccinations, not all vaccination activities are reported. As a result, vaccination data presented here are likely an underestimate. The New Mexico Immunization program estimates approximately 80% of vaccinations are reported to NMSIIS. Population estimates are derived from the University of New Mexico Geospatial and Population Studies data which is available through the New Mexico Indicator Based Information System (NM-IBIS). Data are pulled on a weekly basis but should be considered preliminary.

Additional Influenza Vaccination Information

Still Need to Get Your Flu Shot?

Flu Vaccine Finder:

https://www.vaccines.gov/find-vaccines/

Or

Contact your Primary Care Provider (PCP) or a local public health office (LPHO) near you:

https://nmhealth.org/location/public/

New Mexico and National Vaccination Coverage
by Season, Age >6 months, 2013-2023

100

80

60

40.6

40.6

40.2

47.1

45.6

46.8

49.2

51.8

52.1

51.4

49.3

Season

United States

New Mexico

Healthy People 2030

"Influenza is a serious disease that can lead to hospitalization and sometimes even death. Every flu season is different, and influenza infection can affect people differently, but millions of people get the flu every year, hundreds of thousands of people are hospitalized and thousands or tens of thousands of people die from flu-related causes every year. Even healthy people can get very sick from the flu and spread it to others. Flu-related hospitalizations since 2010 ranged from 140,000 to 710,000, while flu-related deaths are estimated to have ranged from 12,000 to 52,000. During flu season, flu viruses circulate at higher levels in the U.S. population in the United States can begin as early as October and last as late as May. An annual seasonal flu vaccine is the best way to reduce your risk of getting sick with seasonal flu and spreading it to others. When more people get vaccinated against the flu, less flu can spread through that community."

-Centers for Disease Control and Prevention

For Additional Vaccine Information/resources:

FluVaxView:

https://www.cdc.gov/flu/fluvaxview/index.htm

Seasonal Influenza Vaccination Resources for Health Professionals:

https://www.cdc.gov/flu/professionals/vaccination/index.htm

Misconceptions about Flu Vaccines:

https://www.cdc.gov/flu/about/qa/misconceptions.htm

13

Data Notes

Health Region	Participating Sentinel Sites (Facility name, City)	Syndromic Surveillance Hospitals (Facility name, City)
Northwest	Acoma-Canoncito-Laguna Indian Health Services, Acoma; Dzilth Indian Health Services, Bloomfield	San Juan Regional Medical Center, Farmington; Cibola General Hospital, Grants
Northeast	Taos-Picuris Indian Health Services, Taos; Jicarilla Apache Indian Health Services, Dulce; Children's Clinic PA, Los Alamos;	Alta Vista Regional Hospital, Las Vegas; Christus St. Vincent, Santa Fe; Los Alamos Medical Center, Los Alamos; Miners' Colfax Medical Center, Raton; Union County General Hospital, Clayton; Guadalupe County Hospital, Santa Rosa; Presbyterian Hospital, Espanola
Metro	University of New Mexico Student Health Clinic, Albuquerque; Presbyterian Medical Group-Atrisco, Northside, Carmel Pediatric Urgent Care, Las Estancias Pediatric Urgent Care; DaVita Urgent Care, Journal Center	Lovelace Westside Hospital, Downtown Medical Center and Women's Hospital, Albuquerque; UNM Health System, Albuquerque & Rio Rancho; Presbyterian Hospital, Kaseman and Rust Medical Center, Albuquerque & Rio Rancho; UNM Sandoval Regional Medical Center, Rio Rancho
Southwest	Gila Regional Medical Center, Silver City; Ben Archer Health Center –Columbus; Ben Archer Health Center Dona Ana - Las Cruces; Ben Archer Health Center –Las Cruces; Hidalgo Medical Services, Lordsburg; La Clinica de Familia, Sunland Park; La Clinica de Familia, Santa Teresa School Based Clinic, Santa Teresa; Mescalero Apache Indian Health Hospital, Mescalero	Mimbres Memorial Hospital, Deming; Mountain View Regional Medical Center, Las Cruces; Socorro General Hospital, Socorro; Gerald Champion Regional Medical Center, Alamogordo
Southeast	Roosevelt General Hospital Clinic, Portales;	Carlsbad Medical Center, Carlsbad; Eastern New Mexico Medical Center, Roswell; Lea Regional Medical Center, Hobbs; Artesia General Hospital, Artesia; Dan C Trigg Memorial Hospital, Tucumcari; Lincoln County Medical Center, Ruidoso; Lovelace Regional Hospital; Roswell; Nor-Lea Hospital District, Lovington: Plains Regional Medial Center, Clovis:

In accordance with New Mexico Administrative Code (NMAC) 7.4.3.13 Influenza is a reportable condition for the following:

- Influenza, laboratory confirmed hospitalizations only
- Influenza-associated pediatric death
- Acute Illness or condition of any type involving large numbers of persons in the same geographic area (outbreaks)
- Other illnesses or condition of public health significance (novel influenza A)

For more information on reportable conditions please visit:

http://164.64.110.134/parts/title07/07.004.0003.html

Found at the New Mexico State Records Center and Archives - Commission for Public Records

NEW MEXICO DEPARTMENT OF HEALTH

Report published by New Mexico Department of Health (NMDOH), Epidemiology and Response Division (ERD) Infectious Disease Epidemiology Bureau (IDEB)

NEW MEXICO DEPARTMENT OF HEALTH For questions, please call 505-827-0006. For more information on influenza go to the NMDOH web page:

https://nmhealth.org/about/erd/ideb/isp/ Or The CDC web page: http://www.cdc.gov/flu/index.htm