

2003 New Mexico Youth Risk and Resiliency Survey (YRRS)

County Results

Grant County

New Mexico Department of Health

New Mexico Public Education Department

University of New Mexico Center for
Health Promotion and Disease Prevention

Public Education



NEW MEXICO
DEPARTMENT OF
HEALTH



The University of New Mexico

ACKNOWLEDGEMENTS

The implementation of the Youth Risk and Resiliency Survey (YRRS) and the production of this report were made possible by collaboration between the New Mexico Department of Health (NM DOH), the New Mexico Public Education Department (PED), and the University of New Mexico Center for Health Promotion and Disease Prevention (CHPDP), with funding from NM DOH and the CDC-DASH, through the New Mexico PED. Gratitude is extended to the individuals listed below for their contribution toward developing and producing this report.

NEW MEXICO DEPARTMENT OF HEALTH

- Michelle Lujan Grisham, Secretary
C. Mack Sewell, DrPH, MS, State Epidemiologist
* Michael G. Landen, MD, MPH, Medical Epidemiologist
* Dan Green, MPH, Social Indicator Epidemiologist
* James Padilla, MS, Epidemiologist
*Laurie Mueller, BS, RDH, Director, Office of School Health
* Julie Garcia, MA, Healthier Schools Consultant

NEW MEXICO PUBLIC EDUCATION DEPARTMENT

- Veronica C. García, EdD, Secretary of Education
Kurt A. Steinhaus, EdD, Deputy Secretary of Learning and Accountability
* Kristine M. Meurer, PhD, Director, School Health Unit
* Lonnie Barraza, MS Ed, HIV Program Administrator
* Dean Hopper, Assistant Director, School Health Unit

UNM CENTER for HEALTH PROMOTION and DISEASE PREVENTION

- Linda J. Penaloza, PhD, Principal Investigator
Linda O. Beltran, Project Coordinator
Eric Chrisp, MA, Research Specialist
Pascal Buser, MS, Associate Scientist

* Member of the YRRS Steering Committee

*For more information about this report, contact Dan Green, Epidemiology and Response Division,
New Mexico Department of Health, (505)476-1779, Dan.Green@doh.state.nm.us*



Public Education Department



Table of Contents

Introduction	1
How to Read This Report	2
Understanding the Charts, and a Word about Error Bars	2
Methodology	3
Limitations of the YRRS	4
Participation in Albuquerque Public Schools	5
Profile of Students Surveyed	5
Risk Behaviors	7
Resiliency Factors	37
Relationships between Risk Behaviors and Resiliency Factors: Statewide Results	45
Academic Success and Risk Behaviors	59
Appendix A: Definitions of Risk Behaviors	61
Appendix B: Definitions of Resiliency Factors	66
Appendix C: 2003 YRRS Questionnaire and Results	69

2003 New Mexico Youth Risk and Resiliency Survey (YRRS)

County Level Results

Grant County

Introduction

This report contains county-level results from the 2003 New Mexico Youth Risk and Resiliency Survey (YRRS), a statewide survey of public school students, grades 9-12. A companion document, *2003 New Mexico Youth Risk and Resiliency Survey: Statewide Results*, presents results for the state. Together, these documents comprise a useful tool for those working on youth-related issues at the state and local level.

The YRRS is organized into two major content areas: risk behaviors and resiliency factors. Risk behaviors include behaviors associated with personal safety, violence, depression and suicidal ideation, tobacco use, alcohol use, drug use, sexual activity, physical activity, and nutrition (Appendix A). Resiliency factors, or protective factors, are measures of the positive and supportive relationships, experiences, activities, and values that encourage healthy youth development. Resiliency factors include caring and supportive relationships in the family, school, community and with peers; boundaries and expectations set by the family, school, and community; positive peer support; meaningful participation/constructive use of time; commitment to learning; life skills/social competencies; and perception of community norms related to alcohol use by high school age youth (Appendix B).

How to Read this Report

This report has three main sections, each of which consists of a set of bar charts. The first section presents the results of the major risk behaviors examined in the survey. Each category of risk behavior is presented as a pair of two bar charts. The first chart compares results for the county to results for the entire state, and the second compares the risk behaviors of boys to those of girls within the county. All risk behaviors are defined in Appendix A.

NOTE: County level YRRS reports are freely available. School district reports have been distributed to school district offices. School districts are encouraged to reproduce and share these reports with community groups concerned with prevention and health promotion. However, school district level results will not be released without express permission of the school district superintendent.

The second section presents the results of the resiliency section of the survey. As with the risk behaviors, each set of resiliency factors is presented with two charts, one comparing the county to the state, and the other comparing boys to girls within the county.

The third section explores the relationship between each resiliency factor and each of four different risk factors. This section presents results for the state as a whole, rather than for the county. As can be seen repeatedly, students with resiliency factors were less likely to engage in risky behaviors than those who did not have the resiliency factors.

The third section of the report is followed by a chart illustrating the relationships between selected risk behaviors and the academic success of students (academic success is indicated when students report they receive mostly A's and B's in their classes). Results show that students who do not engage in risky behaviors are more likely to report academic success.

Understanding The Charts, and A Word about Error Bars

The bar charts in this report present the percentage of students who reported engaging in any given risk behavior or who reported having any given resiliency factor. The height of the bars conveys the approximate percentage reporting each trait, and provides a quick visual comparison between different groups of students reporting that trait. Underneath each set of bars is a table that presents the percentage of students who reported each trait. For instance, the chart on page 8, Vehicle Safety, shows that 11.5% of students in New Mexico rarely or never wear seatbelts, while 10.7% of students in Grant do the same.

Because of the high cost and logistical complications involved in conducting a statewide survey, the YRRS was administered to a sample of students, rather than to every single student in each school district. Because YRRS data are about a *sample* of students, and not the entire student body, the results in this report are *estimates*. As with all estimates, there is some uncertainty associated with each of these estimates. On the charts in this report, this degree of uncertainty is represented by an error bar (or confidence interval). The error bar is the thin 'I' shaped line that extends above and below the end of each bar in a chart. One of the major influences on the confidence interval or error bar is the number of participants in the survey. In general, this means that with more students participating in the survey, there will be a higher degree of confidence in the results (i.e., error bars will be smaller).

The proper interpretation of an error bar can be illustrated by looking at the chart on page 46. This chart illustrates the relationship between various risk factors and the resiliency factor, Caring and Supportive Relationships in the Family. The chart demonstrates that among students with the resiliency factor, 25.5% were current smokers, while among those without the resiliency factor, 38.7% were current smokers. The error bar for the estimate of those with the resiliency factor (25.5%) extends approximately 2.5 percentage points in either direction, meaning that we are confident that the actual percentage of smokers in this group of students was between 23.0% and 28.0%. The error bar for the estimate of those without the resiliency factor (38.7%) extends approximately 4 percentage points in either direction, so we are confident that the actual percentage of smokers among this group was between 34.7% and 42.7%.

How does knowing the upper and lower limits of our error bars help us? In the same example, the error bar for those with the resiliency factor extends from 23.0% to 28.0%, and the error bar for those without the resiliency factor extends from 34.7% to 42.7%. Because these two intervals do not overlap, we have a high degree of confidence that those with the resiliency factor are less likely to be smokers than those without the resiliency factor. The same can be visually confirmed by looking at the error bars themselves on the bar charts--the error bars do not overlap, therefore we are confident that students in one group were less likely to be current smokers than students in the other group.

The importance of the error bar is further demonstrated in the chart on page 47. Of those with the resiliency factor, Caring and Supportive Relationships in the School, 26.7% reported being current smokers. Of those without the resiliency factor, 32.8% reported being current smokers. While at first it appears that there may be an important difference between those with and without the resiliency factor with regard to smoking cigarettes, it is also apparent that the error bars for these two groups overlap. In this case, we cannot confidently say that those with the resiliency factor were less likely to be smokers than those without the resiliency factor. In other words, the estimates (26.7% and 32.8%) are not statistically different from each other.

For some small counties, error bars have been removed from this report. In small counties, the number of students sampled can approach the total student population. In these cases, error bars have limited meaning because with a high percentage of students surveyed, there is less uncertainty around the estimates than error bars suggest.

Methodology

The YRRS was implemented in fall and spring semesters of the 2003-2004 school year. All public school districts in New Mexico were invited to participate in the 2003 YRRS. Of 89 districts statewide, 71 districts participated. From each participating school district, schools with students from 9th to 12th grades were selected to participate. The probability of selection of each school was proportional to the size of its 9th-12th grade population. In large school districts, this meant that only some of the schools were selected to participate, while in small districts, all schools were selected. Classrooms were systematically selected from each school, and all students in each selected classroom were asked to participate.

In each participating school, a single day was arranged on which to administer the survey. Questionnaire forms and pencils were distributed to each student in participating classes, and students were asked to fill out the questionnaires independently of other students and without teacher assistance.

Questionnaires were electronically scanned, and data were analyzed using STATA 8.2, a statistical software program.

Limitations of the YRRS

All information from the YRRS was self-reported by the participating students. While most questions on the YRRS come from nationally validated surveys, and data quality has been demonstrated to be very high in national surveys, there is no way to guarantee the truthfulness of the participants in any survey that relies on self-reporting.

A good response rate is one of the most important goals in conducting a survey. At the school district level, a response rate is the percentage of all students selected for the survey who complete and return a useable questionnaire form. At the state level, the response rate incorporates the participation of school districts and schools as well as the participation of students. An adequate response rate means that survey results are more likely to represent the statewide grade 9-12 public school population. The statewide response rate for the 2003 YRRS was 56%, just short of our target of 60%.

In order to achieve a 60% statewide response rate, we aimed for a 75% response rate from each participating school district. Most participating school districts met this target or were close to it, with response rates ranging from 15% to 96%. While the response rate was generally very good in participating schools, the weakness in the statewide response rate stemmed from entire school districts and schools declining to participate.

Participation in Grant County

The response rate in Grant County was 74%.


A high response rate produces survey results that are more representative of the student population. A response rate of at least 60% allows generalization of results to the entire student body. A response rate of 75% is excellent and allows a high degree of confidence in results. Because a high response rate means that more students have been surveyed, a high response rate will also be reflected in the error bars (i.e., with a higher response rate and more students included in the survey, error bars will be smaller and confidence intervals will be narrower). Response rates below 60% are considered low, and caution should be exercised in interpreting results. Low response rates indicate that the data is likely only representative of students who participated in the survey and may not necessarily represent the entire student body.

Profile of students surveyed


	<u>Percent (%)</u>	<u>Number of students</u>
<u>Total:</u>	100%	386
<u>Gender</u>		
Boys:	48.27%	181
Girls:	51.73%	194
<u>Race/Ethnicity</u>		
Hispanic, single ethnicity:	59.4%	225
White, single ethnicity:	29.8%	113
American Indian, single ethnicity:	1.1%	4
Hispanic, multiple ethnicity:	5%	19
Non-Hispanic, multiple ethnicity	1.3%	5
Other:	3.4%	13
<u>Grade Level</u>		
9th	37.8%	145
10th	18.5%	71
11th	22.1%	85
12th	21.4%	82
Other:	0.3%	1

Risk Behaviors


Vehicle Safety Grant and New Mexico Grades 9 - 12, YRRS, 2003




Vehicle Safety by Gender in Grant County Grades 9 - 12, YRRS, 2003




Violence-Related Behaviors Grant and New Mexico Grades 9 - 12, YRRS, 2003




Violence-Related Behaviors by Gender in Grant County Grades 9 - 12, YRRS, 2003




Violence-Related Behaviors: Victimization Grant and New Mexico Grades 9 - 12, YRRS, 2003




Violence-Related Behaviors: Victimization by Gender in Grant County Grades 9 - 12, YRRS, 2003




Depression and Suicidal Ideation Grant and New Mexico Grades 9 - 12, YRRS, 2003




Depression and Suicidal Ideation by Gender in Grant County Grades 9 - 12, YRRS, 2003




Cigarette Smoking Grant and New Mexico Grades 9 - 12, YRRS, 2003




Cigarette Smoking by Gender in Grant County Grades 9 - 12, YRRS, 2003




Other Tobacco Use Grant and New Mexico Grades 9 - 12, YRRS, 2003




Other Tobacco Use by Gender in Grant County Grades 9 - 12, YRRS, 2003




Alcohol Use Grant and New Mexico Grades 9 - 12, YRRS, 2003




Alcohol Use by Gender in Grant County Grades 9 - 12, YRRS, 2003




Marijuana Use Grant and New Mexico Grades 9 - 12, YRRS, 2003




Marijuana Use by Gender in Grant County Grades 9 - 12, YRRS, 2003




Other Drug Use Grant and New Mexico Grades 9 - 12, YRRS, 2003




Other Drug Use by Gender in Grant County Grades 9 - 12, YRRS, 2003




Sexual Activity Grant and New Mexico Grades 9 - 12, YRRS, 2003




Sexual Activity by Gender in Grant County Grades 9 - 12, YRRS, 2003




Body Weight and Weight Control Grant and New Mexico Grades 9 - 12, YRRS, 2003




Body Weight and Weight Control by Gender in Grant County Grades 9 - 12, YRRS, 2003




Physical Activity and Nutrition Grant and New Mexico Grades 9 - 12, YRRS, 2003




Physical Activity and Nutrition by Gender in Grant County Grades 9 - 12, YRRS, 2003




Health Care Utilization and Special Needs Grant and New Mexico Grades 9 - 12, YRRS, 2003




Health Care Utilization and Special Needs by Gender in Grant County Grades 9 - 12, YRRS, 2003



Other Characteristics Grant and New Mexico Grades 9 - 12, YRRS, 2003




Other Characteristics by Gender in Grant County Grades 9 - 12, YRRS, 2003




Resiliency Factors

Resiliency Factors: Caring and Supportive Relationships Grant and New Mexico Grades 9 - 12, YRRS, 2003




Resiliency Factors: Caring and Supportive Relationships by Gender in Grant County Grades 9 - 12, YRRS, 2003




Resiliency Factors: Boundaries and Expectations

Grant and New Mexico


Grades 9 - 12, YRRS, 2003




Resiliency Factors: Boundaries and Expectations by Gender in Grant County Grades 9 - 12, YRRS, 2003



Resiliency Factors Grant and New Mexico Grades 9 - 12, YRRS, 2003



Resiliency Factors by Gender in Grant County Grades 9 - 12, YRRS, 2003




**Relationships between Risk Behaviors
and Resiliency Factors
Statewide Results**

Resiliency Factors and Risk Behaviors

Caring and Supportive Relationship with Parent or Adult in the Family


New Mexico, Grades 9 - 12, YRRS, 2003




Resiliency Factors and Risk Behaviors

Caring and Supportive Relationship with Teacher or Other Adult at School

New Mexico, Grades 9 - 12, YRRS, 2003




Resiliency Factors and Risk Behaviors Caring and Supportive Relationship with Peers New Mexico, Grades 9 - 12, YRRS, 2003




Resiliency Factors and Risk Behaviors

Caring and Supportive Relationship with Adult in the Community


New Mexico, Grades 9 - 12, YRRS, 2003




Resiliency Factors and Risk Behaviors Boundaries and Expectations at Home New Mexico, Grades 9 - 12, YRRS, 2003




Resiliency Factors and Risk Behaviors Boundaries and Expectations at School New Mexico, Grades 9 - 12, YRRS, 2003




Resiliency Factors and Risk Behaviors Boundaries and Expectations in the Community New Mexico, Grades 9 - 12, YRRS, 2003




Resiliency Factors and Risk Behaviors Positive Peer Influence New Mexico, Grades 9 - 12, YRRS, 2003



Resiliency Factors and Risk Behaviors
Meaningful Participation/Constructive Use of time
New Mexico, Grades 9 - 12, YRRS, 2003




Resiliency Factors and Risk Behaviors Commitment to Learning New Mexico, Grades 9 - 12, YRRS, 2003




Resiliency Factors and Risk Behaviors

Life Skills/Social Competencies

New Mexico, Grades 9 - 12, YRRS, 2003




Resiliency Factors and Risk Behaviors Community Norms Related to Alcohol Use by Youth New Mexico, Grades 9 - 12, YRRS, 2003



**Relationships between Risk Behaviors
and Academic Success
Statewide Results**

Students Reporting Academic Success (A's and B's in School) by Risk Behaviors, Grades 9 - 11, YRRS, 2003



Students who do not engage in risk behaviors such as smoking, binge drinking, drinking and driving, and unsafe sex are more likely to get high grades in school (A's and B's).

Appendix A: Definitions of Risk Behaviors

Vehicle Safety

Rarely or Never Wears Seatbelt

Answered '*Rarely*' or '*Never*' to the question, *How often do you wear a seat belt when riding in a car driven by someone else?*

Rode with drinking driver in past 30 days

Answered *one or more times* to the question, *During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?*

Drink and drive in past 30 days

Answered *one or more times* to the question, *During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?*

Violence-Related Behaviors

Carried weapon in past 30 days

Answered *one or more days* to the question, *During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?*

Carried a gun in past 30 days

Answered *one or more days* to the question, *During the past 30 days, on how many days did you carry a gun?*

Carried a weapon at school in past 30 days

Answered *one or more days* to the question, *During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?*

In a physical fight in past 12 months

Answered *one or more times* to the question, *During the past 12 months, how many times were you in a physical fight?*

In a physical fight at school in past 12 months

Answered *one or more times* to the question, *During the past 12 months, how many times were you in a physical fight on school property?*

Violence-Related Behaviors: Victimization

Skipped school because felt unsafe in past 30 days

Answered *one or more days* to the question, *During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?*

Answered *one or more times* to the question, *During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?*

Physically hurt by boy/girlfriend in last 12 months

Answered '*Yes*' to the question, *During the past 12 months, did your boyfriend or girlfriend ever hit, slap, or physically hurt you on purpose?*

Ever physically forced to have sexual intercourse

Answered '*Yes*' to the question, *Have you ever been physically forced to have sexual intercourse when you did not want to?*

Depression and Suicidal Ideation

Felt sad and hopeless every day for two weeks in past year

Answered 'Yes' to the question, *During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?*

Seriously considered suicide in past year

Answered 'Yes' to the question. *During the past 12 months, did you ever seriously consider*

Made a suicide plan in the past year

Answered 'Yes' to the question, *During the past 12 months, did you make a plan about how you would attempt suicide?*

Attempted suicide in past year

Answered *one or more time* to the question, *During the past 12 months, how many times did you actually attempt suicide?*

Injured as result of suicide attempt

Answered 'Yes' to the question, *If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?*

Cigarette Smoking

Ever tried cigarettes, even a puff

Answered 'Yes' to the question, *Have you ever tried cigarette smoking, even one or two puffs?*

First smoked a cigarette at age 12 or under

Answered *12 years old or younger* to the question, *How old were you when you smoked a whole cigarette for the first time?*

Current Smoker: Smoked in past 30 days

Answered *one or more days* to the question, *During the past 30 days, on how many days did you smoke cigarettes?*

Frequent Smoker: Smoked on 20 of past 30 days

Answered *20 or more days* to the question, *During the past 30 days, on how many days did you smoke cigarettes?*

Smoked at school in past 30 days

Answered *one or more days* to the question, *During the past 30 days, on how many days did you smoke cigarettes on school property?*

Bought cigarettes in a store in past 30 days

Answered *'I bought them in a store such as a convenience store, supermarket, discount store, or gas station'* to the question, *During the past 30 days, how did you usually get your own cigarettes? (Select only one response.)*

Other Tobacco Use

Smoked cigars, cigarillos, or little cigars in past 30 days

Answered *one or more days* to the question, *During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?*

Used smokeless tobacco in past 30 days

Answered *'one or more days'* to the question, *During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?*

Used any form of tobacco in past 30 days

Respondent reported any form of tobacco use in the previous 30 days (i.e., smoking cigarettes, cigars, cigarillos, or little cigars, or using smokeless tobacco).

In room with someone who was smoking in past week

Answered *one or more days* to the question, *During the past 7 days, on how many days were you in the same room with someone who was smoking cigarettes?*

Alcohol Use

Ever had a drink of alcohol in lifetime

Gave any response other than *'I have never had a drink of alcohol other than a few sips'* to the question, *How old were you when you had your first drink of alcohol other than a few sips?*

Had drink of alcohol in past 30 days

Answered *one or more days* to the question, *During the past 30 days, on how many days did you have at least one drink of alcohol?*

Binge drinking* in past 30 days

Answered *one or more days* to the question, *During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?*

Had a drink of alcohol at school in past 30 days

Answered *one or more days* to the question, *During the past 30 days, on how many days did you have at least one drink of alcohol on school property?*

First drink of alcohol at age 12 or younger

Answered *12 years old or younger* to the question, *How old were you when you had your first drink of alcohol other than a few sips?*

Marijuana Use

Used marijuana in past 30 days

Answered *one or more days* to the question, *During the past 30 days, how many times did you use marijuana?*

Used marijuana at school in past 30 days

Answered *one or more days* to the question, *During the past 30 days, how many times did you use marijuana on school property?*

First used marijuana at age 12 or younger

Answered *12 years old or younger* to the question, *How old were you when you tried marijuana for the first time?*

Other Drug Use

Used cocaine in past 30 days

Answered *one or more times* to the question, *During the past 30 days, how many times did you use any form of cocaine, including powder, crack, or freebase?*

Used inhalants in past 30 days

Answered *one or more times* to the question, *During the past 30 days, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?*

Used heroin in past 12 months

Answered *one or more times* to the question, *During the past 12 months, how many times have you used heroin (also called smack, junk, or China White)?*

Used methamphetamines in past 12 months

Answered *one or more times* to the question, *During the past 12 months, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?*

Used ecstasy in past 12 months

Answered *one or more times* to the question, *During the past 12 months, how many times have you used ecstasy?*

Injected illegal drugs with needle in lifetime

Answered *one or more times* to the question, *During your life, how many times have you used a needle to inject any illegal drug into your body?*

Been offered illegal drugs at school in past 12 months

Answered *'Yes'* to the question, *During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?*

Sexual Activity

Ever had sexual intercourse

Gave any responses other than *'I have never had sexual intercourse'* to the question, *How old were you when you had sexual intercourse for the first time?*

Currently Sexually Active

Respondent reported having sexual intercourse within the previous 3 months. Answered *one or more people* to the question, *During the past 3 months, with how many people did you have sexual intercourse?*

First sexual intercourse at age 12 or younger

Answered *12 years old or younger* to the question, *How old were you when you had sexual intercourse for the first time?*

Used alcohol or drugs before last sexual intercourse

Answered *'Yes'* to the question, *Did you drink alcohol or use drugs before you had sexual intercourse the last time?*

Had sexual intercourse without using condom

Answered *'No'* to the question, *The last time you had sexual intercourse, did you or your partner use a condom?*

Sexually Responsible

Respondent reported either never having had sexual intercourse, not having sexual intercourse within the previous 3 months, or using a condom the last time she/he had sexual intercourse.

Uses BCP as primary pregnancy prevention

Answered *'Birth control pills'* to the question, *The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy? (Select only one response.)*

Body Weight and Weight Control

Overweight and At risk of overweight

Body Mass Index (BMI) was calculated from self-reported height and weight. The categories *'Overweight'* and *'At risk of overweight'* were based on age- and sex-specific BMI values. These values were determined from national, multi-year height, weight, and BMI data.

At risk of Overweight: Greater than or equal to the 85th national BMI percentile for age and sex, and less than the 95th percentile.

Overweight: Greater than or equal to the 95th national BMI percentile for age and sex.

Exercised for weight control in last 30 days

Answered *'Yes'* to the question, *During the past 30 days, did you exercise to lose weight or to keep from gaining weight?*

Ate less for weight control in last 30 days

Answered *'Yes'* to the question, *During the past 30 days, did you eat less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight?*

Vomited or used laxatives for weight control in last 30 days

Answered *'Yes'* to the question, *During the past 30 days, did you vomit or take laxatives to lose weight or to keep from gaining weight?*

Physical Activity and Nutrition

Does not eat five fruit or vegetable servings a day

Reported consuming fewer than five daily servings of fruit juice, fruit, green salad, potatoes, carrots, or other vegetables over the previous five days.

Did not do minimum recommended moderate or vigorous physical activity*

Reported less than 20 minutes of vigorous activity on 3 of the last 7 days and less than 30 minutes of moderate activity on 5 of the last 7 days.

Answered *2 days or less* to the question, *On how many of the past 7 days did you exercise or participate in physical activity for at least 20 minutes that made you sweat and breathe hard, such as basketball, soccer, running, swimming laps, fast bicycling, , fast dancing, or similar aerobic activities?*

AND

Answered *4 days or less* to the question, *On how many of the past 7 days did you participate in physical activity for at least 30 minutes that did not make you sweat or breathe hard, such as fast walking, slow bicycling, skating, pushing a lawn mower, or mopping floors?*

No moderate or vigorous physical activity

Reported no vigorous activity in the last 7 days and no moderate activity in the last 7 days.

Answered *'0 days'* to the question, *On how many of the past 7 days did you exercise or participate in physical activity for at least 20 minutes that made you sweat and breathe hard, such as basketball, soccer, running, swimming laps, fast bicycling, , fast dancing, or similar aerobic activities?*

AND

Answered *'0 days'* to the question, *On how many of the past 7 days did you participate in physical activity for at least 30 minutes that did not make you sweat or breathe hard, such as fast walking, slow bicycling, skating, pushing a lawn mower, or mopping floors?*

Watches TV 3 or more hours a day on a school day

Answered *3 hours per day or more* to the question, *On an average school day, how many hours do you watch TV?*

Does not have daily PE at school

Answered *less than 5 hours per day* to the question, *In an average week when you are in school, on how many days do you go to physical education (PE) classes?*

Health Care Utilization and Special Needs

Had physical examination in past year

Answered *'Within the last 12 months'* to the question, *When did you last have a physical exam?*

Used school-based health center this year

Answered *one or more times* to the question, *If your school has a school-based health center, how many times did you use it for services this year?*

Limited Activity due to impairment or health problem

Answered *'Yes'* to the question, *Are you limited in any way in any activities because of any impairment or health problem?*

Speaks a language other than English at home at least half of time

Answered *'About half the time' or more often* to the question, *How often do you speak a language other than English at home?*

Not enough food to eat in family sometimes or most of the time

Answered *'Sometimes not enough food to eat' or 'Often not enough food to eat'* to the question, *During the past 12 months, which of the following statements best describes the food eaten by you and your family?*

Appendix B: Definitions of Resiliency Factors

Each resiliency factor is briefly described below. The measure of resiliency is constructed from the responses to the survey questions listed below its description.

Caring and Supportive Relationships

Caring and supportive relationships refer to the interactions between youth and parents, peers, and adults in the school and community that convey love, acceptance, and affirmation. These resiliency factors are constructed from responses to the following survey questions.

Parent or other adult in the family

- How true do you feel these statements are for you?
- In my home, there is a parent or some other adult...
 - Who is interested in my school work.
 - Who talks with me about my problems.
 - Who listens to me when I have something to say.

Teacher or other adult at school

- How true do you feel these statements are for you?
- At my school, there is a teacher or some other adult...
 - Who really cares about me.
 - Who notices when I'm not there.
 - Who listens to me when I have something to say.

Adult in the Community

- How true do you feel these statements are for you?
- Outside of my home and school, there is at least one adult...
 - Who really cares about me.
 - Who notices when I am upset about something.
 - Who I trust.
 - There is at least one adult in my community I could talk to about something important.

Peers

- How true do you feel these statements are for you?
- I have a friend about my own age...
 - Who really cares about me.
 - Who talks with me about my problems.
 - Who helps me when I'm having a hard time.

Boundaries and Expectations

Boundaries and expectations refer to interactions with parents, school, and the community that convey standards for acceptable and appropriate behavior.

Family

- In my home, there is a parent or some other adult...
 - How true do you feel these statements are for you?
 - Who expects me to follow the rules.
 - Who believes that I will be a success.
 - Who always wants me to do my best.
 - When I am not at home, one of my parents/guardians knows where I am and who I am with.
 - My family has clear rules about drug and alcohol use.
 - My family has clear rules and standards for my behavior.

School

How true do you feel these statements are for you?

At my school, there is a teacher or some other adult...

Who tells me when I do a good job.

Who always wants me to do my best.

Who believes that I will be a success.

In my school, there are clear rules about what students can and cannot do.

Community

How true do you feel these statements are for you?

Outside of my home and school, there is at least one adult...

Who tells me when I do a good job.

Who always wants me to do my best.

Who believes that I will be a success.

Other Resiliency Factors

Positive Peer Influence

Peer influence is related to boundaries and expectations. Youth standards for acceptable behavior are influenced by their peers and close friends.

How true do you feel these statements are for you?

My friends get into a lot of trouble.

My friends do well in school.

Among the people you consider to be your closest friends, how many would you say do the following?

Drink alcohol once a week or more?

Have used drugs such as marijuana or cocaine?

Meaningful Participation / Constructive Use of Time

This is a measure of constructive and structured activities in the school and in the community that are available to youth, and in which youth choose to participate.

How true do you feel these statements are for you?

At school, I help decide things like class activities or rules.

At school I am involved in sports, clubs, or other extra-curricular activities (such as band, cheerleading, student council, etc.).

Outside of my home and school, I am a part of clubs, sports teams, church/temple, or other group activities.

Outside of my home and school, I am involved in music, art, literature, sports or a hobby.

Outside of my home and school, I help other people.

Commitment to Learning

A strong commitment to learning is essential to a student's current and future academic success, and to future success as part of an ever-changing workforce.

At school, I try hard to do my best work.

I plan to go to college or some other school after high school.

How often do you come to classes without bringing paper or something to write with?

How often do you come to classes without your homework finished?

Life Skills / Social Competencies

This reflects the personal skills a young person uses in confronting the many options available to her or him. It is a measure of thoughtfulness, persistence, empathy, and impulsivity involved in making decisions.

How true do you feel these statements are for you?

I try to understand what other people feel and think.

It is important to think before you act.

I have to have everything right away.

I often do things without thinking about what will happen.

It's hard for me to stick with one thing even when it's fun.

Community Norms Related to Alcohol Use by High School Students

This is a measure of the extent to which a young person perceives negative attitudes in the community towards the use of alcohol by high school aged youth.

How wrong would most adults in your community think it was for kids your age to drink alcohol (beer, wine, or hard liquor) regularly?

How wrong do your parents feel it would be for you to drink alcohol (beer, wine, or hard liquor) regularly?

How wrong do you think it is for someone your age to drink alcohol (beer, wine, or hard liquor) regularly?

Appendix C. 2003 YRRS Survey, Grant County

2003 YRRS High School Questionnaire and Results

1. How old are you?		
A. 12 years old or younger	0%	(0 students)
B. 13 years old	0%	(0 students)
C. 14 years old	27.89%	(106 students)
D. 15 years old	19.47%	(74 students)
E. 16 years old	23.42%	(89 students)
F. 17 years old	21.84%	(83 students)
G. 18 years old or older	7.37%	(28 students)
2. What is your sex?		
A. Female	51.73%	(194 students)
B. Male	48.27%	(181 students)
3. In what grade are you?		
A. 9th grade	37.76%	(145 students)
B. 10th grade	18.49%	(71 students)
C. 11th grade	22.14%	(85 students)
D. 12th grade	21.35%	(82 students)
E. Ungraded or other grade	0.26%	(1 students)
4. How do you describe yourself? (Select one or more responses.)		
A. American Indian or Alaska Native	2.59%	(10 students)
B. Asian	2.59%	(10 students)
C. Black or African American	2.59%	(10 students)
D. Hispanic or Latino	63.21%	(244 students)
E. Native Hawaiian or Other Pacific Islander	1.55%	(6 students)
F. White	33.94%	(131 students)
5. During the past 12 months, how would you describe your grades in school?		
A. Mostly A's	34.3	[24.5,45.6]
B. Mostly B's	36.9	[32.2,42.0]
C. Mostly C's	17.3	[12.2,24.0]
D. Mostly D's	3.9	[1.9,7.8]
E. Mostly F's	0	0
F. None of these grades	0.8	[0.2,2.9]
G. Not sure	6.8	[4.1,11.0]
6. How tall are you without your shoes on?		
Mean (average) height in feet and inches:	5 ft, 6 in	
Mean (average) height in meters:	1.7	
7. How much do you weigh without your shoes on?		
Mean (average) weight in pounds	142	
Mean (average) weight in kilograms	65	

The next 3 questions ask about personal safety.

8. How often do you wear a seat belt when **riding** in a car driven by someone else?
- | | |
|---------------------|------------------|
| A. Never | 4.2 [2.0,8.7] |
| B. Rarely | 6.5 [4.1,10.1] |
| C. Sometimes | 11.7 [9.4,14.6] |
| D. Most of the time | 33.7 [27.9,40.2] |
| E. Always | 43.8 [38.2,49.6] |

9. During the past 30 days, how many times did you **ride** in a car or other vehicle **driven by someone who had been drinking alcohol**?
- | | |
|--------------------|------------------|
| A. 0 times | 60.3 [52.1,67.9] |
| B. 1 time | 12.5 [9.1,16.8] |
| C. 2 or 3 times | 15.7 [11.5,21.1] |
| D. 4 or 5 times | 4.4 [2.5,7.8] |
| E. 6 or more times | 7.1 [4.5,11.0] |

10. During the past 30 days, how many times did you **drive** a car or other vehicle **when you had been drinking alcohol**?
- | | |
|--------------------|------------------|
| A. 0 times | 78.6 [73.3,83.1] |
| B. 1 time | 6.8 [5.1,9.0] |
| C. 2 or 3 times | 7.6 [5.1,11.3] |
| D. 4 or 5 times | 2.1 [0.6,6.6] |
| E. 6 or more times | 4.9 [2.8,8.6] |

The next 11 questions ask about violence-related behaviors.

11. If you wanted to get a gun, how quickly could you get it?
- | | |
|-------------------------------|------------------|
| A. Could not get a gun at all | 29.5 [24.1,35.5] |
| B. Within 15 minutes | 28.7 [22.4,35.9] |
| C. Within one hour | 9.8 [6.9,13.8] |
| D. Within one day | 11.4 [7.2,17.7] |
| E. Within one week | 9.6 [7.1,12.9] |
| F. Within one month | 4.6 [2.8,7.4] |
| G. More than a month | 6.3 [4.2,9.4] |

12. Is there a gun in your home?
- | | |
|-------------|------------------|
| A. Yes | 64.2 [57.9,70.0] |
| B. No | 27.1 [21.7,33.2] |
| C. Not sure | 8.7 [5.6,13.4] |

13. During the past 30 days, on how many days did you carry **a weapon** such as a gun, knife, or club?
- | | |
|-------------------|------------------|
| A. 0 days | 72.5 [65.4,78.6] |
| B. 1 day | 4.5 [2.8,7.0] |
| C. 2 or 3 days | 4.7 [2.7,7.8] |
| D. 4 or 5 days | 2.8 [1.5,5.0] |
| E. 6 or more days | 15.6 [11.2,21.3] |

14. During the past 30 days, on how many days did you carry a gun ?	
A. 0 days	86.2 [80.7,90.4]
B. 1 day	5.4 [3.0,9.5]
C. 2 or 3 days	3.4 [2.1,5.3]
D. 4 or 5 days	1.3 [0.5,3.4]
E. 6 or more days	3.7 [1.7,8.0]
15. During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property ?	
A. 0 days	87.9 [83.2,91.4]
B. 1 day	2.7 [1.3,5.4]
C. 2 or 3 days	2.1 [0.9,4.5]
D. 4 or 5 days	1.7 [0.5,5.1]
E. 6 or more days	5.7 [3.0,10.4]
	0
16. During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?	
A. 0 days	88.7 [84.7,91.8]
B. 1 day	6.2 [4.4,8.9]
C. 2 or 3 days	1.6 [0.7,3.6]
D. 4 or 5 days	0.5 [0.2,1.3]
E. 6 or more days	3 [1.7,5.3]
17. During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property ?	
A. 0 times	87.8 [82.3,91.7]
B. 1 time	4 [2.3,6.9]
C. 2 or 3 times	4.6 [2.9,7.4]
D. 4 or 5 times	1.5 [0.6,3.6]
E. 6 or 7 times	0.6 [0.1,2.4]
F. 8 or 9 times	0 0
G. 10 or 11 times	0 0
H. 12 or more times	1.6 [0.7,3.2]
18. During the past 12 months, how many times were you in a physical fight?	
A. 0 times	66 [59.4,72.1]
B. 1 time	13.5 [9.9,18.1]
C. 2 or 3 times	12.9 [10.3,16.0]
D. 4 or 5 times	2.7 [1.3,5.6]
E. 6 or 7 times	0.9 [0.4,2.0]
F. 8 or 9 times	0.7 [0.2,2.5]
G. 10 or 11 times	0.3 [0.1,1.2]
H. 12 or more times	2.9 [1.4,6.3]
19. During the past 12 months, how many times were you in a physical fight on school property ?	
A. 0 times	81.9 [75.4,86.9]
B. 1 time	10.8 [7.1,16.0]
C. 2 or 3 times	4.3 [2.5,7.5]
D. 4 or 5 times	1.3 [0.3,4.7]
E. 6 or 7 times	0.3 [0.1,1.1]
F. 8 or 9 times	0.9 [0.3,2.4]
G. 10 or 11 times	0 0
H. 12 or more times	0.6 [0.1,2.4]

20. During the past 12 months, did your boyfriend or girlfriend ever hit, slap, or physically hurt you on purpose?
- A. Yes 11.3 [7.9,15.9]
 - B. No 88.7 [84.1,92.1]

21. Have you ever been physically forced to have sexual intercourse when you did not want to?
- A. Yes 8.9 [5.6,13.9]
 - B. No 91.1 [86.1,94.4]

The next 5 questions ask about sad feelings and attempted suicide. Sometimes people feel so depressed about the future that they may consider attempting suicide; that is, taking some action to end their own life.

22. During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?
- A. Yes 31.8 [26.1,38.2]
 - B. No 68.2 [61.8,73.9]

23. During the past 12 months, did you ever **seriously** consider attempting suicide?
- A. Yes 20.2 [15.2,26.3]
 - B. No 79.8 [73.7,84.8]

24. During the past 12 months, did you make a plan about how you would attempt suicide?
- A. Yes 14.1 [10.3,19.2]
 - B. No 85.9 [80.8,89.7]

25. During the past 12 months, how many times did you actually attempt suicide?
- A. 0 times 85.1 [80.5,88.7]
 - B. 1 time 8.7 [5.7,13.0]
 - C. 2 or 3 times 2.6 [1.3,5.3]
 - D. 4 or 5 times 0.8 [0.2,3.2]
 - E. 6 or more times 2.8 [1.3,5.7]

26. If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?
- A. I did not attempt suicide during the past 12 months 75 [70.3,79.3]
 - B. Yes 8.7 [6.2,12.2]
 - C. No 16.2 [13.1,19.8]

The next 10 questions ask about tobacco use.

27. Have you ever tried cigarette smoking, even one or two puffs?
- A. Yes 69.1 [62.2,75.3]
 - B. No 30.9 [24.7,37.8]

28. How old were you when you smoked a whole cigarette for the first time?
- A. I have never smoked a whole cigarette 48.9 [41.7,56.1]
 - B. 8 years old or younger 9 [6.4,12.5]
 - C. 9 or 10 years old 5.9 [3.7,9.1]
 - D. 11 or 12 years old 12.7 [9.4,16.9]
 - E. 13 or 14 years old 15.5 [12.2,19.5]
 - F. 15 or 16 years old 7 [4.7,10.2]
 - G. 17 years old or older 1.1 [0.4,3.2]

29. During the past 30 days, on how many days did you smoke cigarettes?	
A. 0 days	71.7 [63.7,78.5]
B. 1 or 2 days	9.3 [6.0,14.0]
C. 3 to 5 days	4.7 [2.8,7.7]
D. 6 to 9 days	3 [1.7,5.3]
E. 10 to 19 days	2.2 [1.2,4.2]
F. 20 to 29 days	2 [0.9,4.3]
G. All 30 days	7.2 [4.5,11.2]
30. During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day ?	
A. I did not smoke cigarettes during the past 30 days	71.8 [63.8,78.7]
B. Less than 1 cigarette per day	6.6 [4.3,9.9]
C. 1 cigarette per day	6.7 [4.3,10.1]
D. 2 to 5 cigarettes per day	10.2 [7.1,14.4]
E. 6 to 10 cigarettes per day	2.2 [0.9,5.1]
F. 11 to 20 cigarettes per day	1.2 [0.3,4.9]
G. More than 20 cigarettes per day	1.4 [0.6,3.4]
31. During the past 30 days, on how many days did you smoke cigarettes on school property ?	
A. 0 days	90.9 [86.5,94.0]
B. 1 or 2 days	3.3 [1.7,6.2]
C. 3 to 5 days	2.8 [1.4,5.4]
D. 6 to 9 days	0.2 [0.0,1.1]
E. 10 to 19 days	1.4 [0.5,3.5]
F. 20 to 29 days	0.5 [0.2,1.3]
G. All 30 days	1.1 [0.4,3.3]
32. During the past 12 months, did you ever try to quit smoking cigarettes?	
A. I did not smoke during the past 12 months	67.3 [60.9,73.1]
B. Yes	16.4 [12.7,20.9]
C. No	16.3 [11.9,21.8]
33. During the past 30 days, how did you usually get your own cigarettes? (Select only one response.)	
A. I did not smoke cigarettes during the past 30 days	71.6 [64.1,78.1]
B. I bought them in a store such as a convenience store, supermarket, discount store, or gas station	6 [3.2,10.9]
C. I bought them from a vending machine	2.1 [0.9,4.6]
D. I gave someone else money to buy them for me	6.6 [4.6,9.3]
E. I borrowed (or bummed) them from someone else	7.6 [4.9,11.5]
F. A person 18 years old or older gave them to me	2.2 [1.0,4.8]
G. I took them from a store or family member	2.4 [1.2,4.5]
H. I got them some other way 4.8% [3.9,5.9]	1.6 [0.7,3.5]
34. During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars ?	
A. 0 days	82.7 [76.2,87.7]
B. 1 or 2 days	9.1 [5.7,14.2]
C. 3 to 5 days	3.1 [1.7,5.5]
D. 6 to 9 days	1.3 [0.5,3.2]
E. 10 to 19 days	1.8 [0.5,6.2]
F. 20 to 29 days	0 0
G. All 30 days	2.1 [1.0,4.2]

35. During the past 30 days, on how many days did you use **chewing tobacco, snuff, or dip**, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?
- | | |
|------------------|------------------|
| A. 0 days | 88.3 [83.4,91.9] |
| B. 1 or 2 days | 3.1 [1.7,5.7] |
| C. 3 to 5 days | 2.4 [1.1,4.8] |
| D. 6 to 9 days | 1.4 [0.5,3.5] |
| E. 10 to 19 days | 1.5 [0.7,3.3] |
| F. 20 to 29 days | 0.3 [0.1,1.1] |
| G. All 30 days | 3 [1.2,7.0] |

36. During the past 7 days, on how many days were you in the same room with someone who was smoking cigarettes?
- | | |
|----------------|------------------|
| A. 0 days | 38 [31.3,45.1] |
| B. 1 or 2 days | 23.3 [20.3,26.6] |
| C. 3 or 4 days | 8.5 [6.2,11.5] |
| D. 5 or 6 days | 5.2 [3.0,8.9] |
| E. 7 days | 25.1 [18.8,32.6] |

The next 4 questions ask about drinking alcohol. This includes drinking beer, wine, wine coolers, and liquor such as rum, gin, vodka, or whiskey. For these questions, drinking alcohol does not include drinking a few sips of wine for religious purposes.

37. How old were you when you had your first drink of alcohol other than a few sips?
- | | |
|--|------------------|
| A. I've never had a drink of alcohol other than a few sips | 18.1 [12.8,24.8] |
| B. 8 years old or younger | 15.3 [11.7,19.7] |
| C. 9 or 10 years old | 10.4 [7.5,14.4] |
| D. 11 or 12 years old | 18.9 [14.8,23.9] |
| E. 13 or 14 years old | 25.1 [21.5,29.0] |
| F. 15 or 16 years old | 9.9 [5.9,16.0] |
| G. 17 years old or older | 2.3 [1.0,5.6] |

38. During the past 30 days, on how many days did you have at least one drink of alcohol?
- | | |
|------------------|------------------|
| A. 0 days | 45.5 [37.1,54.1] |
| B. 1 or 2 days | 20.3 [16.4,24.8] |
| C. 3 to 5 days | 14 [9.9,19.4] |
| D. 6 to 9 days | 8.6 [6.0,12.2] |
| E. 10 to 19 days | 6 [3.9,9.1] |
| F. 20 to 29 days | 2.9 [1.3,6.3] |
| G. All 30 days | 2.8 [1.7,4.7] |

39. During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?
- | | |
|--------------------|------------------|
| A. 0 days | 59.8 [51.0,68.1] |
| B. 1 day | 8.3 [5.3,12.9] |
| C. 2 days | 12.1 [8.6,16.7] |
| D. 3 to 5 days | 9.1 [5.8,14.0] |
| E. 6 to 9 days | 4.8 [2.7,8.5] |
| F. 10 to 19 days | 2.7 [1.3,5.5] |
| G. 20 or more days | 3.2 [1.9,5.3] |

40. During the past 30 days, on how many days did you have at least one drink of alcohol **on school property**?

- | | |
|------------------|------------------|
| A. 0 days | 86.1 [79.9,90.6] |
| B. 1 or 2 days | 6.7 [4.6,9.6] |
| C. 3 to 5 days | 2.7 [1.5,4.7] |
| D. 6 to 9 days | 1.3 [0.6,2.7] |
| E. 10 to 19 days | 2 [0.7,5.4] |
| F. 20 to 29 days | 0.3 [0.1,1.1] |
| G. All 30 days | 1 [0.4,2.6] |

The next 3 questions ask about marijuana use. Marijuana also is called grass or pot.

41. How old were you when you tried marijuana for the first time?

- | | |
|----------------------------|------------------|
| A. I never tried marijuana | 48.2 [39.4,57.1] |
| B. 8 years old or younger | 5.6 [3.9,8.0] |
| C. 9 or 10 years old | 4.9 [3.1,7.6] |
| D. 11 or 12 years old | 13.5 [9.2,19.3] |
| E. 13 or 14 years old | 18.9 [15.5,23.0] |
| F. 15 or 16 years old | 7.8 [4.6,13.1] |
| G. 17 years old or older | 1 [0.2,5.2] |

42. During the past 30 days, how many times did you use marijuana?

- | | |
|---------------------|------------------|
| A. 0 times | 73.8 [66.9,79.6] |
| B. 1 or 2 times | 5.7 [3.5,9.3] |
| C. 3 to 9 times | 7.4 [5.0,10.8] |
| D. 10 to 19 times | 2.6 [1.4,4.8] |
| E. 20 to 39 times | 2.9 [1.6,5.4] |
| F. 40 or more times | 7.6 [4.9,11.6] |

43. During the past 30 days, how many times did you use marijuana **on school property**?

- | | |
|---------------------|------------------|
| A. 0 times | 89.4 [84.0,93.1] |
| B. 1 or 2 times | 4.5 [2.8,7.2] |
| C. 3 to 9 times | 3 [1.7,5.3] |
| D. 10 to 19 times | 1.4 [0.6,3.2] |
| E. 20 to 39 times | 0.4 [0.1,2.9] |
| F. 40 or more times | 1.3 [0.5,3.2] |

The next 9 questions ask about other drugs.

44. During the past 30 days, how many times did you use **any** form of cocaine, including powder, crack, or freebase?

- | | |
|---------------------|------------------|
| A. 0 times | 91.1 [87.3,93.9] |
| B. 1 or 2 times | 3 [1.7,5.1] |
| C. 3 to 9 times | 3.3 [1.9,5.5] |
| D. 10 to 19 times | 0.7 [0.2,2.6] |
| E. 20 to 39 times | 0.8 [0.4,1.5] |
| F. 40 or more times | 1.1 [0.4,3.0] |

45. During the past 30 days, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled **any** paints or sprays to get high?
- | | |
|---------------------|------------------|
| A. 0 times | 94.4 [90.8,96.6] |
| B. 1 or 2 times | 3.1 [1.7,5.8] |
| C. 3 to 9 times | 1.1 [0.4,2.7] |
| D. 10 to 19 times | 0.7 [0.2,2.4] |
| E. 20 to 39 times | 0 0 |
| F. 40 or more times | 0.7 [0.2,2.4] |
46. During the past **30 days**, how many times have you used heroin (also called smack, junk, or China White)?
- | | |
|---------------------|------------------|
| A. 0 times | 96.8 [94.0,98.3] |
| B. 1 or 2 times | 1 [0.4,2.9] |
| C. 3 to 9 times | 0.3 [0.1,1.1] |
| D. 10 to 19 times | 0.2 [0.0,1.1] |
| E. 20 to 39 times | 0.4 [0.1,2.8] |
| F. 40 or more times | 1.3 [0.5,3.3] |
47. During the past **12 months**, how many times have you used heroin (also called smack, junk, or China White)?
- | | |
|---------------------|------------------|
| A. 0 times | 93.8 [89.3,96.5] |
| B. 1 or 2 times | 2.1 [1.1,4.0] |
| C. 3 to 9 times | 0.9 [0.3,2.4] |
| D. 10 to 19 times | 1.1 [0.4,3.3] |
| E. 20 to 39 times | 0.5 [0.1,1.8] |
| F. 40 or more times | 1.7 [0.6,4.6] |
48. During the past **30 days**, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?
- | | |
|---------------------|----------------|
| A. 0 times | 90 [84.4,93.7] |
| B. 1 or 2 times | 4.8 [3.0,7.8] |
| C. 3 to 9 times | 3 [1.6,5.7] |
| D. 10 to 19 times | 0.5 [0.2,1.3] |
| E. 20 to 39 times | 0.4 [0.1,2.8] |
| F. 40 or more times | 1.3 [0.5,3.0] |
49. During the past **12 months**, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?
- | | |
|---------------------|------------------|
| A. 0 times | 88.1 [82.8,91.9] |
| B. 1 or 2 times | 2.6 [1.2,5.6] |
| C. 3 to 9 times | 5 [2.7,9.3] |
| D. 10 to 19 times | 1.9 [1.1,3.1] |
| E. 20 to 39 times | 0.6 [0.1,2.6] |
| F. 40 or more times | 1.8 [0.7,4.9] |
50. During the past 12 months, how many times have you used ecstasy?
- | | |
|---------------------|------------------|
| A. 0 times | 94.7 [90.5,97.1] |
| B. 1 or 2 times | 2.1 [1.1,3.9] |
| C. 3 to 9 times | 0.9 [0.3,2.5] |
| D. 10 to 19 times | 0.8 [0.1,5.7] |
| E. 20 to 39 times | 0 0 |
| F. 40 or more times | 1.5 [0.6,3.6] |

51. During your life, how many times have you used a needle to inject any **illegal** drug into your body?
- A. 0 times 97.8 [95.0,99.1]
 - B. 1 time 1.3 [0.6,2.9]
 - C. 2 or more times 0.9 [0.3,2.8]

52. During the past 12 months, has anyone offered, sold, or given you an illegal drug **on school property**?
- A. Yes 32.4 [24.9,41.0]
 - B. No 67.6 [59.0,75.1]

The next 3 questions ask about what people think about kids your age drinking alcohol.

53. How wrong would **most adults** in your community think it was for kids your age to drink alcohol (beer, wine, or hard liquor) regularly?
- A. Very wrong 20.1 [15.1,26.2]
 - B. Wrong 46.4 [41.2,51.7]
 - C. A little bit wrong 26.9 [21.3,33.3]
 - D. Not wrong at all 6.6 [4.5,9.6]

54. How wrong do **your parents** feel it would be for you to drink alcohol (beer, wine, or hard liquor) regularly?
- A. Very wrong 56 [48.9,62.8]
 - B. Wrong 22.6 [18.2,27.7]
 - C. A little bit wrong 17.3 [12.2,24.1]
 - D. Not wrong at all 4.1 [2.9,5.8]

55. How wrong do **YOU** think it is for someone your age to drink alcohol (beer, wine, or hard liquor) regularly?
- A. Very wrong 19.4 [14.8,25.0]
 - B. Wrong 25.1 [20.2,30.8]
 - C. A little bit wrong 32.5 [26.1,39.8]
 - D. Not wrong at all 23 [18.3,28.5]

If you wanted to, how easy would each of the following be to get? Use the following scale:

56. Beer, wine, or hard liquor (for example, vodka, whiskey or gin)?
- A. Very hard 11.1 [7.5,16.0]
 - B. Sort of hard 12.8 [9.2,17.6]
 - C. Sort of easy 22.9 [18.1,28.7]
 - D. Very easy 53.2 [46.4,59.8]

57. Marijuana?
- A. Very hard 20.3 [14.6,27.5]
 - B. Sort of hard 12.9 [9.8,16.8]
 - C. Sort of easy 17.9 [14.0,22.6]
 - D. Very easy 48.9 [43.0,54.8]

58. Cocaine, LSD, methamphetamines, or other illegal drug
- A. Very hard 43.7 [36.7,51.0]
 - B. Sort of hard 23.9 [19.2,29.3]
 - C. Sort of easy 14.2 [11.7,17.1]
 - D. Very easy 18.2 [14.0,23.4]

59. About how many adults have you known personally who, in the past year, have used marijuana, cocaine or other drugs?	
A. None	36.4 [30.2,43.0]
B. 1 adult	13.8 [11.4,16.6]
C. 2 adults	12.6 [8.3,18.7]
D. 3 to 4 adults	14.4 [11.3,18.2]
E. 5 or more adults	22.8 [16.9,30.0]
60. About how many adults have you known personally who, in the past year, have sold or dealt drugs?	
A. None	55.3 [49.6,60.9]
B. 1 adult	13.3 [9.7,17.9]
C. 2 adults	11 [8.1,14.7]
D. 3 to 4 adults	8.4 [5.6,12.4]
E. 5 or more adults	12.1 [8.5,16.9]

The next 6 questions ask about sexual behavior.

61. How old were you when you had sexual intercourse for the first time?	
A. I never had sexual intercourse	56.1 [45.8,66.0]
B. 11 years old or younger	4.8 [2.8,8.0]
C. 12 years old	3.4 [2.0,6.0]
D. 13 years old	5.8 [4.1,8.3]
E. 14 years old	10.9 [7.5,15.5]
F. 15 years old	11.5 [7.9,16.4]
G. 16 years old	5.4 [3.2,8.9]
H. 17 years old or older	2.1 [0.8,5.5]
62. During your life, with how many people have you had sexual intercourse?	
A. I never had sexual intercourse	57.1 [46.9,66.7]
B. 1 person	16.1 [12.2,21.0]
C. 2 people	6.1 [4.1,9.2]
D. 3 people	6.3 [3.8,10.3]
E. 4 people	5.2 [3.4,8.0]
F. 5 people	1.8 [0.9,3.7]
G. 6 or more people	7.3 [4.5,11.6]
63. During the past 3 months, with how many people did you have sexual intercourse?	
A. I never had sexual intercourse	56.6 [46.3,66.3]
B. I had sexual intercourse, but not during the past 3 months	14.9 [10.7,20.2]
C. 1 person	18.1 [13.0,24.5]
D. 2 people	5.3 [2.9,9.5]
E. 3 people	1.6 [0.4,5.4]
F. 4 people	0.3 [0.1,1.2]
G. 5 people	1.9 [0.7,5.0]
H. 6 or more people	1.4 [0.5,3.8]
64. Did you drink alcohol or use drugs before you had sexual intercourse the last	
A. I never had sexual intercourse	56.9 [46.7,66.6]
B. Yes	11.2 [6.7,18.1]
C. No	31.9 [24.9,39.7]

65. The **last time** you had sexual intercourse, did you or your partner use a condom?
- A. I never had sexual intercourse 57.2 [47.0,66.9]
 - B. Yes 21.8 [15.7,29.6]
 - C. No 20.9 [16.2,26.6]

66. The **last time** you had sexual intercourse, what **one** method did you or your partner use to **prevent pregnancy**? (Select only **one** response.)
- A. I never had sexual intercourse 57 [46.8,66.7]
 - B. No method was used to prevent pregnancy 10.3 [7.4,14.4]
 - C. Birth control pills 4.5 [2.6,7.8]
 - D. Condoms 20 [14.3,27.3]
 - E. Depo-Provera 1 [0.3,3.5]
 - F. Withdrawal 3.8 [2.1,6.9]
 - G. Some other method 1.7 [0.8,3.9]
 - H. Not sure 1.5 [0.7,3.2]

The following questions ask about your family, your school, other adults, your friends and yourself. Use the following scale:

In my home, there is a parent or some other adult ...

67. who is interested in my school work.
- A. Not true at all 5.5 [3.3,9.1]
 - B. A little true 8.6 [5.2,13.9]
 - C. Pretty much true 22.5 [18.0,27.7]
 - D. Very much true 63.5 [56.6,69.8]
68. who talks with me about my problems.
- A. Not true at all 17.4 [13.3,22.6]
 - B. A little true 18.9 [15.3,23.1]
 - C. Pretty much true 29 [23.6,35.1]
 - D. Very much true 34.7 [27.6,42.5]
69. who listens to me when I have something to say.
- A. Not true at all 12.6 [10.0,15.8]
 - B. A little true 15 [11.4,19.5]
 - C. Pretty much true 26.5 [20.9,32.8]
 - D. Very much true 45.9 [39.0,53.0]
70. who expects me to follow the rules.
- A. Not true at all 6.6 [4.1,10.4]
 - B. A little true 6.2 [3.5,10.8]
 - C. Pretty much true 18.4 [14.2,23.5]
 - D. Very much true 68.9 [63.9,73.5]
71. who believes that I will be a success.
- A. Not true at all 8.3 [5.3,12.6]
 - B. A little true 8.3 [6.1,11.1]
 - C. Pretty much true 20.3 [16.5,24.7]
 - D. Very much true 63.2 [57.7,68.4]

72. who always wants me to do my best.
- | | |
|---------------------|------------------|
| A. Not true at all | 4.6 [2.7,7.6] |
| B. A little true | 5.5 [3.2,9.2] |
| C. Pretty much true | 12.6 [9.5,16.7] |
| D. Very much true | 77.3 [73.0,81.2] |

At my school, there is a teacher or some other adult...

73. who really cares about me.
- | | |
|---------------------|------------------|
| A. Not true at all | 14.7 [11.0,19.5] |
| B. A little true | 26.8 [22.3,31.8] |
| C. Pretty much true | 25.4 [21.6,29.5] |
| D. Very much true | 33.1 [27.0,39.8] |

74. who notices when I'm not there.
- | | |
|---------------------|------------------|
| A. Not true at all | 16.1 [11.8,21.7] |
| B. A little true | 16.6 [13.0,20.8] |
| C. Pretty much true | 32.2 [26.4,38.5] |
| D. Very much true | 35.1 [30.0,40.6] |

75. who listens to me when I have something to say.
- | | |
|---------------------|------------------|
| A. Not true at all | 12.9 [9.4,17.6] |
| B. A little true | 23.1 [17.7,29.6] |
| C. Pretty much true | 30.3 [26.1,34.9] |
| D. Very much true | 33.6 [28.1,39.6] |

76. who tells me when I do a good job.
- | | |
|---------------------|------------------|
| A. Not true at all | 12.6 [8.8,17.7] |
| B. A little true | 16.1 [12.0,21.1] |
| C. Pretty much true | 32 [26.4,38.2] |
| D. Very much true | 39.3 [33.5,45.4] |

77. who always wants me to do my best.
- | | |
|---------------------|------------------|
| A. Not true at all | 9 [6.5,12.3] |
| B. A little true | 14.7 [11.9,18.0] |
| C. Pretty much true | 29.4 [24.9,34.3] |
| D. Very much true | 47 [41.0,53.0] |

78. who believes that I will be a success.
- | | |
|---------------------|------------------|
| A. Not true at all | 11.7 [8.6,15.6] |
| B. A little true | 19.7 [15.7,24.4] |
| C. Pretty much true | 28.1 [23.0,34.0] |
| D. Very much true | 40.5 [34.6,46.7] |

Outside of my home and school, there is an adult...

79. who really cares about me.
- | | |
|---------------------|------------------|
| A. Not true at all | 8.7 [6.5,11.6] |
| B. A little true | 9.3 [7.1,12.1] |
| C. Pretty much true | 19 [15.1,23.5] |
| D. Very much true | 63.1 [57.9,67.9] |

80. who notices when I am upset about something.	
A. Not true at all	11.4 [8.1,15.9]
B. A little true	14.9 [10.8,20.1]
C. Pretty much true	23.3 [18.8,28.5]
D. Very much true	50.4 [46.6,54.2]
81. whom I trust.	
A. Not true at all	10.7 [8.0,14.3]
B. A little true	9.8 [7.7,12.5]
C. Pretty much true	23 [19.0,27.6]
D. Very much true	56.4 [53.4,59.4]
82. who tells me when I do a good job.	
A. Not true at all	10.9 [8.3,14.0]
B. A little true	12.1 [9.3,15.6]
C. Pretty much true	24.8 [20.8,29.4]
D. Very much true	52.2 [47.7,56.7]
83. who always wants me to do my best.	
A. Not true at all	9.7 [7.0,13.4]
B. A little true	10.8 [8.1,14.2]
C. Pretty much true	21.8 [17.4,26.9]
D. Very much true	57.7 [52.0,63.2]
84. who believes that I will be a success.	
A. Not true at all	8.8 [6.6,11.6]
B. A little true	9.7 [7.4,12.8]
C. Pretty much true	24.2 [18.9,30.4]
D. Very much true	57.3 [51.4,63.0]
I have a friend about my own age...	
85. who really cares about me.	
A. Not true at all	5.7 [3.3,9.6]
B. A little true	9.5 [6.5,13.7]
C. Pretty much true	18.6 [13.6,25.0]
D. Very much true	66.2 [58.5,73.1]
86. who talks with me about my problems.	
A. Not true at all	9.6 [6.6,13.8]
B. A little true	11.9 [8.9,15.8]
C. Pretty much true	18.8 [13.5,25.6]
D. Very much true	59.7 [52.4,66.6]
87. who helps me when I'm having a hard time.	
A. Not true at all	7.8 [5.0,11.8]
B. A little true	12.8 [9.1,17.7]
C. Pretty much true	17.7 [13.6,22.5]
D. Very much true	61.8 [55.8,67.4]

How true do you feel these statements are for you?

88. When I am not at home, one of my parents/guardians knows where I am and who I am.
- A. Not true at all 6 [3.6,9.9]
 - B. A little true 15.2 [11.1,20.3]
 - C. Pretty much true 26.2 [21.7,31.1]
 - D. Very much true 52.6 [44.9,60.2]
89. My family has clear rules about drug and alcohol use.
- A. Not true at all 5.1 [3.1,8.2]
 - B. A little true 13 [9.7,17.2]
 - C. Pretty much true 18.4 [14.5,23.0]
 - D. Very much true 63.5 [58.5,68.3]
90. My family has clear rules and standards for my behavior.
- A. Not true at all 7.4 [4.7,11.6]
 - B. A little true 9.4 [6.2,14.0]
 - C. Pretty much true 23.3 [17.6,30.2]
 - D. Very much true 59.9 [52.2,67.2]
91. In my school, there are clear rules about what students can and cannot do.
- A. Not true at all 7.1 [5.6,9.0]
 - B. A little true 11.2 [7.5,16.5]
 - C. Pretty much true 30.9 [25.3,37.1]
 - D. Very much true 50.8 [44.6,57.0]
92. At school, I help decide things like class activities or rules.
- A. Not true at all 39.2 [34.5,44.0]
 - B. A little true 25.1 [20.7,30.2]
 - C. Pretty much true 15.2 [11.9,19.3]
 - D. Very much true 20.5 [16.3,25.3]
93. At school, I try hard to do my best work.
- A. Not true at all 8.5 [5.6,12.8]
 - B. A little true 14.2 [10.7,18.7]
 - C. Pretty much true 33.8 [27.1,41.2]
 - D. Very much true 43.4 [36.7,50.4]
94. I plan to go to college or some other school after high school.
- A. Not true at all 6.8 [4.4,10.4]
 - B. A little true 7.2 [4.9,10.6]
 - C. Pretty much true 11.8 [8.1,16.9]
 - D. Very much true 74.1 [66.9,80.2]
95. At school I am involved in sports, clubs, or other extra-curricular activities (such as band, cheerleading, student council, etc.).
- A. Not true at all 22.5 [16.4,30.1]
 - B. A little true 10.8 [7.9,14.5]
 - C. Pretty much true 12.7 [9.0,17.6]
 - D. Very much true 54 [45.1,62.7]

96. There is at least one adult in my community I could talk to about something	
A. Not true at all	14.8 [11.2,19.3]
B. A little true	14 [10.3,18.7]
C. Pretty much true	17.8 [14.0,22.4]
D. Very much true	53.4 [47.0,59.8]
97. Outside of my home and school, I am a part of clubs, sports teams, church/temple, or other group activities.	
A. Not true at all	27.6 [23.1,32.6]
B. A little true	16.5 [14.3,18.9]
C. Pretty much true	17.2 [13.9,21.2]
D. Very much true	38.7 [33.1,44.5]
98. Outside of my home and school, I am involved in music, art, literature, sports or a	
A. Not true at all	28.3 [22.5,34.9]
B. A little true	10.9 [7.4,15.6]
C. Pretty much true	16.2 [12.9,20.2]
D. Very much true	44.6 [37.9,51.6]
99. Outside of my home and school, I help other people.	
A. Not true at all	12.5 [9.6,16.2]
B. A little true	24 [18.4,30.6]
C. Pretty much true	26.6 [21.9,31.8]
D. Very much true	36.9 [31.5,42.7]
100. I try to understand what other people feel and think.	
A. Not true at all	11.4 [8.1,15.9]
B. A little true	13.8 [10.7,17.6]
C. Pretty much true	28.7 [24.2,33.6]
D. Very much true	46.1 [38.9,53.5]
101. It is important to think before you act.	
A. Not true at all	8.2 [5.2,12.7]
B. A little true	6.9 [4.6,10.3]
C. Pretty much true	20.5 [15.5,26.6]
D. Very much true	64.4 [57.8,70.5]
102. I have to have everything right away.	
A. Not true at all	24.6 [20.3,29.5]
B. A little true	42.2 [37.0,47.5]
C. Pretty much true	15.4 [11.3,20.6]
D. Very much true	17.8 [13.7,22.8]
103. I often do things without thinking about what will happen.	
A. Not true at all	20.4 [16.5,24.9]
B. A little true	37.5 [33.1,42.1]
C. Pretty much true	20.6 [17.2,24.4]
D. Very much true	21.6 [17.8,25.9]

104. It's hard for me to stick with one thing even when it's fun.
- | | | |
|---------------------|------|-------------|
| A. Not true at all | 43.8 | [36.8,51.1] |
| B. A little true | 27.3 | [22.1,33.1] |
| C. Pretty much true | 11.4 | [7.9,16.2] |
| D. Very much true | 17.5 | [13.6,22.2] |

105. My friends get into a lot of trouble.
- | | | |
|---------------------|------|-------------|
| A. Not true at all | 38.2 | [34.6,41.9] |
| B. A little true | 33.7 | [28.5,39.4] |
| C. Pretty much true | 12.9 | [10.0,16.6] |
| D. Very much true | 15.2 | [12.2,18.9] |

106. My friends do well in school.
- | | | |
|---------------------|------|-------------|
| A. Not true at all | 9.2 | [6.0,13.6] |
| B. A little true | 17.1 | [13.2,21.8] |
| C. Pretty much true | 42.4 | [38.1,46.8] |
| D. Very much true | 31.4 | [26.1,37.3] |

Among the people you consider to be your closest friends, how many would you say do the following?

107. Drink alcohol once a week or more?
- | | | |
|----------|------|-------------|
| A. None | 30.6 | [24.9,36.9] |
| B. A few | 33.3 | [28.6,38.4] |
| C. Some | 16.3 | [10.9,23.6] |
| D. Most | 15.6 | [13.5,17.8] |
| E. All | 4.3 | [2.5,7.1] |

108. Have used drugs such as marijuana or cocaine?
- | | | |
|----------|------|-------------|
| A. None | 34.3 | [27.4,41.8] |
| B. A few | 30.8 | [25.3,36.9] |
| C. Some | 14.9 | [11.3,19.5] |
| D. Most | 14.2 | [11.3,17.5] |
| E. All | 5.9 | [4.3,7.9] |

The next 8 questions ask about how many times you have done the following things.

109. How many times have you done what feels good no matter what?
- | | | |
|--------------------------------------|------|-------------|
| A. I've never done this | 29.4 | [22.9,36.9] |
| B. I've done it but not in past year | 10.5 | [7.7,14.1] |
| C. Less than once a month | 15 | [11.6,19.2] |
| D. About once a month | 9.7 | [6.0,15.3] |
| E. 2 to 3 times a month | 13.3 | [10.2,17.2] |
| F. Once a week or more | 22.1 | [16.8,28.4] |

110. How many times have you done something dangerous because someone dared
- | | | |
|--------------------------------------|------|-------------|
| A. I've never done this | 34.7 | [28.6,41.3] |
| B. I've done it but not in past year | 29.4 | [23.1,36.6] |
| C. Less than once a month | 16.3 | [12.1,21.6] |
| D. About once a month | 6.3 | [4.0,9.7] |
| E. 2 to 3 times a month | 8.2 | [6.3,10.6] |
| F. Once a week or more | 5.1 | [3.4,7.7] |

111. How many times have you done crazy exciting things even if they are a little	
A. I've never done this	19.6 [14.1,26.6]
B. I've done it but not in past year	24 [19.4,29.2]
C. Less than once a month	22.4 [18.1,27.2]
D. About once a month	10 [6.6,14.9]
E. 2 to 3 times a month	14.3 [9.8,20.3]
F. Once a week or more	9.8 [6.8,13.9]
112. How often do you attend religious or spiritual services?	
A. Every day	8.7 [6.1,12.3]
B. 1 to 6 times a week	30.8 [24.7,37.6]
C. 1 to 3 times a month	15.2 [11.0,20.6]
D. 3 to 11 times a year	12.9 [9.7,17.0]
E. Only once or twice a year	16.4 [12.6,21.0]
F. Never	16 [12.4,20.5]
113. During the school year, how many hours a week do you work at a part-time job?	
A. I don't work	65.2 [58.1,71.6]
B. 1 to 4 hours per week	12.9 [9.5,17.4]
C. 5 to 9 hours per week	4.9 [3.1,7.7]
D. 10 to 20 hours per week	10.3 [6.9,15.1]
E. Over 20 hours per week	6.8 [4.0,11.3]
114. During the last four weeks, how many days of school have you missed because you skipped or ditched?	
A. None	60.1 [52.1,67.6]
B. 1 day	15.8 [11.9,20.9]
C. 2 days	10.6 [7.5,14.6]
D. 3 days	4.7 [2.8,7.8]
E. 4 to 5 days	4 [2.1,7.5]
F. 6 to 10 days	1.9 [0.9,3.9]
G. 11 or more days	2.9 [1.6,5.0]
115. How often do you come to classes without bringing paper or something to write	
A. Never	51.9 [47.4,56.4]
B. Sometimes	41.9 [35.8,48.2]
C. Usually	6.2 [3.9,9.7]
116. How often do you come to classes without your homework finished?	
A. Never	24 [18.9,30.1]
B. Sometimes	57.7 [52.4,62.9]
C. Usually	18.3 [15.4,21.5]
The next 3 questions ask about body weight.	
117. During the past 30 days, did you exercise to lose weight or to keep from gaining	
A. Yes	56.8 [50.9,62.5]
B. No	43.2 [37.5,49.1]
118. During the past 30 days, did you eat less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight?	
A. Yes	36.6 [31.7,41.8]
B. No	63.4 [58.2,68.3]

119. During the past 30 days, did you **vomit or take laxatives** to lose weight or to keep from gaining weight?
- A. Yes 8.2 [5.6,12.1]
 - B. No 91.8 [87.9,94.4]

The next 7 questions ask about food you ate or drank during the past 7 days. Think about all the meals and snacks you had from the time you got up until you went to bed. Be sure to include food you ate at home, at school, at restaurants, or anywhere else.

120. During the past 7 days, how many times did you drink **100% fruit juices** such as orange juice, apple juice, or grape juice? (Do **not** count punch, Kool-Aid, sports drinks, or other fruit-flavored drinks.)
- A. I did not drink 100% fruit juice during the past 7 days 19.3 [14.6,25.2]
 - B. 1 to 3 times during past 7 days 37.3 [30.9,44.2]
 - C. 4 to 6 times during past 7 days 19 [15.5,23.0]
 - D. 1 time per day 9.8 [6.9,13.7]
 - E. 2 times per day 5.4 [3.2,9.0]
 - F. 3 times per day 3.8 [1.6,8.6]
 - G. 4 or more times per day 5.5 [3.1,9.4]
121. During the past 7 days, how many times did you eat **fruit**? (Do **not** count fruit juice.)
- A. I didn't eat fruit during past 7 days 16.7 [12.5,21.9]
 - B. 1-3 times during the past 7 days 42 [37.4,46.7]
 - C. 4-6 times during the past 7 days 15.3 [11.3,20.3]
 - D. 1 time per day 10.5 [7.5,14.4]
 - E. 2 times per day 7.2 [5.0,10.3]
 - F. 3 times per day 4.9 [2.4,9.6]
 - G. 4 or more times per day 3.5 [2.1,5.9]
122. During the past 7 days, how many times did you eat **green salad**?
- A. I did not eat green salad during the past 7 days 34.1 [28.5,40.2]
 - B. 1-3 times during the past 7 days 37.2 [32.1,42.6]
 - C. 4-6 times during the past 7 days 12.6 [9.6,16.5]
 - D. 1 time per day 10.1 [7.4,13.6]
 - E. 2 times per day 4 [2.1,7.5]
 - F. 3 times per day 0.3 [0.1,1.2]
 - G. 4 or more times per day 1.6 [0.7,3.6]
123. During the past 7 days, how many times did you eat **potatoes**? (Do **not** count french fries, fried potatoes, or potato chips.)
- A. I did not eat potatoes during the past 7 days 30.6 [26.0,35.6]
 - B. 1-3 times during the past 7 days 47 [40.7,53.5]
 - C. 4-6 times during the past 7 days 14.1 [10.5,18.6]
 - D. 1 time per day 3.2 [1.6,6.0]
 - E. 2 times per day 2.2 [1.1,4.3]
 - F. 3 times per day 1.9 [0.9,4.1]
 - G. 4 or more times per day 1 [0.4,2.1]

124. During the past 7 days, how many times did you eat **carrots**?
- | | |
|---|------------------|
| A. I did not eat carrots during the past 7 days | 50.7 [45.7,55.8] |
| B. 1-3 times during the past 7 days | 34.1 [28.5,40.1] |
| C. 4-6 times during the past 7 days | 8.2 [5.3,12.4] |
| D. 1 time per day | 3.7 [1.8,7.3] |
| E. 2 times per day | 1.2 [0.5,3.2] |
| F. 3 times per day | 0.8 [0.3,2.0] |
| G. 4 or more times per day | 1.3 [0.5,3.3] |

125. During the past 7 days, how many times did you eat **other vegetables**? (Do not count green salad, potatoes, or carrots.)
- | | |
|--|------------------|
| A. I did not eat other vegetables during the past 7 days | 19.1 [14.8,24.3] |
| B. 1-3 times during the past 7 days | 40 [33.4,47.0] |
| C. 4-6 times during the past 7 days | 21.2 [17.2,25.8] |
| D. 1 time per day | 11.5 [8.2,16.0] |
| E. 2 times per day | 6.5 [4.2,10.1] |
| F. 3 times per day | 0.6 [0.1,2.6] |
| G. 4 or more times per day | 1.1 [0.4,2.7] |

126. During the past 7 days, how many **glasses of milk** did you drink? (Include the milk you drank in a glass or cup, from a carton, or with cereal. Count the half pint of milk served at school as equal to one glass.)
- | | |
|--|------------------|
| A. I did not drink milk during the past 7 days | 16.3 [11.1,23.4] |
| B. 1-3 glasses during past 7 days | 24.8 [19.7,30.6] |
| C. 4-6 glasses during past 7 days | 17.7 [13.5,22.8] |
| D. 1 glass per day | 11.6 [8.1,16.3] |
| E. 2 glasses per day | 15.1 [11.3,19.8] |
| F. 3 glasses per day | 6.1 [3.8,9.7] |
| G. 4 or more glasses per day | 8.5 [5.5,12.9] |

The next 8 questions ask about physical activity, personal care and health habits.

127. On how many of the past 7 days did you exercise or participate in physical activity for **at least 20 minutes that made you sweat and breathe hard**, such as basketball, soccer, running, swimming laps, fast bicycling, fast dancing, or similar aerobic activities?
- | | |
|-----------|------------------|
| A. 0 days | 18.4 [14.6,23.1] |
| B. 1 day | 15.3 [12.4,18.7] |
| C. 2 days | 11.4 [7.8,16.5] |
| D. 3 days | 10.3 [7.1,14.7] |
| E. 4 days | 8.1 [5.6,11.7] |
| F. 5 days | 14.2 [10.7,18.6] |
| G. 6 days | 6.2 [3.4,10.8] |
| H. 7 days | 16.1 [11.5,22.0] |

128. On how many of the past 7 days did you participate in physical activity for **at least 30 minutes** that did **not** make you sweat or breathe hard, such as fast walking, slow bicycling, skating, pushing a lawn mower, or mopping floors?
- | | |
|-----------|------------------|
| A. 0 days | 28.9 [24.6,33.5] |
| B. 1 day | 18.2 [14.9,22.1] |
| C. 2 days | 12.6 [8.7,17.9] |
| D. 3 days | 12.3 [8.6,17.3] |
| E. 4 days | 5.8 [3.6,9.2] |
| F. 5 days | 6.1 [4.1,8.8] |
| G. 6 days | 3.1 [1.3,7.4] |
| H. 7 days | 13 [9.1,18.3] |

129. On an average school day, how many hours do you watch TV?	
A. I do not watch TV on an average school day	10.7 [6.7,16.6]
B. Less than 1 hour per day	19.8 [15.5,24.8]
C. 1 hour per day	13.8 [10.8,17.4]
D. 2 hours per day	22.2 [16.4,29.4]
E. 3 hours per day	17.3 [13.0,22.6]
F. 4 hours per day	8.8 [6.0,12.5]
G. 5 or more hours per day	7.6 [5.0,11.2]
130. In an average week when you are in school, on how many days do you go to physical education (PE) classes?	
A. 0 days	52.3 [42.7,61.7]
B. 1 day	5.6 [3.9,8.0]
C. 2 days	6.1 [4.0,9.0]
D. 3 days	23.5 [17.9,30.1]
E. 4 days	2.4 [1.3,4.4]
F. 5 days	10.1 [5.5,18.0]
131. When did you last have a physical exam?	
A. Within the last 12 months	60.1 [53.2,66.7]
B. 1-2 years ago	14.4 [11.3,18.2]
C. More than 2 years ago	4.5 [3.1,6.6]
D. I don't remember	14.3 [10.9,18.4]
E. I've never had a physical exam	6.7 [4.1,10.7]
132. If your school has a school-based health center, how many times did you use it for services this year?	
A. My school does not have a school-based health center	24.8 [18.1,33.0]
B. 0 times	43.4 [37.3,49.7]
C. 1 time	17.8 [13.3,23.4]
D. 2 times	8.3 [5.5,12.4]
E. 3 or more times	5.7 [3.3,9.8]
133. Are you limited in any way in any activities because of any impairment or health problem?	
A. Yes	12.4 [8.6,17.5]
B. No	80 [72.1,86.1]
C. Not sure	7.6 [4.7,12.1]
134. Because of any impairment or health problem do you have any trouble learning, remembering, or concentrating?	
A. I do not have any impairment or health problem	45.8 [39.4,52.4]
B. Yes	12.9 [9.3,17.7]
C. No	33.2 [28.1,38.8]
D. Not sure	8 [4.9,12.9]

These last 3 questions ask for some information about you and your family.

135. How often do you speak a language other than English at home?
- | | |
|--|------------------|
| A. Never | 53.7 [47.1,60.2] |
| B. Less than half the time | 27.2 [22.8,32.0] |
| C. About half the time | 10.3 [7.6,13.9] |
| D. More than half the time but not all of the time | 3.7 [2.4,5.7] |
| E. All of the time | 5.1 [3.1,8.4] |
136. Were you born in the USA or did you move here from another country?
- | | |
|--|------------------|
| A. Born in the USA | 89.8 [81.7,94.5] |
| B. Moved to USA 10 or more years ago | 3.2 [1.9,5.2] |
| C. Moved to USA between 5 and 9years ago | 3 [1.5,5.9] |
| D. Moved to USA less than 5 years ago | 4 [1.6,10.0] |
137. During the past 12 months, which of the following statements best describes the food eaten by you and your family?
- | | |
|-------------------------------------|------------------|
| A. Enough food to eat | 89.9 [83.6,94.0] |
| B. Sometimes not enough food to eat | 6.4 [3.6,11.1] |
| C. Often not enough food to eat | 3.6 [1.8,7.4] |

