Table 1: New Mexico Pertussis Cases for 2013

Case Status		
Confirmed	Probable	Total Cases
33	11	44

Table 2: Pertussis Cases by County

County Name	Case Number	Percent of Total Cases	Incidence per 100,000
Bernalillo County	27	61.4	4.1
Colfax County	4	9.1	29.1
Eddy County	2	4.5	3.7
Lea County	1	2.3	1.5
Rio Arriba County	1	2.3	2.5
San Miguel County	1	2.3	3.4
Santa Fe County	4	9.1	2.8
Valencia County	4	9.1	5.2

Table 3: Pertussis Cases by Age Group

Age Group	Case Number	Percent
< 1 Year	2	4.5
1 to 5 Years	4	9.1
6 to 10 Years	12	27.3
11 to 18 Years	7	15.9
19 to 65 Years	19	43.2

Table 4: Pertussis Cases by Race/Ethnicity

Race/Ethnicity	Case Number	Percent
American Indian or Alaska Native	1	2.3
Black or African American	1	2.3
Hispanic	27	61.4
White	15	34.1

Table 5: Cases of Pertussis by Race/Ethnicity

	Ethnicity			
Race	Hispanic or Latino	Not Hispanic or Latino	Unknown/ Missing	Total
American Indian or Alaska Native	0.00	0.00	1 2.27	1 2.27
Black or African American	1	0	0	1
	2.27	0.00	0.00	2.27
White	19	15	0	34
	43.18	34.09	0.00	77.27
Unknown/Missing	8	0	0	8
	18.18	0.00	0.00	18.18
Total	28	15	1	44
	63.64	34.09	2.27	100.00

Table 6: Pertussis Cases by Sex

Gender	Case Number	Percent
Female	24	54.5
Male	20	45.5

Table 7: Hospitalizations of Pertussis Cases


Yes		No		
Count	Percent	Count	Percent	
1	2.3	43	97.7	

Table 8: Cases of Pertussis by Hospitalization and Age Group

	Hospitalized Cases			
Age Group	Yes	No	Total	
< 1 Year	1 50.00	1 50.00	2	
1 to 5 Years	0.00	4 100.00	4	
6 to 10 Years	0.00	12 100.00	12	
11 to 18 Years	0.00	7 100.00	7	
19 to 65 Years	0.00	19 100.00	19	
Total	1	43	44	

Pertussis Report for Dates 01/01/2013 to 01/20/2013

Case Counts of Suspected Pertussis by Week of Cough Onset for 2013



Week of Cough Onset

2013 --- Average, last 3 years