

New Mexico Department of Health Influenza & Respiratory Disease Report

A Summary of Influenza and RSV Surveillance





^{*} This map indicates geographic spread & does not measure the severity of influenza activity

Summary of Activity: Week 42 October 16-22, 2016

- Influenza activity is below the national baseline of 2.2% in all five health regions
- There has been sporadic laboratory activity
- No influenza-related outbreaks have been reported this week

Table of Contents


•	Influenza-Like Illness (ILI)	2
	Regional ILI	
	Laboratory Data	
	Hospitalization and Death Data	
	Prevention and Control	
•	Appendix & Resources	8






Influenza-Like Illness (ILI) Activity


New Mexico Department of Health (NMDOH) is collaborating with 28* ILI sentinel sites for the 2016-2017 season. Sites report weekly on the number of patients that present to their facility with influenza-like illness. That number is then divided by the total number of patients seen for any reason, resulting in percent of ILI activity. ILI is defined as fever of > 100° F and cough and sore throat in absence of known cause.



Regional ILI Activity




Region	This Week	Last Week	Outbreaks	+PCR testing at SLD
NW	0.7%	1.6%	No	No
NE	0.6%	0.5%	No	No
Metro	1.5%	1.8%	No	Yes
SW	0.3%	0.4%	No	No
SE	1.4%	0.7%	No	Yes




Outbreak: An influenza outbreak is defined as at least two cases of ILI in a specific area with at least one lab confirmed case.


PCR Testing: Polymerase Chain Reaction (PCR) tests can identify the presence of influenza viral RNA in respiratory specimens. PCR testing is performed at four facilities: NMDOH Scientific Laboratory Division (SLD), TriCore Reference Laboratories, New Mexico Veterans Affairs (VA) and Gila Regional Medical Center (GRMC). 3

Laboratory Data & Virologic Surveillance




Since the start of the influenza season, four laboratories have reported 1 of 21 respiratory specimens testing positive for influenza by PCR. 1 positive specimens was subtyped as A(H1N1), O(0.0%) were O(0.0%) of influenza A specimens were not subtyped. O(0.0%) tested positive influenza B, (not subtyped), O(0.0%) positive specimens were identified as O(0.0%) and O(0.0%) as O(0.






RSV and Rapid Influenza Laboratory Data 2016-2017



^{*} Data is not representative of all facilities in New Mexico

Influenza Hospitalizations, NM & US, 2016-2017



Influenza and Pneumonia Deaths, NM, 2014-2016

Season	Year to date (YTD) P & I Deaths	Pneumonia Deaths	Adult Flu Deaths	Pediatric Flu Deaths	Total P & I Deaths
2016-2017	0	0	0	0	0
2015-2016	190	159	30	1	190
2014-2015	185	152	32	1	185

Pneumonia death: Is defined as have a cause of death that related to pneumonia & influenza (P & I) not including: aspiration pneumonia, pneumonitis, or pneumococcal meningitis.

Influenza death: Is defined as have a cause of death that related to pneumonia & influenza (P & I) not including: parainfluenzae or Haemophilus *influenza*.

Vaccination Information

Got Questions? 1-866-681-5872, New Mexico's Vaccine and Flu Hotline

Still Need to Get Your Flu Shot?

HealthMap Vaccine Finder:

http://vaccine.healthmap.org/

To use HealthMap Vaccine Finder you'll need internet access and the zip code in which you wish to get vaccinated.

Or

Contact your local public health office:

https://nmhealth.org/location/public/

Antiviral Information and Data

Persons at higher risk for influenza complication recommended for antiviral treatment include:

- Children aged younger than 2 years & adults aged 65 years and older
- Persons with chronic medical conditions
- Persons with immunosuppression, including that caused by medications or by HIV infection
- Women who are pregnant or postpartum (within 2 weeks after delivery)
- Persons aged younger than 19 years who are receiving long-term aspirin therapy
- American Indians/Alaska Natives
- Persons who are morbidly obese (i.e., BMI is 40 or greater)
- Residents of nursing homes and other chronic-care facilities

Appendix

*Geographic spread is based on CDCs activity estimates definitions. For more information visit: http://www.cdc.gov/flu/weekly/overview.htm

Health Region	Participating Sentinel Sites		
	(Facility name, City)		
Northwest	San Juan Regional Medical Center, Farmington and Acoma-Canoncito-Laguna Indian Health Hospital, Acoma		
Northeast	Raton Family Practice Associates, Raton; Taos-Picuris Indian Health Clinic, Taos; Pecos Valley Medical Center, Pecos; La Familia Medical Clinics, Santa Fe; Los Alamos Family Care Clinic, Los Alamos; Jicarilla Apache Indian Health Clinic, Dulce; Children's Clinic PA, Los Alamos		
Metro	Lovelace Downtown Medical Center, Albuquerque; University of New Mexico Student Health Clinic, Albuquerque; Presbyterian Medical Group-Atrisco, Northside, Pediatric Urgent Care; Albuquerque Health Partners Urgent Care, Rio Rancho		
Southwest	Gila Regional Medical Center, Silver City; Hidalgo Medical Services Clinic, Lordsburg; Ben Archer Health Center, Deming, Columbus, and Dona Ana; La Clinica de Familia, Sunland Park; Mescalero Apache Indian Health Hospital, Mescalero; New Mexico Mining and Technology Institute, Socorro Carlsbad Medical Center, Carlsbad; Lea Regional Medical Center, Hobbs; Eastern New Mexico Medical Center, Roswell; Roosevelt General Hospital Clinic, Portales		
Southeast	Carlsbad Medical Center, Carlsbad; Lea Regional Medical Center, Hobbs; Eastern New Mexico Medical Center, Roswell; Roosevelt General Hospital Clinic, Portales		

In accordance with New Mexico Administrative Code (NMAC) 7.4.3.13 Influenza is a reportable condition for the following:

- Influenza, laboratory confirmed hospitalizations only
- Influenza-associated pediatric death
- Acute Illness or condition of any type involving large numbers of persons in the same geographic area (outbreaks)
- Other illnesses or condition of public health significance (novel influenza A)

For more information on reportable conditions please visit:

http://www.nmcpr.state.nm.us/nmac/parts/title07/07.004.0003.htm



Report published by New Mexico Department of Health (NMDOH), Epidemiology and Response Division (ERD) Infectious Disease Epidemiology Bureau (IDEB)

For questions, please call 505-827-0006. For more information on influenza go to the NMDOH web page: https://nmhealth.org/about/erd/ideb/isp/ Or The CDC web page: http://www.cdc.gov/flu/index.htm