DOÑA ANA COUNTY HEALTH PROFILE

2003 NEW MEXICO COUNTY HEALTH PROFILES NEW MEXICO DEPARTMENT OF HEALTH PUBLIC HEALTH DIVISION OFFICE OF NEW MEXICO VITAL RECORDS AND HEALTH STATISTICS

Welcome to the fifth update of the New Mexico County Health Profiles. This publication is dedicated to users of county-level data as well as to those who contributed data, suggestions, interpretations, and comments. Thanks to so many of you, there are many improvements in this year's version. Some of you work in the Department of Health, but a great many of you work in other agencies and it is gratifying to be able to have collaborated with you.

As in prior versions, the latest data available from each source is used. Questions about the data, their collection, limitations, or interpretation should be directed to the appropriate data source. To aid in this, a source is listed at the bottom of each table throughout the profile.

The compilation of the Profiles is possible because of assistance and contributions from many agencies and data providers: NM Department of Health, District Health Offices, Diabetes Prevention and Control Program, Family Food and Nutrition Services, Family Health Bureau, Infectious Disease Bureau, Injury Prevention and EMS Bureau, Long Term Services Division, Family Infant Toddler Program, Behavioral Health, and Office of Epidemiology; NM Children, Youth and Families Department, Child Protective Services; NM Commission on Higher Education; NM Department of Education; NM Department of Labor; NM Health Policy Commission; NM Department of Transportation, Traffic Safety Bureau; NM Human Services Department, Income Support Division, Medical Assistance Division; University of New Mexico's Bureau of Business and Economic Research (BBER) and New Mexico Tumor Registry; Center for Disease Control's National Center for Health Statistics; US Department of Commerce, Bureau of the Census and Bureau of Economic Analysis; and US Bureau of Labor Statistics.

Without outstanding assistance from the entire staff at the Office of New Mexico Vital Records and Health Statistics, these profiles would not have been produced and we especially wish to thank: Mary M. Gonzales, John Hedrick, Brad Whorton, Brian Woods, Radha S. Biswas, Tony Ortiz, Renee Valencia, Michael Patterson, Veronica Tapia, Pete Varela, Rebecca Rodriguez, and Melinda Roybal.

Your comments are welcome. You may call 827-0167 to provide comments or suggestions for future reports.

Celine Sanchez
State Registrar and Acting Chief
Office of New Mexico Vital Records and Health Statistics

Kimberley Peters

Director, Designated State Center for Health Statistics

Mary Houdek
Manager, Information Systems and GIS

Mary Anne Escudero

Manager, Fraud Program & Deputy State Registrar

Copyright 2003 Office of New Mexico Vital Records and Health Statistics. Permission to quote from or reproduce materials from this report is granted with attributions.



Office of New Mexico Vital Records & Health Statistics County Health Profile Team

Mary M. Gonzales Management Analyst & Co-editor

Jonathan Hedrick Statistician & Co-editor

Radha S. Biswas Epidemiologist
Tony Ortiz Epidemiologist
Michael Patterson Statistician
Rebecca Rodriguez Statistician
Melinda Roybal Statistician
Veronica Tapia Clerk Specialist

Renee Valencia
Pete Varela
Brad Whorton
Brian Woods
Statistician
Epidemiologist
Epidemiologist


TABLE OF CONTENTS

Population	
Growth and Change	
Distribution by Age and Gender	
Distribution by Race/Ethnicity	
Distribution by Hispanic Ethnicity	
Special Populations	
Socio-Economic	8
Per Capita Income / Average Wages / Total Personal Income	
Unemployment / TANF & Food Stamps / Medicaid / Poverty	
Maternal and Infant Health	10
Live Births / Crude Birth Rates / Fertility Rates	
Number of Births and Birth Rates by Age of Mother	
Percent of Total Births to Teen Mothers / Single Mothers	
Percent of Births to Mothers with < 12 Years Education / First Trimester Prenatal Care	
Prenatal Care – Modified Kessner Index	
Adequacy of Prenatal Care Utilization - Kotelchuck Index	
Live Births by Type of Attendant	
Low Birth Weight Births / Very Low Birth Weight Births / High Birth Weight	
Supplemental Programs / Births Paid by Medicaid / Female Population Age 15-44	
Number Infant, Neonatal and Postneonatal Deaths / Infant Mortality - SIDS Deaths/Birth De	efects
	•
Child Health (1-14) Years of Age.	20
Children's Chronic Conditions Registry Data / Child Abuse	20
Children's Chronic Conditions Registry Data / Child Abuse Family Infant Toddler (FIT) Data	20
Children's Chronic Conditions Registry Data / Child Abuse Family Infant Toddler (FIT) Data School Enrollment	20
Children's Chronic Conditions Registry Data / Child Abuse Family Infant Toddler (FIT) Data	20
Children's Chronic Conditions Registry Data / Child Abuse Family Infant Toddler (FIT) Data School Enrollment Mortality – Deaths / Death Rates / Childhood Leading Causes	
Children's Chronic Conditions Registry Data / Child Abuse Family Infant Toddler (FIT) Data School Enrollment Mortality – Deaths / Death Rates / Childhood Leading Causes Adolescent / Youth (15-19) Years of Age.	
Children's Chronic Conditions Registry Data / Child Abuse Family Infant Toddler (FIT) Data School Enrollment Mortality – Deaths / Death Rates / Childhood Leading Causes Adolescent / Youth (15-19) Years of Age. High School Enrollment / Drop-out Rate / College Enrollment	
Children's Chronic Conditions Registry Data / Child Abuse Family Infant Toddler (FIT) Data School Enrollment Mortality – Deaths / Death Rates / Childhood Leading Causes Adolescent / Youth (15-19) Years of Age. High School Enrollment / Drop-out Rate / College Enrollment Motor Vehicle Crashes	
Children's Chronic Conditions Registry Data / Child Abuse Family Infant Toddler (FIT) Data School Enrollment Mortality – Deaths / Death Rates / Childhood Leading Causes Adolescent / Youth (15-19) Years of Age. High School Enrollment / Drop-out Rate / College Enrollment	
Children's Chronic Conditions Registry Data / Child Abuse Family Infant Toddler (FIT) Data School Enrollment Mortality – Deaths / Death Rates / Childhood Leading Causes Adolescent / Youth (15-19) Years of Age. High School Enrollment / Drop-out Rate / College Enrollment Motor Vehicle Crashes Natality and Mortality - Teen Birth Rates / Deaths / Leading Causes	24
Children's Chronic Conditions Registry Data / Child Abuse Family Infant Toddler (FIT) Data School Enrollment Mortality – Deaths / Death Rates / Childhood Leading Causes Adolescent / Youth (15-19) Years of Age. High School Enrollment / Drop-out Rate / College Enrollment Motor Vehicle Crashes Natality and Mortality - Teen Birth Rates / Deaths / Leading Causes Infectious / Communicable Disease.	24
Children's Chronic Conditions Registry Data / Child Abuse Family Infant Toddler (FIT) Data School Enrollment Mortality – Deaths / Death Rates / Childhood Leading Causes Adolescent / Youth (15-19) Years of Age. High School Enrollment / Drop-out Rate / College Enrollment Motor Vehicle Crashes Natality and Mortality - Teen Birth Rates / Deaths / Leading Causes Infectious / Communicable Disease. Gastrointestinal Disease	24
Children's Chronic Conditions Registry Data / Child Abuse Family Infant Toddler (FIT) Data School Enrollment Mortality – Deaths / Death Rates / Childhood Leading Causes Adolescent / Youth (15-19) Years of Age. High School Enrollment / Drop-out Rate / College Enrollment Motor Vehicle Crashes Natality and Mortality - Teen Birth Rates / Deaths / Leading Causes Infectious / Communicable Disease Gastrointestinal Disease Hepatitis A / Campylobacter Infection / Salmonellosis / Shigellosis	24
Children's Chronic Conditions Registry Data / Child Abuse Family Infant Toddler (FIT) Data School Enrollment Mortality – Deaths / Death Rates / Childhood Leading Causes Adolescent / Youth (15-19) Years of Age. High School Enrollment / Drop-out Rate / College Enrollment Motor Vehicle Crashes Natality and Mortality - Teen Birth Rates / Deaths / Leading Causes Infectious / Communicable Disease Gastrointestinal Disease Hepatitis A / Campylobacter Infection / Salmonellosis / Shigellosis Bloodborne Diseases	24
Children's Chronic Conditions Registry Data / Child Abuse Family Infant Toddler (FIT) Data School Enrollment Mortality – Deaths / Death Rates / Childhood Leading Causes Adolescent / Youth (15-19) Years of Age. High School Enrollment / Drop-out Rate / College Enrollment Motor Vehicle Crashes Natality and Mortality - Teen Birth Rates / Deaths / Leading Causes Infectious / Communicable Disease Gastrointestinal Disease Hepatitis A / Campylobacter Infection / Salmonellosis / Shigellosis Bloodborne Diseases Hepatitis B / HIV/AIDS	24
Children's Chronic Conditions Registry Data / Child Abuse Family Infant Toddler (FIT) Data School Enrollment Mortality – Deaths / Death Rates / Childhood Leading Causes Adolescent / Youth (15-19) Years of Age. High School Enrollment / Drop-out Rate / College Enrollment Motor Vehicle Crashes Natality and Mortality - Teen Birth Rates / Deaths / Leading Causes Infectious / Communicable Disease Gastrointestinal Disease Hepatitis A / Campylobacter Infection / Salmonellosis / Shigellosis Bloodborne Diseases Hepatitis B / HIV/AIDS Respiratory Diseases	24
Children's Chronic Conditions Registry Data / Child Abuse Family Infant Toddler (FIT) Data School Enrollment Mortality – Deaths / Death Rates / Childhood Leading Causes Adolescent / Youth (15-19) Years of Age. High School Enrollment / Drop-out Rate / College Enrollment Motor Vehicle Crashes Natality and Mortality - Teen Birth Rates / Deaths / Leading Causes Infectious / Communicable Disease Gastrointestinal Disease Hepatitis A / Campylobacter Infection / Salmonellosis / Shigellosis Bloodborne Diseases Hepatitis B / HIV/AIDS Respiratory Diseases Pertussis / Tuberculosis	24
Children's Chronic Conditions Registry Data / Child Abuse Family Infant Toddler (FIT) Data School Enrollment Mortality – Deaths / Death Rates / Childhood Leading Causes Adolescent / Youth (15-19) Years of Age. High School Enrollment / Drop-out Rate / College Enrollment Motor Vehicle Crashes Natality and Mortality - Teen Birth Rates / Deaths / Leading Causes Infectious / Communicable Disease Gastrointestinal Disease Hepatitis A / Campylobacter Infection / Salmonellosis / Shigellosis Bloodborne Diseases Hepatitis B / HIV/AIDS Respiratory Diseases	24


TABLE OF CONTENTS cont'd

..........

Injury	30
Motor Vehicle Crashes	
Injuries by Category	
Chronic Disease	33
Cancer Incidence - Male	
Cancer Incidence - Female	
Inpatient Hospitalization	
Hospital Discharge by Payer / Asthma	
Diabetes	
Aging	38
Inpatient Hospitalization / Discharge Status	
Adult Abuse / Deaths / Death Rates / Leading Causes of Death	
	40
General Mortality	40
Deaths / Death Rates / Leading Causes of Death	
Environmental Health	41
Lead Poisoning	
Community Resources	42
Hospitals and Primary Care Facilities / Health Care Clinics	42
Selected Community Partners to Public Health / Licensed Health Professionals	
Active Emergency Medical Services	
Glossary	44




2002 POPULATION ESTIMATES BY AGE AND GENDER											
Age Groups		na Ana Cou	nty		New Mexico						
rige Groups	Male	Female	Both	Male	Female	Both					
Less than 1 yr	1,383	1,409	2,792	13,746	13,361	27,107					
1 to 4 years	5,414	5,434	10,848	53,236	51,780	105,016					
5 to 9 years	7,063	6,856	13,919	67,768	65,647	133,415					
10 to 14 years	7,539	7,167	14,706	74,247	71,746	145,993					
15 to 19 years	7,878	7,578	15,456	76,356	72,288	148,644					
20 to 24 years	8,568	8,485	17,053	67,182	64,847	132,029					
25 to 29 years	6,556	6,236	12,792	56,796	56,273	113,069					
30 to 34 years	5,585	5,720	11,305	59,596	59,961	119,557					
35 to 39 years	5,616	6,183	11,799	64,222	65,623	129,845					
40 to 44 years	5,902	6,404	12,306	70,951	73,496	144,447					
45 to 49 years	5,533	5,904	11,437	66,325	70,011	136,336					
50 to 54 years	4,888	5,237	10,125	60,317	63,383	123,700					
55 to 59 years	3,749	4,014	7,763	47,075	50,411	97,486					
60 to 64 years	3,090	3,519	6,609	36,530	40,431	76,961					
65 to 69 years	2,852	3,140	5,992	30,979	34,231	65,210					
70 to 74 years	2,550	2,695	5,245	26,175	29,427	55,602					
75 to 79 years	1,864	2,243	4,107	19,298	25,786	45,084					
80 to 84 years	1,041	1,356	2,397	12,434	17,304	29,738					
85 and over	802	1,211	2,013	8,926	16,894	25,820					
All Ages	87,873	90,791	178,664	912,159	942,900	1,855,059					
	Sour	ce: U.S. Bu	reau of the	Census							




2002 POPULATION ESTIMATES BY AGE AND RACE/ETHNICITY											
Age Groups	White	ONE I	RACE American Indian / Alaska Native	Asian / Pacific Islander	Two or More Races	Total Population	Hispanic or Latino Ethnicity Any Race ^{/1}				
Under 5 years	12,785	292	145	142	276	13,640	10,564				
5 to 9 years	12,885	366	231	147	290	13,919	10,676				
10 to 14 years	13,735	361	229	129	252	14,706	11,205				
15 to 19 years	14,363	385	297	155	256	15,456	11,091				
20 to 24 years	15,723	493	346	224	267	17,053	11,037				
25 to 29 years	11,804	333	259	219	177	12,792	8,957				
30 to 34 years	10,539	269	196	175	126	11,305	7,823				
35 to 39 years	11,033	251	202	187	126	11,799	7,936				
40 to 44 years	11,633	231	203	133	106	12,306	7,837				
45 to 49 years	10,779	224	176	146	112	11,437	6,767				
50 to 54 years	9,626	129	174	107	89	10,125	5,582				
55 to 59 years	7,420	87	130	63	63	7,763	3,951				
60 to 64 years	6,332	72	96	59	50	6,609	3,177				
65 to 69 years	5,747	71	89	45	40	5,992	2,851				
70 to 74 years	5,051	63	58	43	30	5,245	2,444				
75 to 79 years	3,980	44	42	19	22	4,107	1,798				
80 to 84 years	2,331	26	16	10	14	2,397	863				
85 and over	1,963	17	14	9	10	2,013	740				
All Ages	167,729	3,714	2,903	2,012	2,306	178,664	115,299				

[/]¹ Hispanic or Latino origin may be of any race. Adding the Hispanic or Latino population to the racial categories will result in double counting.


SOURCE: U.S. Bureau of the Census




UNDER 20 POPULATION 2000, 2001 and 2002											
Age Groups 2000 2001 2002											
Under 5 years	13,569	13,513	13,640								
5 to 9 years	14,686	14,260	13,919								
10 to 14 years	14,766	14,735	14,706								
15 to 19 years	16,290	15,627	15,456								
Under 20 years											
County Population 174,682 176,457 178,664											
Source: U	.S. Bureau o	of the Censu	s								





20 TO 64 POPULATION 2000, 2001 and 2002									
Age Groups	2000	2001	2002						
20 to 24 years	15,875	16,814	17,053						
25 to 29 years	11,737	12,138	12,792						
30 to 34 years	10,874	10,951	11,305						
35 to 39 years	12,516	12,134	11,799						
40 to 44 years	12,171	12,205	12,306						
45 to 49 years	10,900	11,166	11,437						
50 to 54 years	9,266	9,847	10,125						
55 to 59 years	7,243	7,494	7,763						
60 to 64 years	6,277	6,353	6,609						
20 to 64 years	96,859	99,102	101,189						
County Population 174,682 176,457 178,664									
Source: U	.S. Bureau o	of the Censu	S						



65 AND OLDER POPULATION 2000, 2001 and 2002											
Age Groups 2000 2001 2002											
65 to 69 years	5,773	5,869	5,992								
70 to 74 years	5,065	5,240	5,245								
75 to 79 years	3,783	3,935	4,107								
80 to 84 years	2,102	2,289	2,397								
85 and over	1,789	1,887	2,013								
65 years and older	18,512	19,220	19,754								
County Population 174,682 176,457 178,664											
Source: U	J.S. Bureau o	of the Censu	S								







r/ Revised p/ Preliminary

SOURCE: U.S. Dept of Commerce, Bureau of Economic Analysis, released December 2002.




r/ Revised p/ Preliminary

See glossary for definition of Total Personal Income

SOURCE: U.S. Dept of Commerce, Bureau of Economic Analysis, released May 2003.

^{1/} The employment estimates used to compute the average wage are a job, not person, count.

SOCIO-ECONOMIC - UNEMPLOYMENT / TANF / FOOD STAMPS / MEDICAID / POVERTY




AVERAGE MONTHYLY TANF AND FOOD STAMPS CASES FISCAL YEAR 2003 (7/02 - 6/03)

Supplement	Dona A	ana Co.	New Mexico			
Supplement	Number	Percent*	Number	Percent*		
TANF	2,874	1.6	16,382	0.9		
Food Stamps	9,428	5.3	72,411	3.9		

^{*}Percent of county's estimated 2002 population.


NOTE: Starting July 1, 1999, changes were made in the methodology for counting TANF (Temporary Assistance for Needy Families) caseloads. Caution should be used when comparing data to previous fiscal years.

SOURCE: NM Human Services Department: Income Support Division.



SOURCE: NM Human Sevices Department Income Support Division

AVERAGE MONTHLY PERCENT TANF AND FOOD STAMP CASES FISCAL YEAR 2003



TANF = Temporary Assistance for Needy Families.

SOURCE: NM Human Services Department Income Support Division.


ESTIMATED NUMBER AND PERCENT OF PEOPLE IN POVERTY 1999


Ago	Dona A	Ana Co.	New Mexico		
Age	Number	Percent*	Number	Percent*	
All Ages in Poverty	42,475	24.9	326,223	18.2	
Children age < 18 years	17,416	33.8	133,194	26.4	
Related children ages					
5-17 years	12,356	32.9	92,333	25.0	

See glossary for definition of poverty. *Percent of Specified Age Group.

SOURCE: U.S. Census Bureau, "Estimates Model 1999."

RESIDENT LIVE BIRTHS BY COUNTY OF RESIDENCE AND STATE 1992-2002											
	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002*
Dona Ana Co.	3,168	3,284	3,120	3,032	3,058	2,973	2,996	2,917	3,025	3,005	3,081
New Mexico	27,910	27,831	27,585	26,914	27,216	26,844	27,294	27,133	27,206	27,101	27,708
*2002 data are provisional											
SOUR	CE: NM I	Departme	nt of Hea	lth, Offi	ce of New	Mexico	Vital Rec	ords and	Health S	tatistics	





DONA ANA COUNTY RESIDENT LIVE BIRTHS BY AGE OF MOTHER 1992-2002											
AGE	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002*
15-19	568	627	580	585	582	546	558	547	565	584	584
20-24	961	1,025	983	887	937	945	957	889	954	907	941
25-29	817	813	772	734	748	705	763	748	749	735	787
30-34	562	522	512	524	494	486	453	443	474	485	492
35-39	196	242	211	249	237	226	221	222	232	233	223
40-44	48	37	43	31	46	49	29	54	40	47	41
*2002 data	a are provis	ional									

SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics

DONA ANA COUNTY RESIDENT BIRTH RATES** BY AGE OF MOTHER 1992-2002											
AGE	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002*
15-19	84.1	89.6	79.2	79.4	75.9	66.4	66.1	64.5	69.8	75.9	77.1
20-24	138.0	142.6	132.7	119.2	122.7	118.0	117.3	108.2	121.7	109.3	110.9
25-29	152.9	157.1	153.7	150.2	151.5	141.9	151.1	146.9	127.3	122.2	126.2
30-34	93.3	85.1	83.4	87.6	84.7	86.8	85.1	86.8	84.3	86.3	86.0
35-39	36.1	42.5	36.0	41.7	38.4	36.4	35.4	36.0	35.6	36.9	36.1
40-44	10.0	7.3	8.2	5.7	8.2	8.4	4.9	8.9	6.3	7.4	6.4
*2002 data	a are provis	ional	**Rate pe	r 1,000 wor	nen in spec	cified group	p				

SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics


	NEW MEXICO RESIDENT BIRTH RATES** BY AGE OF MOTHER 1992-2002														
AGE															
15-19	15-19 79.8 80.7 77.2 74.3 70.8 68.0 69.1 67.2 65.5 63.1 62.3														
20-24															
25-29	129.0	131.7	129.7	125.5	131.8	129.8	132.1	128.0	117.0	119.3	123.3				
30-34	75.8	74.7	76.5	77.2	76.6	79.1	79.6	82.7	77.2	77.2	79.1				
35-39															
40-44	40-44 6.9 5.9 7.0 6.6 7.4 7.0 6.8 7.1 7.6 7.5 7.1														
*2002 data	a are provis	ional	**Rate ne	r 1 000 wor	nen in spec	cified group)								

SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics


	UNITED STATES BIRTH RATES* BY AGE OF MOTHER 1992-2002														
AGE															
15-19															
20-24															
25-29	117.4	115.5	113.9	112.2	113.1	113.8	115.9	117.8	113.5	113.4	113.6				
30-34	80.2	80.8	81.5	82.5	83.9	85.3	87.4	89.6	91.2	91.9	91.5				
35-39															
40-44	40-44 5.9 6.1 6.4 6.6 6.8 7.1 7.3 7.4 8.0 8.1 8.3														
* Rate per	* Rate per 1,000 women in specified group.														

SOURCE: CDC's, National Center for Health Statistics: NVSR Volume 52, Number 10.


RESIDENT LIVE BIRTHS TO MOTHERS UNDER 20 YEARS OF AGE 1992-2002													
1992 1993 1994 1995 1996 1997 1998 1999 2000 2001 2002°													
Dona Ana Co.	578	639	598	603	593	559	569	557	575	596	596		
New Mexico 4,749 4,965 4,964 4,950 4,850 4,789 4,964 4,841 4,728 4,603 4,592													
*2002 data are provisional													
SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics													




	RESIDENT LIVE BIRTHS TO SINGLE MOTHERS 1992-2002													
	1992 1993 1994 1995 1996 1997 1998 1999 2000 2001 2002													
Dona Ana Co.	1,194	1,283	1,260	1,316	1,240	1,209	1,305	1,330	1,435	1,397	1,479			
New Mexico	New Mexico 11,021 11,522 11,408 11,388 11,347 11,590 12,021 12,236 12,400 12,549 12,984													
*2002 data are provisional														
SOU	SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics													



RESIDENT LIVE BIRTHS TO MOTHERS WITH LESS THAN 12 YEARS OF EDUCATION 1992-2002														
	1992 1993 1994 1995 1996 1997 1998 1999 2000 2001 2002													
Dona Ana Co.	1,427	1,438	1,321	1,253	1,257	1,160	1,095	1,094	1,220	1,173	1,228			
New Mexico														
*2002 data are provisional NOTE: Births to mothers of all ages. Some mothers are still in school.														
SC	SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics													



		,	WITH FII	RST TRI				RE						
	1992 1993 1994 1995 1996 1997 1998 1999 2000 2001 2002													
Dona Ana Co.	2,015	2,077	2,010	1,994	2,069	2,052	2,039	2,095	2,057	1,954	2,055			
New Mexico														
*2002 data are provisional														
SOU	SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics													




KESSNER INDEX VERSUS **KOTELCHUCK INDEX**


Both the Kessner Index and the Kotelchuck Index utilize the month of pregnancy in which prenatal care began and the number of prenatal visits. The Kessner Index relies very heavily on the timing of the initiation of prenatal care. For example, inadequate prenatal care is defined as no prenatal care or care beginning in the third trimester. The Kessner Index has been modified by most states to allow for insufficient visits even when care was initiated early. The exact combination varies from state to state so that there is no standard modified Kessner.


The Kotelchuck Index is more sophisticated and uses two dimensions, the timing of the initiation of care and the adequacy of services received (ratio of observed visits to expected visits), which are combined into a single summary index.


RESIDENT LIVE BIRTHS ADEQUACY OF PRENATAL CARE UTILIZATION (Kotelchuck Data Index) 1996-2002 1996 1997 1998 1999 2000 2001 2002* **Inadequate Care** 537 Dona Ana Co. 618 566 606 658 652 697 New Mexico 5,811 5,541 6.284 6.499 6.333 5.854 6.321 **Intermediate Care** Dona Ana Co. 152 119 112 99 446 85 New Mexico 4.943 4.845 4,660 4,331 4,122 4.187 4,663 Adequate Care 1,023 Dona Ana Co. 946 941 848 844 1.034 979 New Mexico 8.826 8.417 8.239 8.052 7.915 8.165 8.498 **Intensive Care** 1.135 1.240 1.260 1.364 1.326 Dona Ana Co. 1.093 616 6,182 6,341 6,109 5,885 7,097 New Mexico 7,090 6,526 * 2002 data are provisional

SOURCE: NM Department of Health, ONMVRHS













	RESIDENT LIVE BIRTHS LEVEL OF PRENATAL CARE (Modified Kessner Index) 1996-2002													
	1996	1997	1998	1999	2000	2001	2002*							
		L	ow or N	o Pren	atal Ca	re								
Dona Ana Co.	386	311	349	304	433	384	453							
New Mexico 3,203 2,973 3,413 3,665 3,523 3,065 3,356														
Mid-Level Prenatal Care														
Dona Ana Co.	640	638	656	570	542	678	809							
New Mexico	8,337	8,166	8,551	8,258	8,045	8,190	8,485							
			High I	Prenata	l Care									
Dona Ana Co.	1,915	1,931	1,927	1,969	1,955	1,828	1,495							
New Mexico	14,331	14,139	13,476	13,025	14,035	14,164	14,284							
		U	nknow	n Prena	ntal Car	·e								
Dona Ana Co. 117 93 64 74 95 115 324														
New Mexico 1,345 1,566 1,854 2,185 1,603 1,682 1,581														
* 2002 data are provisional														
SOUR	CE: NM	Denart	ment of	f Health	ı. ONM	VRHS								















	RESIDENT LIVE BIRTHS BY TYPE OF ATTENDANT 1992-2002														
	Physician														
	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002*				
Dona Ana Co.	2,234	1,920	1,739	1,830	1,831	1,881	1,756	1,241	1,352	1,396	1,533				
New Mexico 23,454 22,492 22,309 21,965 22,101 21,387 20,932 19,696 19,407 19,063 19,231															
Certified Nurse Midwife															
Dona Ana Co.															
New Mexico	3,977	4,756	4,738	4,474	4,622	5,040	5,912	7,011	7,338	7,619	7,937				
					L	ay Midwife)								
Dona Ana Co.	55	75	69	44	44	42	41	29	26	18	13				
New Mexico	286	293	292	272	254	240	248	269	290	268	336				
Other															
Dona Ana Co.	36	55	45	25	52	25	21	12	6	3	12				
New Mexico	New Mexico 193 290 246 203 239 177 202 157 171 151 204														
*2002 data are 1	provisiona	1													

SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics


PERCENT OF RESIDENT LIVE BIRTHS BY TYPE OF ATTENDANT 1992-2002

						Physician					
	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002*
Dona Ana Co.	70.5	58.5	55.7	60.4	59.9	63.3	58.6	42.5	44.7	46.5	49.8
New Mexico	84.0	80.8	80.9	81.6	81.2	79.7	76.7	72.6	71.3	70.3	69.4
					Certifi	ed Nurse N	/lidwife				
Dona Ana Co.	26.6	37.6	40.6	37.4	37.0	34.5	39.3	56.1	54.2	52.8	49.4
New Mexico	14.2	17.1	17.2	16.6	17.0	18.8	21.7	25.8	27.0	28.1	28.6
		•			I	ay Midwif	e		·		
Dona Ana Co.	1.7	2.3	2.2	1.5	1.4	1.4	1.4	1.0	0.9	0.6	0.4
New Mexico	1.0	1.1	1.1	1.0	0.9	0.9	0.9	1.0	1.1	1.0	1.2
•	•	_		•		Other	·	_	_		
Dona Ana Co.	1.1	1.7	1.4	0.8	1.7	0.8	0.7	0.4	0.2	0.1	0.4
New Mexico	0.7	1.0	0.9	0.8	0.9	0.7	0.7	0.6	0.6	0.6	0.7
*****		1									

*2002 data are provisional



RESIDENT LIVE BIRTHS LOW BIRTH WEIGHT BIRTHS (< 2500 grams) 1992-2002													
1992 1993 1994 1995 1996 1997 1998 1999 2000 2001 200													
Dona Ana Co.	194	214	192	201	202	225	203	199	222	236	240		
New Mexico	2,014	2,032	2,023	2,017	2,041	2,086	2,042	2,078	2,180	2,147	2,224		
*2002 data are p	2002 data are provisional												
SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics													



Low Birth Weight

Low birth weight (LBW) is defined as an infant weight of less than 2,500 grams (5 1/2 lbs) at the time of delivery. Birth weight is one of the most important factors in determining the survival and health of an infant. Low birth weight is a public health problem since infants born LBW have increased infant mortality, morbidity, incidence of learning disabilities, and medical costs. Nationally, the risk factors for LBW include maternal age of less than seventeen and greater than 34 years, Black race/ethnicity, low socioeconomic status, single marital status, lower levels of maternal education, smoking, inadequate weight gain, low pre-pregnancy weight, and a variety of medical risk factors (Source: Data to Action).

Smoking, which retards fetal growth, is the single largest modifiable risk factor for LBW and infant mortality. It is estimated to account for 20 to 30% of all LBW births.

RESIDENT LIVE BIRTHS HIGH BIRTH WEIGHT BIRTHS (4090+ grams, 9 pounds) 1994-2002

	1994-	1996	1997-	-1999	2000-2	2002*
	Number	Percent	Number	Percent	Number	Percent
Dona Ana Co.	547	5.9	478	5.4	415	4.6
New Mexico	4,010	5.2	3,810	4.9	3,674	4.7

*2002 Data are provisional

SOURCE: NM Department of Health, ONMVRHS

RESIDENT LIVE BIRTHS

VERY LOW BIRTH WEIGHT BIRTHS (<1500 grams) 1994-2002

	1994-	1996	1975-	-1999	2000-2002*		
	Number	Percent	Number	Percent	Number	Percent	
Dona Ana Co.	96	1.0	95	1.1	106	1.2	
New Mexico	894	1.1	880	1.1	1,005	1.2	

*2002data are provisional

SOURCE: NM Department of Health, ONMVRHS

High Birth Weight

A woman with a history of gestational diabetes or delivery of a baby weighing >9 pounds is at risk of developing type 2 diabetes. In addition, if the baby has macrosomia (generally defined as a weight of 4000 g or more), he or she is at risk for obesity and also for developing type 2 diabetes later on in life. It should be noted that there is no widely agreed-upon weight definition. Any evaluation of fetal weight must be considered in the context of gestational age.


Sources: "Diabetes in the Life Cycle and Research," Vol. 4. 2003. Editor M. Franz. Published by the American Association of Diabetes Educators, Chicago Illinois. Diabetes Care Journal, Supplement 1, January 2003 Vol. (26).

MATERNAL AND INFANT HEALTH - MEDICAID BIRTHS / SUPPLEMENTAL PROGRAMS / FEMALE POPULATION

Medicaid is a Federal-State matching entitlement program that pays for medical assistance. Originating in 1965 as Title XIX of the Social Security Act, it was created as a medical extension of the federally funded cash income assistance program emphasizing care for dependent children and their mothers, the disabled, and the elderly.

Federal and state initiatives intending to expand access to maternity and child health care have resulted in dramatic changes in policy and manner of health care delivery. Federal Omnibus Budget Reconciliation Acts (OBRA) of 1986, 1987, and 1989 required states to grant Medicaid eligibility/coverage for pregnant woman and infants, ultimately, at or below the 133% of federal poverty levels, and allow for eligibility up to 185%. The State of New Mexico followed this progression and complimented the initiatives by extending eligibility up to 225% of federal poverty levels.

Statewide, Medicaid paid for 49% of births.



NEW MEXICO RESIDENT BIRTHS BY MEDICAID STATUS 1999-2000

Non- Residence Medicaio Births		Medicaid Paid Births	Total Births	
Dona Ana	3,100	2,841	5,941	
New Mexico	27,710	26,600	54,310	

SOURCE: NM Department of Health, ONMVRHS and Human Services Department

Paid By Medicaid Final Report 2003


WOMEN, INFANT & CHILDREN (WIC) PROGRAM & COMMODITY SUPPLEMENTAL FOOD PROGRAM (CSFP) POTENTIAL ELIGIBLES - FISCAL YEAR 2001

	Estimated Potential Eligible	WIC Recipients	CSFP Recipients	Percent Served
Dona Ana Co.	11,533	9,951	1,833	102.2
New Mexico	96,571	55,934	4,889	63.0

NOTE: CSFP also serves the same target as WIC.

SOURCE: NM Department of Health Family Food & Nutrition Services, WIC Program Compared to mothers of children whose births were not paid by Medicaid, Medicaid mothers in New Mexico tended to:

- Be younger;
- Be White Hispanic;
- Have fewer years of education;
- Have lower levels of prenatal care;
- Be outside of the major metropolitan areas;
- Be more at risk for preterm and low weight births.



DONA ANA FEMALE POPULATION AGES 15-44 2000, 2001 and 2002							
Age Groups	2000	2001	2002	Age Groups	2000	2001	2002
15 to 19 years	8,098	7,690	7,578	35 to 39 years	6,517	6,321	6,183
20 to 24 years	7,836	8,295	8,485	40 to 44 years	6,311	6,330	6,404
25 to 29 years	5,885	6,013	6,236	15 to 44 years	40,269	40,267	40,606
30 to 34 years	5,622	5,618	5,720				
		Source	: U.S. Burd	eau of the Census			

RESIDENT INFANT DEATHS NEONATAL AND POSTNEONATAL MORTALITY RATES 1993-1997 & 1998-2002 AVERAGE


	All Infan	t Deaths	Neo	natal	Postneonatal	
	1993-1997	1998-2002*	1993-1997	1998-2002*	1993-1997	1998-2002*
Dona Ana Co.	5.3	5.6	3.2	3.8	2.1	1.7
New Mexico	7.1	6.6	4.2	4.0	2.9	2.6

^{* 2002} data are provisional.

Rate per 1,000 live births in mid year.

SOURCE: NM Department of Health, ONMVRHS

RESIDENT INFANT MORTALITY RATES BY NEONATAL & POSTNEONATAL PERIOD 1993-1997 & 1998-2002 AVERAGE




* 2002 data are provisional.

■ Dona Ana Co. ■ New Mexico

SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics

DONA ANA COUNTY
PERCENT OF INFANT DEATHS
NEONATAL AND POSTNEONATAL
1998-2002*



* 2002 data are provisional.

See glossary for definition of neonatal & postneonatal.

SOURCE: NM Department of Health, Office of New Mexico Vital Records & Health Statistics

INFANT MORTALITY RATES BY COUNTY OF RESIDENCE FOR SELECTED CAUSES 1993-1997 & 1998-2002 AVERAGE

	All Infant Deaths		Birth Defects		Short Gestation		SIDS	
	1993-1997	1998-2002*	1993-1997	1998-2002*	1993-1997	1998-2002*	1993-1997	1998-2002*
Dona Ana Co.	5.3	5.6	1.4	1.3	1.2	0.9	0.6	0.3
New Mexico	7.1	6.6	1.7	1.8	1.3	1.4	1.1	0.6

^{*2002} data are provisional

NOTE: Rate per 1,000 live births. Subcategory rates may not add up to all infant death rate due to rounding.

Due to the implementation of ICD-10 in 1999, comparability ratios have been applied to statistics for years prior to 1999. Rates and numbers may not equal those previously reported due to the application of comparability ratios.

NEW MEXICO RESIDENTS AGES 20 AND YOUNGER SELECTED DIAGNOSES REPORTED TO CHILDRENS CHRONIC CONDITIONS REGISTRY 2000

Condition	Dona A	na Co.	New Mexico		
Condition	Number	Rate	Number	Rate	
Children in Registry	6,504	1030.6	90,763	1534.5	
Congenital Anomalies - All	1,834	290.6	22,241	376.0	
Neural Tube Defects	92	14.6	870	14.7	
Cleft Lip/Cleft Palate	268	42.5	2,946	49.8	
Down Syndrome	100	15.8	997	16.9	
All Other Anomalies	1,374	217.7	17,428	294.6	
Asthma	1,509	239.1	20,904	353.4	

* = 1-3 **= 0

Rates per 10,000 population ages 20 years and younger

NOTE: Children in registry totals include all other conditions not listed above.

SOURCE: NM Department of Health Children's Medical Services

CHILD ABUSE CASES NUMBER AND TYPE OF INVESTIGATIONS 2002


	Substantiated	Unsubstantiated	Total
Dona Ana Co.	416	1,141	1,557
New Mexico	4,089	10,067	14,156

Substantiated means that through the course of the investigation, the social worker determined that the child(ren) who is the subject of the report has been determined to have been the victim of abuse and/or neglect. In other words the allegations are true.

An *unsubstantiated* investigation indicates that the investigator was unable to determine that the allegation(s) was, true.

SOURCE: NM Children, Youth and Families Department, Child Protective Services







Sometimes children have special developmental needs or health concerns that may put them at risk for or cause a developmental delay.

Through the Department of Health's Family Infant Toddler (FIT) Program early intervention services are available to help families who have concerns about the development of their young child (birth to three).

INDIVIDUALIZED FAMILY SERVICE PLAN (IFSP) ELIGIBILITY STATUS FOR FY03

ELIGIBILITY	Dona Ana	New Mexico
EAIGIDILAT 1	NUMBER	NUMBER
At Risk, Environmental	11	665
At Risk, Medical/Biological	73	1,150
Developmental Delay	405	2,937
Established Condition	53	470

The eligibility category of children with an active IFSP during FY 2003 is reported. Children are eligible for FIT Program service through one of four eligibility categories: a developmental delay of 25% or more in one of five developmental areas, an established condition (such as Down's Syndrome) that usually leads to a development delay, or a medical / biological risk or an environmental risk for a developmental delay.

SOURCE: DOH Long Term Services Division Family Infant Toddler (FIT) Program

INDIVIDUALIZED FAMILY SERVICE PLAN (IFSP) BY RACE / ETHNICITY FOR FY03

RACE/ETHNICITY	Dona Ana	New Mexico
RACE/ ETHINICITY	NUMBER	NUMBER
American Indian or Alaskan Native	^	779
Asian or Pacific Islander	^	43
Black or African American (not Hispanic)	6	130
Hispanic or Latino	428	2,696
White (not Hispanic)	104	1,574

The race / ethnicity of children with active IFSP during FY 2003 is reported ^Statistics not displayed due to less than 5 cases.

SOURCE: DOH Long Term Services Division Family Infant Toddler (FIT) Program

INDIVIDUALIZED FAMILY SERVICE PLAN (IFSP) BY AGE OF CHILD on 12/1/2002

AGE OF CHILD	Dona	Ana	New Mexico		
AGE OF CHILD	NUMBER	PERCENT	NUMBER	PERCENT	
Less Than 1 year	35	12.8	458	17.9	
1 to 2 years	69	25.3	707	27.6	
2 to 3 years	127	46.5	1048	41.0	
3 years and older	42	15.4	345	13.5	
Total	273	100.0	2558	100.0	

The age of child with an IFSP on December 1st as reported

SOURCE: DOH Long Term Services Division Family Infant Toddler (FIT) Program

Fiscal Year 2003 = July 01, 2002 to June 30, 2003

PRIVATE AND PUBLIC SCHOOL ENROLLMENT KINDERGARTEN THROUGH 8TH GRADE 2002-2003

GRADE	Dona A	Ana Co.	New Mexico		
GRADE	PRIVATE	PUBLIC	PRIVATE	PUBLIC	
Kindergarten	123	2,787	3,525	22,638	
1st Grade	57	2,840	2,667	23,706	
2nd Grade	85	2,779	2,738	23,550	
3rd Grade	64	2,984	2,601	24,012	
4th Grade	71	3,014	2,553	24,995	
5th Grade	68	2,925	2,554	25,310	
6th Grade	65	3,061	2,666	25,702	
7th Grade	71	3,029	2,628	25,425	
8th Grade	71	3,033	2,555	25,630	
Total	675	26,452	24,487	220,968	

SOURCE: NM Department of Education

ı		OOL STUD GRADES) & 1999-20		
	1998	-1999	1999	-2000
	FALL	SPRING	FALL	SPRING
Dona Ana Co.	404	435	384	34

NOTE: These are the number of home school students reporting to the New Mexico Department of Education.

5,796


New Mexico


SOURCE: NM Department of Education

5,728

6,080








6,732

NEW MEXICO RESIDENT DEATHS FOR AGES 1-14 YEARS 1992-2002

Year	Dona Ana Co.	New Mexico
1992	14	120
1993	7	133
1994	14	125
1995	16	123
1996	5	128
1997	5	106
1998	11	115
1999	8	100
2000	8	79
2001	7	94
2002*	5	92

*2002 data are provisional

SOURCE: NM Department of Health ONMVRHS



SOURCE: NM Department of Health Office of New Mexico Vital Records and Health Statistics

NEW MEXICO RESIDENT DEATHS LEADING CAUSES OF DEATH - AGES 1-14 YEARS 1998-2002* AVERAGE


DONA ANA COUNTY			NEW MEXICO		
Cause	Number	Rate	Cause	Number	Rate
All Causes	39	19.4	All Causes	480	24.4
Accidents (Unintentional Injuries)	15	7.6	Accidents (Unintentional Injuries)	190	9.7
(Motor Vehicle Accidents)	11	5.5	(Motor Vehicle Accidents)	(128)	(6.5)
Congenital Malformations	4	1.9	Congenital Malformations	45	2.3
Septicemia	3	1.7	Malignant Neoplasms	39	2.0
Assault (Homicide)	3	1.5	Assault (Homicide)	37	1.9

* 2002 data are provisional

Rate per 100,000 population ages 1-14 years. Rate numerator was deaths for years 1998-2002, divided by 5; denominator was the 2000 population.

Due to the implementation of ICD-10 in 1999, comparability ratios have been applied to statistics for years prior to 1999. Rates and numbers may not equal those previously reported due to the application of comparability ratios.

SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics



*2002 data are provisional. **Accidents are considered Unintentional Injuries. *** Motor Vehicle Accidents (MVA) are included in Accidents. Rate numerator was deaths for years 1998-2002, divided by 5; denominator was the 2000 population.

Due to the implementation of ICD-10 in 1999, comparability ratios have been applied to statistics for years prior to 1999. Rates and numbers may not be equal to those previously reported due to application of comparability ratios.

PUBLIC HIGH SCHOOL ENROLLMENT **GRADES 9-12 SCHOOL YEARS 2000-2003 SCHOOL YEAR** Dona Ana Co. New Mexico 2000-2001 6.589 95,427 2001-2002 10,763 95,224 2002-2003 10,969 95,767 SOURCE: NM Department of Education

PRIVATE AND PUBLIC HIGH SCHOOL ENROLLMENT **GRADES 9 - 12 SCHOOL YEAR 2000-2001** Dona Ana Co. New Mexico GRADE PRIVATE PUBLIC PRIVATE PUBLIC 9th 42 3,414 2,454 28,944 10th 40 2,817 2,092 25,476 35 11th 2,435 1,901 21,905

SOURCE: NM Department of Education

1,960

10,626

1,690


8,137


19,102

95,427

20

137





12th

Total

Rate calculated by dividing the number of dropouts by the number of students enrolled in grades 9-12 on the 40th day of enrollment. A dropout is a student who was enrolled in school the previous year, but did not enroll the following year and did not graduate or meet certain approved exclusions (e.g., transfer, illness).


SOURCE: NM Department of Education


RESIDENT FALL ENROLLMENT TO NEW MEXICO HIGHER EDUCATION INSTITUTIONS 2001-2002						
INSTITUTE	Dona		New M			
	2001	2002	2001	2002		
UNM	351	326	19,751	20,497		
UNM Gallup	0	0	2,125	2,485		
UNM Los Alamos	2	0	824	918		
UNM Medical School	12	16	263	268		
UNM Taos	2	1	1,190	1,349		
UNM Valencia	3	4	1,563	1,717		
NMSU	5,046	5,234	10,897	11,330		
NMSU Alamogordo	20	34	1,300	1,380		
NMSU Carlsbad	10	5	1,028	1,108		
NMSU Dona Ana	3,198	3,440	4,342	4,744		
NMSU Grants	4	4	619	640		
ENMU	27	39	3,144	3,120		
ENMU Roswell	18	68	3,046	3,536		
ENMU Ruidoso	0	2	752	751		
NMHU	22	13	2,987	2,841		
WNMU	35	49	2,109	2,277		
Other NM Institutions*	89	100	38,739	41,773		
SOURCE	SOURCE: NM Commission on Higher Education					

NOTE: Not all resident students report their original county of origin. In addition, out of state students are not included. Resident students attending school out of state are also not included. Counts reflect all students at a specific site, including extended services enrollments.

*Includes all other institutions of higher education not listed above, including community and technical colleges.


PERSONS 19 AND UNDER KILLED OR INJURED AS VEHICLE OCCUPANTS IN CRASHES BY SEATBELT STATUS 2002						
	KILLED					
	TOTAL	NO BELT	BELT	TOTAL	NO BELT	BELT
Dona Ana Co.	1	0	1	585	35	550
New Mexico 81 59 22 6,407 974 5,433						
NOTE: Number excludes pedestrians, bicyclists, motorcyclists, and unknown.						
SOURCE:	New Mexico	Department	of Transpo	rtation, Tra	ffic Safety Bu	reau





NUMBER OF PERSONS ARRESTED FOR DRIVING WHILE IMPAIRED (DWI) 2001 & 2002					
	19 Years and Younger All Persons				
	2001 2002 2001 2002				
Dona Ana Co.	129	140	1,309	1,613	
New Mexico 3,617 3,593 21,576 21,603					
SOURCE: NM Department of Transportation, Traffic Safety Bureau					





NEW MEXICO RESIDENT LIVE BIRTHS TO MOTHERS AGE 15-17 YEARS 1998-2002* AVERAGE

	Number	Rate
Dona Ana Co.	1,092	51.4
New Mexico	8,687	40.0

*2002 data are provisional

Rate is per 1,000 female population ages 15-17 years. Rate numerator was births to mothers age 15-17 years for 1998-2002, divided by 5; denominator was 2000 female population age 15-17.

SOURCE: NM Department of Health ONMVRHS


NEW MEXICO RESIDENT BIRTH RATES FOR MOTHERS AGES 15-17 YEARS 1970, 1980, 1990, & 2000 Rate per 1,000 Female Population ages 15-17 60 40 20 0 1970 1980 1990 2000 31.0 26.7 55.9 48.4 – Dona Ana Co. 37.2 43.9 46.9 39.1 New Mexico **SOURCE: NM Department of Health**

SOURCE: NM Department of Health
Office of New Mexico Vital Records and Health Statistics

NEW MEXICO RESIDENT DEATHS FOR AGES 15-19 YEARS 1992-2002

Year	Dona Ana Co.	New Mexico			
1992	8	117			
1993	15	132			
1994	12	128			
1995	5	150			
1996	12	158			
1997	8	118			
1998	14	144			
1999	15	150			
2000	12	143			
2001	7	107			
2002*	10	136			
*2002 da	*2002 data are provisional				

SOURCE: NM Department of Health ONMVRHS



SOURCE: NM Department of Health Office of New Mexico Vital Records and Health Statistics

NEW MEXICO RESIDENT DEATHS LEADING CAUSES OF DEATH - AGES 15-19 YEARS 1998-2002* AVERAGE


DONA ANA COUNTY			NEW MEXICO		
Cause	Number	Rate	Cause	Number	Rate
All Causes	58	71.2	All Causes	680	93.3
Accidents (Unintentional Injuries)	29	35.9	Accidents (Unintentional Injuries)	312	42.8
(Motor Vehicle Accidents)	(21)	(25.9)	(Motor Vehicle Accidents)	(235)	(32.2)
Intentional Self-Harm (Suicide)	8	9.8	Assault (Homicide)	117	16.0
Malignant Neoplasms	5	6.1	Intentional Self-Harm (Suicide)	117	16.0
Assault (Homicide)	5	6.1	Malignant Neoplasms	35	4.8

^{* 2002} data are provisional


Rate per 100,000 population ages 15-19 years. Rate numerator was deaths for years 1998-2002, divided by 5; denominator was the 2000 population.

Due to the implementation of ICD-10 in 1999, comparability ratios have been applied to statistics for years prior to 1999. Rates and numbers may not equal those previously reported due to the application of comparability ratios.


GASTROINTESTINAL DISEASES



N	HEPATITIS A NUMBER OF CASES					
Year	Dona Ana Co.	New Mexico				
1994-1996	107	2,254				
1997-1999	91	557				
2000-2002	19	141				
Data from NETSS*						
	SOURCE: NM Department of Health Office of Epidemiology					



CAMPYLOBACTER INFECTION NUMBER OF CASES					
Year	Dona Ana Co.	New Mexico			
1994-1996	93	1,117			
1997-1999	99	1,093			
2000-2002	100	1,059			
Data from N	IET SS*				
SOURCE: NM Department of Health					
Office of Epidemiology					




SALMONELLOSIS NUMBER OF CASES					
Year	Dona Ana Co.	New Mexico			
1994-1996	148	1,016			
1997-1999	121	984			
2000-2002	140	856			
Data from N	IET SS*				
SOURCE: NM Department of Health					
Office of Epidemiology					


SHIGELLOSIS RATE 1994-2002	Dona Ana Co.		
50 40 30 30 37.7 24.2 19.0 19.0 15.1 1994-1996	New Mexico 10.2 2000-2002		
Data from NETSS*			
SOURCE: NM Department of Health, Office of Epidemiology			

SHIGELLOSIS NUMBER OF CASES					
Year	Dona Ana Co.	New Mexico			
1994-1996	115	1,900			
1997-1999	96	786			
2000-2002	110	560			
Data from NETSS*					
SOURCE: NM Department of Health Office of Epidemiology					

*National Electronic Telecommunication System for Surveillance (NETSS)

BLOODBORNE DISEASES







HEPATITIS B NUMBER OF CASES						
Year	Dona Ana Co.	New Mexico				
1994-1996	93	905				
1997-1999	70	736				
2000-2002	23	419				
Data from NETSS*						
SOURCE: NM Department of Health Office of Epidemiology						

*National Electronic Telecommunication System for Surveillance (NETSS)

AIDS NUMBER OF CASES					
Year	Dona Ana Co.	New Mexico			
1994-1996	37	559			
1997-1999	37	357			
2000-2002*	31	270			
NOTE: *2002 counts may be low due to delays in reporting.					
SOURCE: New Mexico HIV/AIDS					
Reporting System					

RESPIRATORY DISEASES






PERTUSSIS NUMBER OF CASES					
Year	Dona Ana Co.	New Mexico			
1994-1996	6	247			
1997-1999	12	453			
2000-2002	7	426			
Data from NETSS*					
SOURCE: NM Department of Health Office of Epidemiology					

TUBERCULOSIS NUMBER OF CASES						
Year	Dona Ana Co.	New Mexico				
1997-1998	17	139				
1999-2000	18	110				
2001-2002	22	111				
Data from TIMS**						
SOURCE: NM Department of Health						


Infectious Disease Bureau

**Tuberculosis Information Management System
(TIMS)


SEXUALLY TRANSMITTED DISEASES



CHLAMYDIA NUMBER OF CASES					
Year	Dona Ana Co.	New Mexico			
2001	555	6,669			
2002	507	7,419			
Data from S	Data from STD MIS*				
SOURCE: NM Department of Health Infectious Disease Bureau					



GONORRHEA NUMBER OF CASES					
Year	Dona Ana Co.	New Mexico			
2001	49	1,090			
2002 77 1,472					
Data from S	TD MIS*				
SOURCE: NM Department of Health					
Infectious Disease Bureau					



S YPHILIS NUMBER OF CASES					
Year	Dona Ana Co.	New Mexico			
2001	3	19			
2002	1	39			
Data from S	TD MIS*				
SOURCE: NM Department of Health					
Inf	Infectious Disease Bureau				

NOTE: The scales on the above graphs are not comparable.

*Sexually Transmitted Diseases Management Information Systems (STD MIS)




NUMBER OF FATAL AND INJURY CRASHES VEHICLE MILES TRAVELED, LICENSED DRIVERS AND ECONOMIC LOSS $2001\,$

	NUMBER OF CRASHES			Licensed	Economic	100 MVM	
	Total	Fatal	Injury	Drivers	Loss *1000	Traveled	
Dona Ana Co.	3,875	18	1,558	112,567	\$267,815	19.5	
New Mexico	50,236	415	17,879	1,225,793	\$3,537,921	227.1	

NOTE: MVM = Million Vehicle Miles

SOURCE: NM Department of Transportation, Traffic Safety Bureau "New Mexico Traffic Crash Information", 2001 Report.




SOURCE: NM Department of Transportation, Traffic Safety Bureau.


ALL PERSONS KILLED OR INJURED AS VEHICLE OCCUPANTS IN CRASHES BY SEATBELT STATUS 2002 KILLED INJURED

	KILLED					
	TOTAL	NO BELT	BELT	TOTAL	NO BELT	BELT
Dona Ana Co.	24	17	7	2,173	236	1,937
New Mexico	349	236	113	24,771	2,818	21,953

NOTE: Number excludes pedestrians, bicyclists, motorcyclists, and unknown.

SOURCE: New Mexico Department of Transportation, Traffic Safety Bureau.







ALCOHOL RELATED CRASHES NEW MEXICO - 2001


- 43 percent of all fatal crashes involved alcohol.
- A person died in an alcohol-involved crash every 44 hours.
- A person was injured in an alcohol-involved crash every 174 minutes.
- An alcohol-involved crash occurred every 147 minutes.

ALCOHOL INVOLVED CRASHES PERSONS INVOLVED AND DWI CONVICTIONS 2002

	CRASHES			PERSONS INVOLVED		
	Fatal	Injury	Killed Injured Conviction ³			DWI Rate
Dona Ana Co.	15	147	17	256	969	8.5
New Mexico	198	1,774	221	2,921	12,544	10.1

*DWI convictions are those handed down during year listed. The citations which resulted in these convictions could have been issued prior to these years. Convictions are counted by county of driver's residence, not the county in which the citation was issued.

SOURCE: NM Department of Transportation, Traffic Safety Bureau
"Driving While Impared", 2002 Report.



^{*}DWI convictions are those handed down during year listed. The citations which resulted in these convictions could have been issued prior to these years. Convictions are counted by county of driver's residence, not the county in which the citation was issued.

SOURCE: NM Department of Transportation, Traffic Safety Bureau "Driving While Impared", various years.


DONA ANA COUNTY INJURY DEATHS BY MECHANISM 1999-2001							
Mechanism of Injury	Number of Deaths in 3 Years	Age Adjusted Rate/100,000* Per Year	New Mexico Age Adjusted Rate/100,000* Per Year				
Cut/pierce	6	1.2	1.8				
Drowning	9	1.7	1.4				
Fall	37	9.6	10.2				
Fire/burn	9	1.8	1.0				
Firearm	57	10.8	15.7				
Motor Vehicle Traffic	69	13.1	22.1				
Poisoning	54	11.5	17.0				
Other**	46	9.5	14.0				
All Injury	287	59.2	83.2				

1998-2000						
Number/Rate	Dona Ana County	New Mexico				
Total Number of						
Hospital Discharges in						
3 Years	1,861	30,596				
Age Adjusted Rate per						
100,000* Population per						
Year	402.1	585.2				

NOTE: Injury as the principal diagnosis of discharge.

* Rates are adjusted to the 2000 U. S. Standard
Population.

SOURCE: NM Health Policy Commission



Note: Injury categories are from the "Preliminary External Cause of Injury Mortality Matrix for ICD-10," June 12, 2001 by Centers for Disease Control and Prevention, National Center for Injury Prevention and Control.

New Mexico Department of Health, Office of Epidemiology, Injury Epidemiology Unit Source: Office of New Mexico Vital Records and Health Statistics

^{*}Age-adjusted death rate adjusted to the 2000 U.S standard population. Age adjusted death rates weight the age-specific rates for a given population by the age distribution of a standard population, thereby enabling the direct comparison of rates between populations with differing age structures.

^{**} Other includes machinery, cyclist, pedestrian, natural /environmental, struck by/against, suffocation, other specified and unspecified categories.

CANCER INCIDENCE AMONG MALES NUMBER AND INCIDENCE RATE 1994-2000 AGGREGATE

SITE	Dona	Ana	New Mexico		
SHE	NUMBER	RATE	NUMBER	RATE	
All Cancers	1,922	444.7	23,565	468.7	
Stomach	47	11.2	515	10.6	
Colon and Rectum	227	53.1	2,482	50.4	
Liver and Intrahepatic Bile Duct	24	5.4	412	8.2	
Gallbladder	^	٨	52	1.1	
Pancreas	40	9.4	570	11.7	
Lung and Bronchus	243	57.2	3,053	62.2	
Melanomas of the Skin	60	12.9	974	18.7	
Breast	6	1.5	51	1.0	
Prostate	662	154.7	7,320	145.5	
Urinary Bladder	103	25.7	1,324	27.4	
Kidney and Renal Pelvis	54	12.3	741	14.3	
Non-Hodgkins Lymphomas	75	17.7	912	17.8	
Leukemias	52	11.7	727	14.2	
All Other Cancers	326	71.2	4,432	85.3	

Rates are per 100,000 and age-adjusted to the 2000 U.S. (19 age groups) standard.

SOURCE: New Mexico Tumor Registry, University of New Mexico

Colorectal Cancer Screening and Early Detection

Screening tests can reduce deaths from colorectal cancer by identifying polyps, which are tiny growths inside the colon, before they become cancerous. Screening also detects early cancers when treatment is most effective and survival rates are high.

SOURCE: www.cdc.gov


Prostate Cancer Fact

The American Cancer Society estimates that in 2003, 220,900 new cases of prostate cancer will be diagnosed and that 28,900 men will die of the disease in the United States.

Two methods for detecting prostate cancer are commonly used by clinicians:

- 1) Digital rectal examination (DRE)
- 2) Prostate-specific antigen (PSA)

SOURCE: www.cdc.gov



[~] Statistic could not be calculated.

[^] Statistic not displayed due to less than 5 cases.

CANCER INCIDENCE AMONG FEMALES
NUMBER AND INCIDENCE RATE
1994-2000 AGGREGATE

SITE	Dona	Ana	New Mexico		
SHE	NUMBER	RATE	NUMBER	RATE	
All Cancers	1,629	319.8	21,575	353.8	
Stomach	33	6.8	333	5.5	
Colon and Rectum	179	36.2	2,173	35.6	
Liver and Intrahepatic Bile Duct	18	3.5	211	3.4	
Gallbladder	11	2.2	113	1.8	
Pancreas	39	8.0	543	8.9	
Lung and Bronchus	181	35.8	2,208	36.0	
Melanomas of the Skin	42	8.1	745	12.2	
Breast	511	100.9	7,067	116.5	
Cervix	62	11.6	566	9.3	
Corpus and Uterus, NOS	82	16.2	1,116	18.3	
Urinary Bladder	36	7.1	484	7.9	
Kidney and Renal Pelvis	31	6.2	472	7.7	
Non-Hodgkins Lymphomas	61	11.7	759	12.5	
Leukemias	45	8.2	532	8.6	
All Other Cancers	298	57.3	4,253	69.5	

Rates are per 100,000 and age-adjusted to the 2000 U.S. (19 age groups) standard.

SOURCE: New Mexico Tumor Registry, University of New Mexico

Breast Cancer Screening


According to the American Cancer Society, an estimated 211,300 new invasive cases of breast cancer are expected to occur among women in the United States during 2003. Mammography is the best way to detect breast cancer in its earliest, most treatable stage, an average of 1.7 years before a woman can feel the lump. Mammography also locates cancers too small to be felt during a clinical breast examination.

SOURCE: www.cdc.gov

Cervical Cancer Screening

Cervical cancer is nearly 100 percent preventable, yet according to the American Cancer Society, in 2003, an estimated 12,200 new cases of invasive cervical cancer will be diagnosed and about 4,100 women will die of the disease. The occurrence of deaths from cervical cancer has declined significantly over the past 40 years. This decline is largely attributed to the effectiveness of Pap test screening in detecting precancerous lesions and early stage cervical cancer.

SOURCE: www.cdc.gov



[~] Statistic could not be calculated.

[^] Statistic not displayed due to less than 5 cases.

MODIFIED MAJOR DIAGNOSTIC CATEGORIES (MMDC)

➤ Hospitals use a classification scheme, called Major Diagnostic Categories (MDC), to group the diagnoses of patients upon their discharge from the hospital. Data shown in the following pages are based on a modification of the Major Diagnostic Categories. The Modified Major Diagnostic Categories (MMDCs) separates injuries and neoplasms into their own unique groupings while conventional MDCs distribute these diagnoses across other categories, which obscures their impact.


METHODOLOGY NOTES:

- The size of the county's population and the population demographics, such as average age of residents, should be taken into account in interpreting reported data.
- Indian Health Service facilities do not report discharge data to the New Mexico Health Policy Commission, the state agency that maintains the hospital discharge database. As such, counties with large Native American populations may have artificially lower rates.
- Only hospitalization to New Mexico hospitals are included. Counties bordering other states may have a significant number of hospitalization in other states.


HOSPITAL INPATIENT DISCHARGE DATA - ALL AGES
MODIFIED MAJOR DIAGNOSTIC CATEGORIES (MMDCs)
1999-2001

02: Eye Diseases03: Ear, Nose, Mouth, Throat04: Respiratory System05: Circulatory System06: Digestive System07: Hepatobiliary System08: Musculoskeletal System09: Skin, Subcutaneous, Breast10: Endocrine, Metabolic	539 35 162 156 487 948 395	New Mexico 6,319 639 1,879 17,875 20,349 12,425	471 19 109 889 1,333	New Mexico 6,416 386 1,612 15,151	575 16 133	New Mexico 6,799 205
02: Eye Diseases03: Ear, Nose, Mouth, Throat04: Respiratory System05: Circulatory System06: Digestive System07: Hepatobiliary System08: Musculoskeletal System09: Skin, Subcutaneous, Breast10: Endocrine, Metabolic	35 162 156 487 948 395	639 1,879 17,875 20,349	19 109 889	386 1,612	16	205
03: Ear, Nose, Mouth, Throat104: Respiratory System1,105: Circulatory System1,206: Digestive System907: Hepatobiliary System308: Musculoskeletal System309: Skin, Subcutaneous, Breast110: Endocrine, Metabolic3	162 156 487 948 395	1,879 17,875 20,349	109 889	1,612		
04: Respiratory System1,105: Circulatory System1,206: Digestive System907: Hepatobiliary System308: Musculoskeletal System309: Skin, Subcutaneous, Breast110: Endocrine, Metabolic3	156 487 948 395	17,875 20,349	889	AND DESCRIPTION OF THE PARTY OF	133	4 =
05: Circulatory System1,406: Digestive System907: Hepatobiliary System308: Musculoskeletal System509: Skin, Subcutaneous, Breast110: Endocrine, Metabolic3	487 948 395	20,349		15 151		1,702
06: Digestive System907: Hepatobiliary System308: Musculoskeletal System509: Skin, Subcutaneous, Breast110: Endocrine, Metabolic3	948 395		1 222	15,151	1,084	15,329
07: Hepatobiliary System308: Musculoskeletal System509: Skin, Subcutaneous, Breast110: Endocrine, Metabolic3	395	12 425	1,333	20,923	1,687	20,629
08: Musculoskeletal System509: Skin, Subcutaneous, Breast110: Endocrine, Metabolic3		12,723	900	13,099	969	12,921
09: Skin, Subcutaneous, Breast110: Endocrine, Metabolic3		5,084	313	5,306	378	5,343
10: Endocrine, Metabolic	551	7,400	452	7,206	487	7,293
	159	2,272	143	2,392	178	2,583
11: Kidney & Urinary Tract	355	4,658	325	4,726	449	5,103
	337	4,789	254	4,787	351	5,186
12: Male Reproductive System	97	772	75	662	116	767
13: Female Reproductive System	242	3,330	188	3,496	211	3,542
14: Pregnancy, Childbirth 2,7	748	26,121	2,663	26,521	2,736	26,606
15: Newborns, Neonates 2,5	505	23,859	2,358	24,401	2,505	24,567
16: Blood & Blood Forming-Organs	85	1,052	69	1,170	100	1,253
17: Myeloproliferative Diseases	754	8,616	633	8,345	667	8,118
18: Infectious Diseases	179	2,128	142	1,795	170	1,915
19: Mental Diseases	147	8,878	1,285	9,064	1,284	9,485
20: Alcohol / Drug Abuse	363	3,295	273	2,957	308	2,909
21: Injuries & Poisonings	865	14,682	771	14,193	887	14,113
22: Burns	12	270	18	233	11	229
23: Factors Influencing Health	53	4,148	68	4,274	102	4,387
24: Multiple Trauma	0	0	0	0	0	0
25: HIV	8	148	0	96	0	86

SOURCE: NM Health Policy Commission



NEW MEXICO ASTHMA DISCHARGE DATA BY COUNTY 1998-2000



SOURCE: NM Health Policy Commission

HOSPITAL DISCHARGES BY PRIMARY PAYER 1999 & 2000						
Payee	Dona	Ana	New N	1exico		
1 ayee	1999	2000	1999	2000		
Medicare	4,114	3,529	47,144	47,959		
Medicaid	3,896	3,708	39,147	39,468		
Private						
Insurance	4,712	4,413	71,401	74,271		
Uninsured	2,320	2,054	12,354	13,859		
Others	160	171	5,431	4,738		
Total						
Discharges	15,202	13,875	175,477	180,295		
SOURCE: NM Health Policy Commission						

NEW MEXICO ASTHMA HOSPITAL
DISCHARGES* BY COUNTY
1998-2000
Number Rate

	Number	Rate		
Dona Ana Co.	353	6.9		
New Mexico	4,936	9.4		

*Primary discharges from non-Federal Hospitals Average rates per 10,000 population per year.

SOURCE: NM Health Policy Commission

ESTIMATED DIABETES PREVALENCE AMONG NEW MEXICO ADULTS 2002*

County	2002 Adult Population	Number of Adults with	Percentage of Adults with
County	2002 Adult Fopulation	Diabetes	Diabetes
Bernalillo	430,698	38,586	9.0%
Catron	2,844	228	8.0%
Chaves	43,413	3,806	8.8%
Cibola	18,460	1,960	10.6%
Colfax	10,765	951	8.8%
Curry	31,536	2,672	8.5%
De Baca	1,666	142	8.5%
Dona Ana	127,663	12,049	9.4%
Eddy	37,146	3,195	8.6%
Grant	22,677	2,022	8.9%
Guadalupe	3,513	352	10.0%
Harding	616	55	8.9%
Hidalgo	3,801	344	9.1%
Lea	39,662	3,451	8.7%
Lincoln	15,533	1,269	8.2%
Los Alamos	13,763	1,075	7.8%
Luna	18,007	1,639	9.1%
McKinley	47,057	5,630	12.0%
Mora	3,960	398	10.0%
Otero	43,945	3,827	8.7%
Quay	7,524	646	8.6%
Rio Arriba	29,687	3,093	10.4%
Roosevelt	13,160	1,109	8.4%
Sandoval	68,949	6,313	9.2%
San Juan	82,679	8,169	9.9%
San Miguel	22,029	2,197	10.0%
Santa Fe	103,491	9,359	9.0%
Sierra	10,497	859	8.2%
Socorro	13,177	1,246	9.5%
Taos	23,651	2,246	9.5%
Torrance	11,901	1,030	8.7%
Union	2,962	251	8.5%
Valencia	48,121	4,450	9.2%
New Mexico**	1,354,553	120,555	8.9%

*County estimates were derived in the following manner: The Behavioral Risk Factor Surveillance System (BRFSS, 2002), a telephone survey of adults' (age 18 and over) health in New Mexico, was utilized to generate the racial/ethnic-specific diagnosed diabetes prevalence rates for the entire state. County populations were then obtained from the US Census Bureau (2002) by racial/ethnic group. The BRFSS rates were applied to these groups, generating an estimate of the number of American Indians, non-Hispanic Whites, Hispanics and Others (Asian/Pacific Islanders, non-Hispanic Blacks, and other) with diagnosed diabetes. The numbers were then combined to yield a total estimate of adults in each county with diagnosed diabetes. For those with undiagnosed diabetes, estimates by racial/ethnic group from NHANES III (National Health and Nutrition Examination Survey) were obtained from Harris, MI et al. (1998). The estimated numbers of adults with diagnosed and undiagnosed diabetes were combined for the final estimate.

**State estimates were derived in the following manner: The Behavioral Risk Factor Surveillance System (BRFSS, 2002) was utilized to generate an overall estimate of diagnosed diabetes among New Mexican adults. That is, in 2002, an estimated 6.2% of New Mexican adults indicated they had been diagnosed with diabetes. An estimate for undiagnosed diabetes (from NHANES III data) was obtained from Harris, MI et al. (1998). The estimated numbers of adults with diagnosed and undiagnosed diabetes were combined for the final estimate. Note: adding up the county estimates will not result in the state estimate. For the state estimate, there was no initial stratification by race/ethnicity, it was simply a calculation of those with diabetes (all races) divided by those responding to the question.

Source: Department of Health, Diabetes Prevention & Control Program


HOSPITAL INPATIENT DISCHARGE DATA MODIFIED MAJOR DIAGNOSTIC CATEGORIES (MMDC) DONA ANA COUNTY 1999-2001

		1999			2000			2001	
MMDC		All	% All		All	% All		All	% All
	65+	Ages	Ages	65+	Ages	Ages	65+	Ages	Ages
01: Nervous System	286	539	53.1	250	471	53.1	279	575	48.5
02: Eye Diseases	11	35	31.4	3	19	15.8	4	16	25.0
03: Ear, Nose, Mouth, Throat	39	162	24.1	19	109	17.4	30	133	22.6
04: Respiratory System	643	1,156	55.6	422	889	47.5	558	1,084	51.5
05: Circulatory System	888	1,487	59.7	812	1,333	60.9	1,052	1,687	62.4
06: Digestive System	371	948	39.1	338	900	37.6	404	969	41.7
07: Hepatobiliary System	141	395	35.7	80	313	25.6	92	378	24.3
08: Musculoskeletal System	235	551	42.6	191	452	42.3	218	487	44.8
09: Skin, Subcutaneous, Breast	49	159	30.8	49	143	34.3	62	178	34.8
10: Endocrine, Metabolic	159	355	44.8	140	325	43.1	187	449	41.6
11: Kidney & Urinary Tract	137	337	40.7	97	254	38.2	140	351	39.9
12: Male Reproductive System	70	97	72.2	47	75	62.7	88	116	75.9
13: Female Reproductive System	47	242	19.4	38	188	20.2	35	211	16.6
14: Pregnancy, Childbirth	0	2,748	0.0	0	2,663	0.0	0	2,736	0.0
15: Newborns, Neonates	0	2,505	0.0	0	2,358	0.0	0	2,505	0.0
16: Blood & Blood-Forming Organs	42	85	49.4	32	69	46.4	45	100	45.0
17: Myeloproliferative Diseases	295	754	39.1	246	633	38.9	256	667	38.4
18: Infectious Diseases	68	179	38.0	77	142	54.2	78	170	45.9
19: Mental Diseases	178	1,147	15.5	194	1,285	15.1	181	1,284	14.1
20: Alcohol / Drug Abuse	39	363	10.7	33	273	12.1	38	308	12.3
21: Injuries & Poisonings	382	865	44.2	311	771	40.3	374	887	42.2
22: Burns	1	12	8.3	8	18	44.4	1	11	9.1
23: Factors Influencing Health	24	53	45.3	30	68	44.1	39	102	38.2
24: Multiple Trauma	0	0		0	0		0	0	
25: HIV	0	8	0.0	0	10	0.0	0	8	0.0

DONA ANA COUNTY HOSPITAL INPATIENT DISCHARGE STATUS FOR AGE 65 YEARS AND OLDER 1999-2001


	1999	2000	2001			
Routine Discharge	2,517	1,990	2,456			
Transfer-Hospital	183	182	207			
Transfer-Skilled Nursing Facility	406	347	506			
Transfer-Intermediate Care Facility	131	72	42			
Transfer-Other	20	32	19			
Transfer-Home Care	608	655	914			
Left Against Medical Advice	12	7	15			
Died	225	6	2			
Other	4	177	2			
TOTAL DISCHARGED	4,106	3,468	4,163			
SOURCE: New Mexico Health Policy Commission						





ADULT ABUSE CASES NUMBER AND TYPE OF INVESTIGATION Annual 2002

Residence		ntiated gations	Uns ubstantiated Investigations		Total Investigations
	Number	Percent	Number	Percent	Number
Dona Ana Co.	56	10.9	459	89.1	515
New Mexico	1475	29.2	3569	70.8	5,044






NEW MEXICO RESIDENT DEATHS AGES 65 YEARS AND OLDER 1992-2002

Year	Dona Ana Co.	New Mexico
1992	600	7,600
1993	571	7,971
1994	650	8,368
1995	653	8,628
1996	645	8,663
1997	664	8,772
1998	728	9,100
1999	712	9,515
2000	758	9,441
2001	785	9,864
2002*	827	9,840

*2002 data are provisional

SOURCE: NM Department of Health ONMVRHS



NEW MEXICO RESIDENT DEATHS LEADING CAUSES OF DEATH - AGES 65 YEARS AND OLDER 1998-2002* AVERAGE


DONA ANA COUNTY		NEW MEXICO			
Cause	Number	Rate	Cause	Number	Rate
All Causes	3,810	4116.2	All Causes	47,760	4500.9
Diseases of Heart	1,157	1249.7	Diseases of Heart	13,459	1268.4
Malignant Neoplasms	849	917.4	Malignant Neoplasms	10,313	971.9
Chronic Lower Respiratory Diseases	259	279.7	Chronic Lower Respiratory Diseases	3,630	342.1
Diabetes Mellitus	221	239.0	Cerebrovascular Diseases	3,407	321.1
Cerebrovas cular Diseases	220	238.0	Diabetes Mellitus	1,969	185.5

^{* 2002} data are provisional

Rate per 100,000 population ages 65 years and older. Rate numerator was deaths for years 1998-2002, divided by 5; denominator was the 2000 population.

Due to the implementation of ICD-10 in 1999, comparability ratios have been applied to statistics for years prior to 1999. Rates and numbers may not equal those previously reported due to the application of comparability ratios.

NEW MEXICO RESIDENT DEATHS COUNTY AND STATE TOTALS 1992-2002											
	1992 1993 1994 1995 1996 1997 1998 1999 2000 2001 2002							2002*			
Dona Ana Co.	851	802	914	925	904	965	1,019	986	1,054	1,091	1,129
New Mexico	New Mexico 11,130 11,689 12,106 12,500 12,456 12,613 12,858 13,433 13,384 14,016 14,114										
* 2002 data are provisional											
S	SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics										



NEW MEXICO RESIDENT DEATHS LEADING CAUSES OF DEATH 1998-2002* AVERAGE

DONA ANA COUNTY			NEW MEXICO		
All Races/All Ages	Number	Rate	All Races/All Ages	Number	Rate
All Causes	5,279	604.4	All Causes	67,805	745.5
Diseases of Heart	1,358	155.5	Diseases of Heart	16,186	178.0
Malignant Neoplasms	1,195	136.8	Malignant Neoplasms	14,440	158.8
Diabetes Mellitus	291	33.4	Accidents (Unintentional Injuries)	4,759	52.3
Accidents (Unintentional Injuries)	287	32.8	(Motor Vehicle Accidents)	(1,904)	(20.9)
(Motor Vehicle Accidents)	(128)	(14.7)	Chronic Lower Respiratory Diseases	4,125	45.3
Chronic Lower Respiratory Diseases	283	32.4	Cerebrovas cular Diseas es	3,890	42.8

^{* 2002} data are provisional

Rate per 100,000 population. Rate numerator was deaths for years 1998-2002, divided by 5; denominator was the 2000 population.


Due to the implementation of ICD-10 in 1999, comparability ratios have been applied to statistics for years prior to 1999. Rates and numbers may not equal those previously reported due to the application of comparability ratios.


CHILDREN UNDER 6 WITH ELEVATED BLOOD LEAD LEVELS OF THOSE CHILDREN SCREENED, 2001-2002						
	2001	2002				
Dona Ana Co.						
Number of Children with Elevated Blood Lead Levels	5	6				
New Mexico						
Number of Children Screened	2,691	2,876				
Number of Children with Elevated Blood Lead Levels	37	35				
Percent of Children with Elevated Blood Lead Levels	1.4	1.2				
NOTE: Elevated Blood Lead Levels is defined as ≥ 10 µg/o	dl of blood.					

In Dona Ana County, 11.6% of the houses were built prior to 1950. More than 27% pre-1950 housing in an area is considered a greater than average risk for lead poisoning in children.

- Lead poisoning is the number one preventable environmental health problem for children under 6 years.
- · Risk factors for lead poisoning include older housing, poverty, and adult occupational exposure to lead.
- The only way to determine a child's lead level is with a blood lead test.
- The national estimate (1997) of children with an elevated blood lead level is 4.4%.²

It is estimated that 60% to 80% of children with elevated blood lead levels are in the Medicaid population.² Note: Screening rates have declined significantly in New Mexico (NM) since the mid 1990's.





 $^{^{1} \}ge 10 \,\mu\text{g/dl}$ of blood (greater than or equal to 10 micrograms per deciliter of blood), the Centers for Disease Control and Prevention (CDC) identified level of concern.

SOURCE: NM Department of Health, Office of Epidemiology

² General Accounting Office (GAO) Report, 1999.



HOSPITALS AND PRIMARY CARE FACILITIES						
HOSPITAL / PRIMARY CARE FACILITY	PHONE	STREET ADDRESS	CITY	STATE	ZIP	
Alliance Hospital Of Santa Teresa	(505)589-0033	100 Laura Court	Santa Teresa	NM	88008	
Memorial Medical Center, Inc.	(505)522-8641	2450 South Telshor Blvd.	Las Cruces	NM	88001	
Mesilla Valley Hospital	(505)382-3500	3751 Del Rey Blvd.	Las Cruces	NM	88012	
Mountain View Regional Medical Center	(505)556-7660	4311 E. Lohman Ave.	Las Cruces	NM	88011	
SO URCE: NM De	SOURCE: NM Department of Health, District III Health Office					

HEALTH CARE CLINICS						
FACILITY	PHONE	STREET ADDRESS	CITY	STATE	ZIP	
Ben Archer Health Center	(505)267-3088	255 Hwy 187	Hatch	NM	87937	
Ben Archer Health Center	(505)382-9292	1600 Thorpe	Las Cruces	NM	88012	
La Clinica de Familia, Inc.	(505)882-5706	855 N Main	Anthony	NM	88021	
La Clinica de Familia, Inc.	(505)824-0820	317 McCombs	Chaparral	NM	88063	
La Clinica de Familia, Inc.	(505)521-7181	1160 Mall Dr, LC	Las Cruces	NM	88011	
La Clinica de Familia, Inc.	(505)524-3571	Suite 7, Onate Plaza	Mesilla	NM	88046	
La Clinica de Familia, Inc.	(505)233-3830	18424 S Hwy 28	San Miguel	NM	88058	
La Clinica de Familia, Inc.	(505)589-0887	101 Edgewood	Sunland Park	NM	88063	
La Clinica de Familia, Inc.	(505)532-2044	1180 Mall Drive	Las Cruces	NM	88001	
La Clinica de Familia, Inc.	(505)882-7370	816 N. Anthony Road.	Anthony	NM	88021	
La Clinica de Familia, Inc.	(505)526-1105	1100 S. Main St., Suite A	Las Cruces	NM	88005	
St. Luke's Health Care Clinic	(505)527-5482	999 W Amador Ave	Las Cruces	NM	88005	
SOURC	E: NM Department of	Health, District III Health Offic	ce			

DOÑA ANA COUNTY SELECTED COMMUNITY PARTNERS FOR PUBLIC HEALTH					
COMMUNITY PARTNER	PHONE#				
Chapparral Community Health Council	(505)824-3391				
Club de Amistad (Sunland Park)	(505)589-1653				
Community Agency Partnership (Hatch)	(505)267-4553				
Court Youth Center (Las Cruces)	(505)541-0415				
Doña Ana DWI Council	(505)647-7950				
Doña Ana Health Council	(505)647-7929				
Gadsden Independent School District Safe & Drug Free Schools	(505)882-3364				
Mesilla Valley Safety Council	(505)647-7600				
MUACS (Mujeres Unidas Accion Contra Sida)	(505)589-1653				
South Central NM Prevention Coalition	(505)524-8951				
Tierra Madres (Sunland Park)	(505)589-4412				
Tobacco Free Las Cruces Coaltion	(505)524-8951				
SOURCE: NM Department of Health, District III Health Office					

LICENSED HEALTH PROFESSIONALS BY COUNTY OF LICENSE 2002					
	Dona Ana Co.	New Mexico			
Medical Doctor	280	5,809			
Medical Doctor Resident	21	1,144			
Physician Assistant	19	287			
Nurse (RN & LPN)	1,192	19,575			
Certified Nurse Midwives	16	148			
Licensed Midwives 5 79					
SOURCE: New Mexico Health Policy Commission					

ACTIVE EMERGENCY MEDICAL SERVICES PERSONNEL BY LEVEL AS OF AUGUST 20, 2003

Level	Dona Ana Co.	New Mexico
First Responder	47	760
Dispatcher	34	398
Dispatcher-Instructor	2	16
EMT-Basic	209	3,321
EMT-Intermediate	93	1,190
EMT-Paramedic	50	955
Total	435	6,641

NOTE: There are personnel with current active licenses at more than one level in this snapshot. The actual state personnel total is 6,546.

SOURCE: NM Department of Health



ACTIVE EMERGENCY MEDICAL SERVICES PERSONNEL BY GENDER AS OF AUGUST 20, 2003

Gender	Dona Ana Co.	New Mexico
Male	323	4,574
Female	109	1,995
Unknown	3	72
Total	435	6,641

NOTE: There are personnel with current active licenses at more than on level in this snapshot. The actual state personnel total is 6,546.

SOURCE: NM Department of Health

GLOSSARY

AGE-ADJUSTED—Weights the age-specific rates for a given population by the age distribution of a standard population, thereby enabling the direct comparison of rates between populations with differing age structures.

CHILDREN'S CHRONIC CONDITIONS REGISTRY—A registry of data on children with special needs; data are from programs and physicians who provide services to these children. Maintained by the New Mexico Department of Health.

COMPARABILITY RATIOS—With each revision of the *International Classification of Diseases (ICD)*, discontinuities are created in cause-of-death trend data. The classification and rule changes have a substantial impact as deaths that may have been coded to one category in the previous revision are coded to another category in the new revision. To compensate for these shifts, comparability (also called bridge-coding) studies are undertaken to determine the extent of comparability between the two revisions. As a result of these studies, comparability ratios are developed that reflect the degree of comparability between the two revisions.

CRUDE BIRTH RATE—Number of live births per 1,000 population.

CRUDE DEATH RATE—Number of deaths per 1,000 or 100,000 population.

D.W.I.—Driving While Impaired; the current legal limit for blood alcohol concentration is .08 for 21 and older, and .02 for younger than 21.

FERTILITY RATE—Number of live births per 1,000 women 15-44 years of age.

FOOD STAMP PROGRAM (FSP)—The FSP is an entitlement program based on Federal rules and mandates. The purpose of the FSP is to increase food purchasing power and to supplement the nutrition level of eligible households. In addition, the FSP provides a nutrition education program to eligible households. Eligibility for participation in the FSP is based on a gross income test at 130% of the Federal Poverty Guidelines for the size of the household. Eligibility is also based on a resource test; the household's liquid and nonliquid resources cannot exceed \$2000.00. Food stamp benefits are issued on a monthly basis through an electronic benefit transfer (EBT) system. The FSP has a change reporting and work requirement for adults in the household. Failure to report changes or comply with work requirements results in a reduction or closure of Food Stamp benefits. Under contract with another agency, the Department provides a free nutrition education program for Food Stamp applicants and recipients.

HOSPITAL DISCHARGE DATA—Data, such as diagnosis, gender, age, residence, on hospital inpatient discharges; collected by the NM Health Policy Commission from licensed, non-federal general and specialty hospitals.

INCIDENCE—Measure of the frequency at which new events/cases of a disease or condition occur in a specified population over a given time period.

INCIDENCE RATE—Number of new cases of disease/condition over a given time period (often, a year) that occur in a population at risk for that disease/condition (ergo number of new lung cancer cases per 100,000 persons in a year). An estimate of the risk of developing a disease/condition during a specified time period.

INFANT DEATH—Death of an infant under one year of age (neonatal + postneonatal).

INFANT MORTALITY RATE—Number of infant deaths per 1,000 (or 100,000) live births.

LIVE BIRTH—A birth that shows any sign of life after delivery.

LOW BIRTH WEIGHT—A live birth weighing less than 2500 grams (5-1/2 pounds).

MEDICAID—A federally and state-funded program to pay for medical and other services to eligible New Mexico citizens.

NEONATAL DEATH—Death of newborn under 28 days of age.

NEONATAL MORTALITY RATE—Number of neonatal deaths per 1,000 (or 100,000) live births.

NEURAL TUBE DEFECTS—Malformations of the spine and brain that arise in the first 29 days of pregnancy.

OCCURRENCE DATA—Data allocated by place where event occurred, regardless of the person's place of residence.

GLOSSARY CONTINUED

POPULATION ESTIMATE—Estimate of the number of persons for either a past or current time period.

POSTNEONATAL DEATH—Death of an infant of at least 28 days, but less than one year of age.

POSTNEONATAL MORTALITY RATE—Number of postneonatal deaths per 1,000 or (100,000) live births.

POVERTY—Poverty status is based on the 1964 Social Security Administration definition (modified in 1969 and 1980). At the core of this definition was the 1961 Department of Agriculture economy food plan, which arose from findings of a 1955 Department of Agriculture survey of food consumption. The 1955 findings showed that families of three or more spent about 1/3 of their income on food. Poverty status/level is tied to the cost of the economy food plan that is revised annually for cost of living as reflected in the Consumer Price Index.

PRENATAL CARE—1) Level of Prenatal Care – categorization of prenatal care services into no/low, middle and high levels of care based on the number of visits and month care began (modified Kessner index). 2) Adequacy of Prenatal Care Utilization Index – an alternative measure of prenatal care utilization that adjusts for some of the weaknesses of the trimester care began and the Kessner index (Kotelchuck index).

RESIDENCE DATA—Data allocated by place of residence of the decedent (deaths) or by place of residence of the child's mother (births).

SCHOOL ENROLLMENT—The count of high school students on the current roll on the 40th official school day, by school district.

SUBSTANTIATED—Through the course of the investigation, the social worker determined that the child(ren) who is the subject of the report have been determined to have been the victim of abuse and/or neglect. In other words the allegations are true.

TEMPORARY ASSISTANCE FOR NEEDY FAMILIES (TANF)—TANF is the State-administered, county-operated, monthly cash assistance program funded by a Federal block grant under Title IV-A of the Social Security Act. In July 1997, TANF replaced the previous entitlement program known as Aid to Families with Dependent Children (AFDC). The TANF program is not an entitlement program and has a 60-month term limit in New Mexico, which means that adults receiving assistance from the TANF block grant program can receive assistance for a 60 month maximum limit. TANF is available to both single and two-parent families. To receive TANF, there must be at least one dependent child (under age 18) in the home. TANF eligibility is based on a gross income test at 85% of the Federal Poverty Guideline for the size of the family. Eligibility is also based on a resource test; the family's liquid resources must be less than \$1500.00 and non liquid resources must be less than \$2000.00. Cash assistance is issued through an electronic benefit transfer system, similar to an ATM debit card. The TANF program has a mandatory change reporting and work requirement for adults and a mandatory school attendance requirement for dependent children. The adults in the family must cooperate with child support enforcement efforts on behalf of the dependent children. There are cash payment reductions for failure to comply with change reporting, work requirements, child support enforcement and school attendance.

TOTAL PERSONAL INCOME (**TPI**)—Includes the earnings (wages and salaries, other labor income, proprietors' income), dividends, interest, and rent, and transfer payments received by the residents of county. Data shown in thousands.

UNEMPLOYED—Based on monthly surveys, persons who did not work during a specified week but made specific efforts to find a job in the previous 4 weeks and were available for work. Also, persons who did not work, were available for work but were not actively seeking work because they (a) had been laid off and were waiting to be called back; or (b) were waiting to report to a job within 30 days. Does not include those no longer seeking work other than in situations (a) and (b).

UNEMPLOYMENT RATE—Number of persons unemployed as a percent of the civilian labor force.

UNSUBSTANTIATED—Investigation indicates that the investigator was unable to determine that the allegation(s) were true.

VERY LOW BIRTH WEIGHT—A live birth weighing less than 1500 grams (about 2 lbs. 5 oz.) at birth.

W.I.C.—Women, Infants and Children; a federally-funded, special supplemental nutrition program administered by the New Mexico Department of Health and tribal agencies. Its purpose is to provide high-nutrient density food to promote optimal health outcome during the perinatal period. Services include food assistance, nutrition education and referral to health services.