

LOS ALAMOS COUNTY HEALTH PROFILE

2003 NEW MEXICO COUNTY HEALTH PROFILES NEW MEXICO DEPARTMENT OF HEALTH PUBLIC HEALTH DIVISION OFFICE OF NEW MEXICO VITAL RECORDS AND HEALTH STATISTICS

Welcome to the fifth update of the New Mexico County Health Profiles. This publication is dedicated to users of county-level data as well as to those who contributed data, suggestions, interpretations, and comments. Thanks to so many of you, there are many improvements in this year's version. Some of you work in the Department of Health, but a great many of you work in other agencies and it is gratifying to be able to have collaborated with you.

As in prior versions, the latest data available from each source is used. Questions about the data, their collection, limitations, or interpretation should be directed to the appropriate data source. To aid in this, a source is listed at the bottom of each table throughout the profile.

The compilation of the Profiles is possible because of assistance and contributions from many agencies and data providers: NM Department of Health, District Health Offices, Diabetes Prevention and Control Program, Family Food and Nutrition Services, Family Health Bureau, Infectious Disease Bureau, Injury Prevention and EMS Bureau, Long Term Services Division, Family Infant Toddler Program, Behavioral Health, and Office of Epidemiology; NM Children, Youth and Families Department, Child Protective Services; NM Commission on Higher Education; NM Department of Education; NM Department of Labor; NM Health Policy Commission; NM Department of Transportation, Traffic Safety Bureau; NM Human Services Department, Income Support Division, Medical Assistance Division; University of New Mexico's Bureau of Business and Economic Research (BBER) and New Mexico Tumor Registry; Center for Disease Control's National Center for Health Statistics; US Department of Commerce, Bureau of the Census and Bureau of Economic Analysis; and US Bureau of Labor Statistics.

Without outstanding assistance from the entire staff at the Office of New Mexico Vital Records and Health Statistics, these profiles would not have been produced and we especially wish to thank: Mary M. Gonzales, John Hedrick, Brad Whorton, Brian Woods, Radha S. Biswas, Tony Ortiz, Renee Valencia, Michael Patterson, Veronica Tapia, Pete Varela, Rebecca Rodriguez, and Melinda Roybal.

[Your comments are welcome. You may call 827-0167 to provide comments or suggestions for future reports.](#)

Celine Sanchez
State Registrar and Acting Chief
Office of New Mexico Vital Records and Health Statistics

Kimberley Peters
Director, Designated State Center for Health Statistics

Mary Houdek
Manager, Information Systems and GIS

Mary Anne Escudero
Manager, Fraud Program & Deputy State Registrar

*Copyright 2003 Office of New Mexico Vital Records and Health Statistics.
Permission to quote from or reproduce materials from this report is granted
with attributions.*



**Office of New Mexico Vital Records & Health Statistics
County Health Profile Team**

Mary M. Gonzales	Management Analyst & Co-editor
Jonathan Hedrick	Statistician & Co-editor
Radha S. Biswas	Epidemiologist
Tony Ortiz	Epidemiologist
Michael Patterson	Statistician
Rebecca Rodriguez	Statistician
Melinda Roybal	Statistician
Veronica Tapia	Clerk Specialist
Renee Valencia	Nosologist
Pete Varela	Statistician
Brad Whorton	Epidemiologist
Brian Woods	Epidemiologist

TABLE OF CONTENTS


Population	5
Growth and Change	
Distribution by Age and Gender	
Distribution by Race/Ethnicity	
Distribution by Hispanic Ethnicity	
Special Populations	
Socio-Economic	8
Per Capita Income / Average Wages / Total Personal Income	
Unemployment / TANF & Food Stamps / Medicaid / Poverty	
Maternal and Infant Health	10
Live Births / Crude Birth Rates / Fertility Rates	
Number of Births and Birth Rates by Age of Mother	
Percent of Total Births to Teen Mothers / Single Mothers	
Percent of Births to Mothers with < 12 Years Education / First Trimester Prenatal Care	
Prenatal Care – Modified Kessner Index	
Adequacy of Prenatal Care Utilization - Kotelchuck Index	
Live Births by Type of Attendant	
Low Birth Weight Births / Very Low Birth Weight Births / High Birth Weight	
Supplemental Programs / Births Paid by Medicaid / Female Population Age 15-44	
Number Infant, Neonatal and Postneonatal Deaths / Infant Mortality - SIDS Deaths/Birth Defects	
Child Health (1-14) Years of Age	20
Children’s Chronic Conditions Registry Data / Child Abuse	
Family Infant Toddler (FIT) Data	
School Enrollment	
Mortality – Deaths / Death Rates / Childhood Leading Causes	
Adolescent / Youth (15-19) Years of Age	24
High School Enrollment / Drop-out Rate / College Enrollment	
Motor Vehicle Crashes	
Natality and Mortality - Teen Birth Rates / Deaths / Leading Causes	
Infectious / Communicable Disease	27
Gastrointestinal Disease	
Hepatitis A / Campylobacter Infection / Salmonellosis / Shigellosis	
Bloodborne Diseases	
Hepatitis B / HIV/AIDS	
Respiratory Diseases	
Pertussis / Tuberculosis	
Sexually Transmitted Diseases	
Chlamydia / Gonorrhea / Syphilis	

TABLE OF CONTENTS cont'd

Injury	30
Motor Vehicle Crashes	
Injuries by Category	
Chronic Disease	33
Cancer Incidence - Male	
Cancer Incidence - Female	
Inpatient Hospitalization	
Hospital Discharge by Payer / Asthma	
Diabetes	
Aging	38
Inpatient Hospitalization / Discharge Status	
Adult Abuse / Deaths / Death Rates / Leading Causes of Death	
General Mortality	40
Deaths / Death Rates / Leading Causes of Death	
Environmental Health	41
Lead Poisoning	
Community Resources	42
Hospitals and Primary Care Facilities / Health Care Clinics	
Selected Community Partners to Public Health / Licensed Health Professionals	
Active Emergency Medical Services	
Glossary	44

LOS ALAMOS COUNTY POPULATION / AGE AND GENDER

**POPULATION GROWTH
1970 TO 2000**




SOURCE: U.S. Bureau of the Census

2002 POPULATION ESTIMATES BY AGE AND GENDER						
Age Groups	Los Alamos County			New Mexico		
	Male	Female	Both	Male	Female	Both
Less than 1 yr	114	104	218	13,746	13,361	27,107
1 to 4 years	398	406	804	53,236	51,780	105,016
5 to 9 years	610	563	1,173	67,768	65,647	133,415
10 to 14 years	730	713	1,443	74,247	71,746	145,993
15 to 19 years	755	669	1,424	76,356	72,288	148,644
20 to 24 years	330	314	644	67,182	64,847	132,029
25 to 29 years	249	250	499	56,796	56,273	113,069
30 to 34 years	500	489	989	59,596	59,961	119,557
35 to 39 years	674	658	1,332	64,222	65,623	129,845
40 to 44 years	825	843	1,668	70,951	73,496	144,447
45 to 49 years	835	847	1,682	66,325	70,011	136,336
50 to 54 years	807	805	1,612	60,317	63,383	123,700
55 to 59 years	768	752	1,520	47,075	50,411	97,486
60 to 64 years	568	489	1,057	36,530	40,431	76,961
65 to 69 years	353	310	663	30,979	34,231	65,210
70 to 74 years	244	294	538	26,175	29,427	55,602
75 to 79 years	221	307	528	19,298	25,786	45,084
80 to 84 years	126	199	325	12,434	17,304	29,738
85 and over	72	114	186	8,926	16,894	25,820
All Ages	9,179	9,126	18,305	912,159	942,900	1,855,059

Source: U.S. Bureau of the Census

**2002 POPULATION ESTIMATES
BY AGE GROUP**




SOURCE: U.S. Bureau of the Census

LOS ALAMOS COUNTY POPULATION / AGE AND RACE/ETHNICITY

2002 POPULATION ESTIMATES BY AGE AND RACE/ETHNICITY							
Age Groups	ONE RACE					Total Population	Hispanic or Latino Ethnicity Any Race ¹
	White	Black	American Indian / Alaska Native	Asian / Pacific Islander	Two or More Races		
Under 5 years	881	13	3	86	39	1,022	183
5 to 9 years	1,061	8	2	70	32	1,173	183
10 to 14 years	1,326	7	9	66	35	1,443	214
15 to 19 years	1,337	8	9	44	26	1,424	214
20 to 24 years	590	11	10	22	11	644	134
25 to 29 years	462	5	4	25	3	499	95
30 to 34 years	881	9	7	80	12	989	130
35 to 39 years	1,163	7	11	132	19	1,332	161
40 to 44 years	1,558	6	11	73	20	1,668	213
45 to 49 years	1,593	6	10	56	17	1,682	185
50 to 54 years	1,519	11	14	51	17	1,612	142
55 to 59 years	1,465	3	4	40	8	1,520	118
60 to 64 years	1,008	3	5	34	7	1,057	72
65 to 69 years	634	1	6	17	5	663	64
70 to 74 years	529	2	1	4	2	538	59
75 to 79 years	521	1	3	1	2	528	59
80 to 84 years	325	0	0	0	0	325	23
85 and over	182	0	2	1	1	186	15
All Ages	17,035	101	111	802	256	18,305	2,264


¹ Hispanic or Latino origin may be of any race. Adding the Hispanic or Latino population to the racial categories will result in double counting.

SOURCE: U.S. Bureau of the Census




UNDER 20 POPULATION 2000, 2001 and 2002			
Age Groups	2000	2001	2002
Under 5 years	1,021	955	1,022
5 to 9 years	1,303	1,208	1,173
10 to 14 years	1,532	1,426	1,443
15 to 19 years	1,215	1,324	1,424
Under 20 years	5,071	4,913	5,062
County Population	18,343	17,733	18,305

Source: U.S. Bureau of the Census




20 TO 64 POPULATION 2000, 2001 and 2002			
Age Groups	2000	2001	2002
20 to 24 years	463	454	644
25 to 29 years	734	534	499
30 to 34 years	1,130	1,024	989
35 to 39 years	1,520	1,366	1,332
40 to 44 years	1,697	1,642	1,668
45 to 49 years	1,662	1,638	1,682
50 to 54 years	1,564	1,591	1,612
55 to 59 years	1,389	1,405	1,520
60 to 64 years	893	933	1,057
20 to 64 years	11,052	10,587	11,003
County Population	18,343	17,733	18,305

Source: U.S. Bureau of the Census




65 AND OLDER POPULATION 2000, 2001 and 2002			
Age Groups	2000	2001	2002
65 to 69 years	634	642	663
70 to 74 years	594	567	538
75 to 79 years	524	525	528
80 to 84 years	297	312	325
85 and over	171	187	186
65 years and older	2,220	2,233	2,240
County Population	18,343	17,733	18,305

Source: U.S. Bureau of the Census



SOCIO-ECONOMIC - INCOME


**PER CAPITA PERSONAL INCOME
1992-2001**



^{r/} Revised ^{p/} Preliminary

SOURCE: U.S. Dept of Commerce, Bureau of Economic Analysis, released May 2003.

**ANNUAL AVERAGE WAGE - SALARY PER JOB^{1/}
1992-2001**




^{r/} Revised ^{p/} Preliminary

^{1/} The employment estimates used to compute the average wage are a job, not person, count.

SOURCE: U.S. Dept of Commerce, Bureau of Economic Analysis, released December 2002.

**TOTAL PERSONAL INCOME
1992-2001**




^{r/} Revised ^{p/} Preliminary

See glossary for definition of Total Personal Income

SOURCE: U.S. Dept of Commerce, Bureau of Economic Analysis, released May 2003.

UNEMPLOYMENT TRENDS
ANNUAL RATES
1993-2002



SOURCE: U.S. Department of Labor, Bureau of Labor Statistics

AVERAGE MONTHLY TANF AND FOOD STAMPS CASES
FISCAL YEAR 2003
(7/02 - 6/03)


Supplement	Los Alamos Co.		New Mexico	
	Number	Percent*	Number	Percent*
TANF	7	0.0	16,382	0.9
Food Stamps	34	0.2	72,411	3.9

*Percent of county's estimated 2002 population.

NOTE: Starting July 1, 1999, changes were made in the methodology for counting TANF (Temporary Assistance for Needy Families) caseloads. Caution should be used when comparing data to previous fiscal years.

SOURCE: NM Human Services Department, Income Support Division.


AVERAGE MONTHLY PERCENT TANF AND FOOD STAMP CASES
FISCAL YEAR 2003



TANF = Temporary Assistance for Needy Families.

SOURCE: NM Human Services Department Income Support Division.

AVERAGE MONTHLY MEDICAID ELIGIBLES*
FISCAL YEAR 2000



	Adults	Children
■ Los Alamos Co.	95	197
■ New Mexico	93,680	201,340

*Medicaid eligible counts do not include retroactive and late reported eligibility. Figures subject to change.

SOURCE: NM Human Services Department Income Support Division

ESTIMATED NUMBER AND PERCENT OF PEOPLE IN POVERTY
1999

Age	Los Alamos Co.		New Mexico	
	Number	Percent*	Number	Percent*
All Ages in Poverty	476	2.6	326,223	18.2
----Children age < 18 years	183	3.9	133,194	26.4
----Related children ages 5-17 years	112	3.1	92,333	25.0

See glossary for definition of poverty. *Percent of Specified Age Group.

SOURCE: U.S. Census Bureau, "Estimates Model 1999."

MATERNAL AND INFANT HEALTH -LIVE BIRTHS


RESIDENT LIVE BIRTHS BY COUNTY OF RESIDENCE AND STATE 1992-2002

	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002*
Los Alamos Co.	188	195	215	205	177	203	182	186	194	169	200
New Mexico	27,910	27,831	27,585	26,914	27,216	26,844	27,294	27,133	27,206	27,101	27,708

*2002 data are provisional

SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics


CRUDE BIRTH RATES BY COUNTY OF RESIDENCE AND STATE 1992-2002



	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002*
—●— Los Alamos Co.	10.4	10.6	11.6	11.0	9.7	11.1	10.0	10.2	10.6	9.5	10.9
—■— New Mexico	17.7	17.2	16.7	16.0	16.0	15.6	15.7	15.6	15.0	14.8	14.9

SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics

FERTILITY RATES BY COUNTY OF RESIDENCE AND STATE 1992-2002



	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002*
—●— Los Alamos Co.	51.8	53.7	59.3	56.7	51.0	59.7	54.1	56.3	58.4	54.4	62.1
—■— New Mexico	77.4	76.4	74.3	71.6	71.7	70.7	72.0	72.1	69.5	69.5	70.6

SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics

MATERNAL AND INFANT HEALTH -LIVE BIRTHS

**LOS ALAMOS COUNTY RESIDENT LIVE BIRTHS
BY AGE OF MOTHER
1992-2002**

AGE	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002*
15-19	12	7	15	10	12	8	12	3	11	5	11
20-24	28	26	28	19	26	24	16	24	21	17	23
25-29	47	52	51	60	42	42	55	47	43	30	41
30-34	63	78	72	78	70	74	55	69	60	63	72
35-39	31	22	39	27	22	42	34	37	48	44	44
40-44	5	9	10	10	5	12	10	6	11	10	9

*2002 data are provisional

SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics

LOS ALAMOS COUNTY RESIDENT BIRTH RATES
BY AGE OF MOTHER
1992-2002**

AGE	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002*
15-19	21.3	12.2	25.4	16.5	20.1	13.2	19.6	5.0	20.0	8.1	16.4
20-24	106.5	96.3	103.7	70.1	99.6	94.1	62.7	93.0	89.7	76.9	73.2
25-29	106.8	125.9	129.4	157.1	115.1	117.0	154.5	133.5	116.8	111.1	164.0
30-34	89.7	113.0	107.6	121.5	119.7	137.3	108.7	144.7	109.5	126.0	147.2
35-39	40.8	28.9	51.2	35.4	30.0	58.6	48.4	54.3	62.2	65.1	66.9
40-44	5.5	9.8	10.6	10.5	5.4	12.9	10.7	6.5	13.0	12.2	10.7

*2002 data are provisional **Rate per 1,000 women in specified group

SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics

NEW MEXICO RESIDENT BIRTH RATES
BY AGE OF MOTHER
1992-2002**

AGE	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002*
15-19	79.8	80.7	77.2	74.3	70.8	68.0	69.1	67.2	65.5	63.1	62.3
20-24	153.9	150.4	142.2	134.0	135.0	133.6	135.8	137.6	136.1	134.2	132.1
25-29	129.0	131.7	129.7	125.5	131.8	129.8	132.1	128.0	117.0	119.3	123.3
30-34	75.8	74.7	76.5	77.2	76.6	79.1	79.6	82.7	77.2	77.2	79.1
35-39	31.3	30.8	31.3	31.3	32.5	31.5	33.8	34.1	33.3	33.5	35.0
40-44	6.9	5.9	7.0	6.6	7.4	7.0	6.8	7.1	7.6	7.5	7.1

*2002 data are provisional **Rate per 1,000 women in specified group

SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics

**UNITED STATES BIRTH RATES*
BY AGE OF MOTHER
1992-2002**

AGE	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
15-19	60.7	59.6	58.9	56.8	54.4	52.3	51.1	49.6	47.7	45.3	43.0
20-24	114.6	112.6	111.1	109.8	110.4	110.4	111.2	111.0	109.7	106.2	103.6
25-29	117.4	115.5	113.9	112.2	113.1	113.8	115.9	117.8	113.5	113.4	113.6
30-34	80.2	80.8	81.5	82.5	83.9	85.3	87.4	89.6	91.2	91.9	91.5
35-39	32.5	32.9	33.7	34.3	35.3	36.1	37.4	38.3	39.7	40.6	41.4
40-44	5.9	6.1	6.4	6.6	6.8	7.1	7.3	7.4	8.0	8.1	8.3

* Rate per 1,000 women in specified group.


SOURCE: CDC's, National Center for Health Statistics: NVSR Volume 52, Number 10.

MATERNAL AND INFANT HEALTH - LIVE BIRTHS

RESIDENT LIVE BIRTHS TO MOTHERS UNDER 20 YEARS OF AGE 1992-2002											
	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002*
Los Alamos Co.	13	7	15	10	12	8	12	3	11	5	11
New Mexico	4,749	4,965	4,964	4,950	4,850	4,789	4,964	4,841	4,728	4,603	4,592

*2002 data are provisional


SOURCE: NM Dept. of Health, Office of New Mexico Vital Records and Health Statistics



RESIDENT LIVE BIRTHS TO SINGLE MOTHERS 1992-2002											
	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002*
Los Alamos Co.	26	13	27	19	24	22	25	13	25	22	21
New Mexico	11,021	11,522	11,408	11,388	11,347	11,590	12,021	12,236	12,400	12,549	12,984

*2002 data are provisional

SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics




**RESIDENT LIVE BIRTHS
TO MOTHERS WITH LESS THAN 12 YEARS OF EDUCATION
1992-2002**

	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002*
Los Alamos Co.	16	8	14	9	13	4	10	7	7	5	9
New Mexico	7,898	7,806	7,545	7,269	7,415	6,961	7,309	7,342	7,408	7,459	7,679

*2002 data are provisional

NOTE: Births to mothers of all ages. Some mothers are still in school.

SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics




**RESIDENT LIVE BIRTHS
WITH FIRST TRIMESTER PRENATAL CARE
1992-2002**

	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002*
Los Alamos Co.	132	148	174	158	149	171	152	152	164	131	164
New Mexico	16,656	17,344	17,893	18,011	18,264	17,932	17,411	16,790	17,757	17,741	18,293

*2002 data are provisional

SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics



MATERNAL AND INFANT HEALTH - PRENATAL CARE

KESSNER INDEX VERSUS KOTELCHUCK INDEX

Both the Kessner Index and the Kotelchuck Index utilize the month of pregnancy in which prenatal care began and the number of prenatal visits. The Kessner Index relies very heavily on the timing of the initiation of prenatal care. For example, inadequate prenatal care is defined as no prenatal care or care beginning in the third trimester. The Kessner Index has been modified by most states to allow for insufficient visits even when care was initiated early. The exact combination varies from state to state so that there is no standard modified Kessner.

The Kotelchuck Index is more sophisticated and uses two dimensions, the timing of the initiation of care and the adequacy of services received (ratio of observed visits to expected visits), which are combined into a single summary index.


RESIDENT LIVE BIRTHS ADEQUACY OF PRENATAL CARE UTILIZATION (Kotelchuck Index) 1996-2002

	1996	1997	1998	1999	2000	2001	2002*
Inadequate Care							
Los Alamos Co.	15	17	18	21	10	14	21
New Mexico	5,811	5,541	6,284	6,499	6,333	5,854	6,321
Intermediate Care							
Los Alamos Co.	10	11	13	9	13	5	11
New Mexico	4,943	4,845	4,660	4,331	4,122	4,187	4,663
Adequate Care							
Los Alamos Co.	12	25	29	40	49	40	31
New Mexico	8,826	8,417	8,239	8,052	7,915	8,165	8,498
Intensive Care							
Los Alamos Co.	132	132	113	109	105	88	121
New Mexico	6,182	6,341	6,109	5,885	7,097	7,090	6,526

* 2002 data are provisional


SOURCE: NM Department of Health, ONMVRHS

PERCENT INADEQUATE PRENATAL CARE 1996-2002




*2002 data are provisional

PERCENT INTERMEDIATE PRENATAL CARE 1996-2002




*2002 data are provisional

PERCENT ADEQUATE PRENATAL CARE 1996-2002



*2002 data are provisional

PERCENT INTENSIVE PRENATAL CARE 1996-2002



*2002 data are provisional

SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics

MATERNAL AND INFANT HEALTH - *PRENATAL CARE*





RESIDENT LIVE BIRTHS LEVEL OF PRENATAL CARE (Modified Kessner Index) 1996-2002							
	1996	1997	1998	1999	2000	2001	2002*
Low or No Prenatal Care							
Los Alamos Co.	4	9	8	8	7	8	10
New Mexico	3,203	2,973	3,413	3,665	3,523	3,065	3,356
Mid-Level Prenatal Care							
Los Alamos Co.	24	22	28	30	25	13	29
New Mexico	8,337	8,166	8,551	8,258	8,045	8,190	8,485
High Prenatal Care							
Los Alamos Co.	141	155	137	141	145	126	145
New Mexico	14,331	14,139	13,476	13,025	14,035	14,164	14,284
Unknown Prenatal Care							
Los Alamos Co.	8	17	9	7	17	22	16
New Mexico	1,345	1,566	1,854	2,185	1,603	1,682	1,581

* 2002 data are provisional

SOURCE: NM Department of Health, ONMVRHS

MODIFIED KESSNER INDEX CLASSIFICATIONS OF LEVELS OF PRENATAL CARE					
NUMBER OF PRENATAL VISITS	MONTH CARE BEGAN				
	1-3	4-6	7-9	NONE (0)	UNKNOWN
9+	H	M	L	L	?
5-8	M	M	L	L	?
1-4	L	L	L	L	L
NONE	L	L	L	(NONE) L	L
UNKNOWN	?	?	L	L	?

HIGH (OPTIMUM) LEVEL **H** LOW or NO LEVEL **L**
 MID-LEVEL **M** UNKNOWN LEVEL **?**



SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics

MATERNAL AND INFANT HEALTH - TYPE OF ATTENDANT

RESIDENT LIVE BIRTHS BY TYPE OF ATTENDANT 1992-2002

Physician											
	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002*
Los Alamos Co.	181	190	186	174	85	78	56	123	134	125	149
New Mexico	23,454	22,492	22,309	21,965	22,101	21,387	20,932	19,696	19,407	19,063	19,231
Certified Nurse Midwife											
Los Alamos Co.	2	1	28	31	89	125	122	62	58	42	46
New Mexico	3,977	4,756	4,738	4,474	4,622	5,040	5,912	7,011	7,338	7,619	7,937
Lay Midwife											
Los Alamos Co.	4	4	1	0	2	0	3	1	1	2	4
New Mexico	286	293	292	272	254	240	248	269	290	268	336
Other											
Los Alamos Co.	1	0	0	0	1	0	1	0	1	0	1
New Mexico	193	290	246	203	239	177	202	157	171	151	204

*2002 data are provisional

SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics


PERCENT OF RESIDENT LIVE BIRTHS BY TYPE OF ATTENDANT 1992-2002

Physician											
	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002*
Los Alamos Co.	96.3	97.4	86.5	84.9	48.0	38.4	30.8	66.1	69.1	74.0	74.5
New Mexico	84.0	80.8	80.9	81.6	81.2	79.7	76.7	72.6	71.3	70.3	69.4
Certified Nurse Midwife											
Los Alamos Co.	1.1	0.5	13.0	15.1	50.3	61.6	67.0	33.3	29.9	24.9	23.0
New Mexico	14.2	17.1	17.2	16.6	17.0	18.8	21.7	25.8	27.0	28.1	28.6
Lay Midwife											
Los Alamos Co.	2.1	2.1	0.5	0.0	1.1	0.0	1.6	0.5	0.5	1.2	2.0
New Mexico	1.0	1.1	1.1	1.0	0.9	0.9	0.9	1.0	1.1	1.0	1.2
Other											
Los Alamos Co.	0.5	0.0	0.0	0.0	0.6	0.0	0.5	0.0	0.5	0.0	0.5
New Mexico	0.7	1.0	0.9	0.8	0.9	0.7	0.7	0.6	0.6	0.6	0.7

*2002 data are provisional

SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics

PERCENT OF RESIDENT LIVE BIRTHS DELIVERED BY PHYSICIANS AND CERTIFIED NURSE MIDWIVES LOS ALAMOS COUNTY 1992-2002




SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics

RESIDENT LIVE BIRTHS
LOW BIRTH WEIGHT BIRTHS (<2500 grams)
1992-2002

	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002*
Los Alamos Co.	14	13	12	20	8	13	14	9	25	19	19
New Mexico	2,014	2,032	2,023	2,017	2,041	2,086	2,042	2,078	2,180	2,147	2,224

*2002 data are provisional

SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics



Low Birth Weight

Low birth weight (LBW) is defined as an infant weight of less than 2,500 grams (5 1/2 lbs) at the time of delivery. Birth weight is one of the most important factors in determining the survival and health of an infant. Low birth weight is a public health problem since infants born LBW have increased infant mortality, morbidity, incidence of learning disabilities, and medical costs. Nationally, the risk factors for LBW include maternal age of less than seventeen and greater than 34 years, Black race/ethnicity, low socioeconomic status, single marital status, lower levels of maternal education, smoking, inadequate weight gain, low pre-pregnancy weight, and a variety of medical risk factors (Source: Data to Action).

Smoking, which retards fetal growth, is the single largest modifiable risk factor for LBW and infant mortality. It is estimated to account for 20 to 30% of all LBW births.

RESIDENT LIVE BIRTHS
VERY LOW BIRTH WEIGHT BIRTHS (<1500 grams)
1994-2002

	1994-1996		1997-1999		2000-2002*	
	Number	Percent	Number	Percent	Number	Percent
Los Alamos Co.	9	1.5	5	0.9	9	1.6
New Mexico	894	1.1	880	1.1	1,005	1.2

*2002 data are provisional

SOURCE: NM Department of Health, ONMVRHS

High Birth Weight

A woman with a history of gestational diabetes or delivery of a baby weighing >9 pounds is at risk of developing type 2 diabetes. In addition, if the baby has macrosomia (generally defined as a weight of 4000 g or more), he or she is at risk for obesity and also for developing type 2 diabetes later on in life. It should be noted that there is no widely agreed-upon weight definition. Any evaluation of fetal weight must be considered in the context of gestational age.

Sources: "Diabetes in the Life Cycle and Research," Vol. 4. 2003. Editor M. Franz. Published by the American Association of Diabetes Educators, Chicago Illinois. *Diabetes Care Journal*, Supplement 1, January 2003 Vol. (26).

RESIDENT LIVE BIRTHS
HIGH BIRTH WEIGHT BIRTHS (4090+ grams, 9 pounds)
1994-2002

	1994-1996		1997-1999		2000-2002*	
	Number	Percent	Number	Percent	Number	Percent
Los Alamos Co.	32	5.4	21	3.7	13	2.3
New Mexico	4,010	5.2	3,810	4.9	3,674	4.7

*2002 Data are provisional

SOURCE: NM Department of Health, ONMVRHS


MATERNAL AND INFANT HEALTH - MEDICAID BIRTHS / SUPPLEMENTAL PROGRAMS / FEMALE POPULATION

Medicaid is a Federal-State matching entitlement program that pays for medical assistance. Originating in 1965 as Title XIX of the Social Security Act, it was created as a medical extension of the federally funded cash income assistance program emphasizing care for dependent children and their mothers, the disabled, and the elderly.

Federal and state initiatives intending to expand access to maternity and child health care have resulted in dramatic changes in policy and manner of health care delivery. Federal Omnibus Budget Reconciliation Acts (OBRA) of 1986, 1987, and 1989 required states to grant Medicaid eligibility/coverage for pregnant woman and infants, ultimately, at or below the 133% of federal poverty levels, and allow for eligibility up to 185%. The State of New Mexico followed this progression and complimented the initiatives by extending eligibility up to 225% of federal poverty levels.

Statewide, Medicaid paid for 49% of births.

PERCENT OF COUNTY AND OF NEW MEXICO RESIDENT BIRTHS BY MEDICAID STATUS 1999-2000



SOURCE: NM Department of Health, ONMVRHS and Human Services Department Paid By Medicaid Final Report 2003

NEW MEXICO RESIDENT BIRTHS BY MEDICAID STATUS 1999-2000

Residence	Non-Medicaid Births	Medicaid Paid Births	Total Births
Los Alamos	353	27	380
New Mexico	27,710	26,600	54,310

SOURCE: NM Department of Health, ONMVRHS and Human Services Department Paid By Medicaid Final Report 2003

Compared to mothers of children whose births were not paid by Medicaid, Medicaid mothers in New Mexico tended to:


- Be younger;
- Be White Hispanic;
- Have fewer years of education;
- Have lower levels of prenatal care;
- Be outside of the major metropolitan areas;
- Be more at risk for preterm and low weight births.

WOMEN, INFANT & CHILDREN (WIC) PROGRAM & COMMODITY SUPPLEMENTAL FOOD PROGRAM (CSFP) POTENTIAL ELIGIBLES FISCAL YEAR 2001

	Estimated Potential Eligible	WIC Recipients	CSFP Recipients	Percent Served
Los Alamos Co.	269	52	0	19.3
New Mexico	96,571	55,934	4,889	63.0

SOURCE: NM Department of Health Family Food & Nutrition Services, WIC Program

PERCENT OF ALL NEW MEXICO WIC AND CSFP ESTIMATED ELIGIBLES FISCAL YEAR 2001



Los Alamos Co. All Other Counties

SOURCE: NM Department of Health Family Food & Nutrition Services, WIC Program

LOS ALAMOS FEMALE POPULATION AGES 15-44 2000, 2001 and 2002



Age Groups	2000	2001	2002	Age Groups	2000	2001	2002
15 to 19 years	550	616	669	35 to 39 years	772	676	658
20 to 24 years	234	221	314	40 to 44 years	849	822	843
25 to 29 years	368	270	250	15 to 44 years	3,321	3,105	3,223
30 to 34 years	548	500	489				

Source: U.S. Bureau of the Census

RESIDENT INFANT DEATHS NEONATAL AND POSTNEONATAL MORTALITY RATES 1993-1997 & 1998-2002 AVERAGE						
	All Infant Deaths		Neonatal		Postneonatal	
	1993-1997	1998-2002*	1993-1997	1998-2002*	1993-1997	1998-2002*
Los Alamos Co.	4.9	7.2	4.9	4.1	0.0	3.1
New Mexico	7.1	6.6	4.2	4.0	2.9	2.6

* 2002 data are provisional.
Rate per 1,000 live births in mid year.

SOURCE: NM Department of Health, ONMVRHS



INFANT MORTALITY RATES BY COUNTY OF RESIDENCE FOR SELECTED CAUSES 1993-1997 & 1998-2002 AVERAGE								
	All Infant Deaths		Birth Defects		Short Gestation		SIDS	
	1993-1997	1998-2002*	1993-1997	1998-2002*	1993-1997	1998-2002*	1993-1997	1998-2002*
Los Alamos Co.	4.9	7.2	1.8	3.0	1.1	3.1	0.0	1.0
New Mexico	7.1	6.6	1.7	1.8	1.3	1.4	1.1	0.6

*2002 data are provisional

NOTE: Rate per 1,000 live births. Subcategory rates may not add up to all infant death rate due to rounding.
Due to the implementation of ICD-10 in 1999, comparability ratios have been applied to statistics for years prior to 1999. Rates and numbers may not equal those previously reported due to the application of comparability ratios.

SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics

CHILD HEALTH - CHRONIC CONDITIONS & CHILD ABUSE

NEW MEXICO RESIDENTS AGES 20 AND YOUNGER SELECTED DIAGNOSES REPORTED TO CHILDRENS CHRONIC CONDITIONS REGISTRY 2000				
	Los Alamos Co.		New Mexico	
	Number	Rate	Number	Rate
Children in Registry	580	1122.5	90,763	1534.5
Congenital Anomalies - All	139	269.0	22,241	376.0
---Neural Tube Defects	4	7.7	870	14.7
---Cleft Lip/Cleft Palate	11	21.3	2,946	49.8
---Down Syndrome	7	13.5	997	16.9
---All Other Anomalies	117	226.4	17,428	294.6
Asthma	152	294.2	20,904	353.4

* = 1-3 **= 0
Rates per 10,000 population ages 20 years and younger
NOTE: Children in registry totals include all other conditions not listed above.


**SOURCE: NM Department of Health
Children's Medical Services**

CHILD ABUSE CASES NUMBER AND TYPE OF INVESTIGATIONS 2002			
	Substantiated	Unsubstantiated	Total
Los Alamos	6	33	39
New Mexico	4,089	10,067	14,156

Substantiated means that through the course of the investigation, the social worker determined that the child(ren) who is the subject of the report has been determined to have been the victim of abuse and/or neglect. In other words the allegations are true.

An **unsubstantiated** investigation indicates that the investigator was unable to determine that the allegation(s) was, true.

**SOURCE: NM Children, Youth and Families
Department, Child Protective Services**





Sometimes children have special developmental needs or health concerns that may put them at risk for or cause a developmental delay.

Through the Department of Health's Family Infant Toddler (FIT) Program early intervention services are available to help families who have concerns about the development of their young child (birth to three).

INDIVIDUALIZED FAMILY SERVICE PLAN (IFSP) ELIGIBILITY STATUS FOR FY03		
ELIGIBILITY	Los Alamos	New Mexico
	NUMBER	NUMBER
At Risk, Environmental	0	665
At Risk, Medical/Biological	6	1,150
Developmental Delay	29	2,937
Established Condition	^	470
The eligibility category of children with an active IFSP during FY 2003 is reported. Children are eligible for FIT Program service through one of four eligibility categories: a developmental delay of 25% or more in one of five developmental areas, an established condition (such as down's Syndrome) that usually leads to a development delay, or a medical / biological risk or an environmental risk for a developmental delay. ^Statistics not displayed due to less than 5 cases.		
SOURCE: DOH Long Term Services Divisions Family Infant Toddler (FIT) Program		

INDIVIDUALIZED FAMILY SERVICE PLAN (IFSP) BY RACE / ETHNICITY FOR FY03		
RACE / ETHNICITY	Los Alamos	New Mexico
	NUMBER	NUMBER
American Indian or Alaskan Native	0	779
Asian or Pacific Islander	0	43
Black or African American (not Hispanic)	0	130
Hispanic or Latino	8	2,696
White (not Hispanic)	30	1,574
The race / ethnicity of children with active IFSP during FY 2003 is reported		
SOURCE: DOH Long Term Services Divisions Family Infant Toddler (FIT) Program		

INDIVIDUALIZED FAMILY SERVICE PLAN (IFSP) BY AGE OF CHILD on 12/1/2002				
AGE OF CHILD	Los Alamos		New Mexico	
	NUMBER	PERCENT	NUMBER	PERCENT
Less Than 1 year	^	^	458	17.9
1 to 2 years	7	38.9	707	27.6
2 to 3 years	8	44.4	1048	41.0
3 years and older	0	0.0	345	13.5
Total	18	100.0	2558	100.0
The age of child with an IFSP on December 1st as reported ^Statistics not displayed due to less than 5 cases.				
SOURCE: DOH Long Term Services Divisions Family Infant Toddler (FIT) Program				


Fiscal Year 2003 = July 01, 2002 to June 30, 2003

CHILD HEALTH - SCHOOL ENROLLMENT


**PRIVATE AND PUBLIC SCHOOL ENROLLMENT
KINDERGARTEN THROUGH 8TH GRADE
2002-2003**

GRADE	Los Alamos Co.		New Mexico	
	PRIVATE	PUBLIC	PRIVATE	PUBLIC
Kindergarten	27	191	3,525	22,638
1st Grade	14	248	2,667	23,706
2nd Grade	11	267	2,738	23,550
3rd Grade	13	257	2,601	24,012
4th Grade	2	261	2,553	24,995
5th Grade	1	273	2,554	25,310
6th Grade	1	311	2,666	25,702
7th Grade	4	276	2,628	25,425
8th Grade	2	305	2,555	25,630
Total	75	2,389	24,487	220,968

SOURCE: NM Department of Education



**PERCENT PUBLIC AND PRIVATE
SCHOOL ENROLLMENT
K - 8th GRADES
2002-2003**



SOURCE: NM Department of Education


**HOMESCHOOL STUDENTS
ALL GRADES
1998-1999 & 1999-2000**

	1998-1999		1999-2000	
	FALL	SPRING	FALL	SPRING
Los Alamos Co.	163	161	188	181
New Mexico	5,796	5,728	6,080	6,732

NOTE: These are the number of home school students reporting to the New Mexico Department of Education.

SOURCE: NM Department of Education

**HOMESCHOOL STUDENTS
ALL GRADES
1998-1999 & 1999-2000**




SOURCE: NM Department of Education

**NEW MEXICO
RESIDENT DEATHS
FOR AGES 1-14 YEARS
1992-2002**

Year	Los Alamos Co.	New Mexico
1992	0	120
1993	1	133
1994	0	125
1995	0	123
1996	1	128
1997	0	106
1998	0	115
1999	1	100
2000	0	79
2001	0	94
2002*	0	92

*2002 data are provisional

**SOURCE: NM Department of Health
ONMVRHS**



**NEW MEXICO RESIDENT DEATHS
LEADING CAUSES OF DEATH - AGES 1-14 YEARS
1998-2002* AVERAGE**


LOS ALAMOS COUNTY			NEW MEXICO		
Causes	Number	Rate	Causes	Number	Rate
All Causes	1	5.4	All Causes	480	24.4
Accidents (Unintentional Injuries)	0	0.0	Accidents (Unintentional Injuries)	190	9.7
---(Motor Vehicle Accidents)	(0)	(0.0)	---(Motor Vehicle Accidents)	(128)	(6.5)
Congenital Malformations	0	0.0	Congenital Malformations	45	2.3
Malignant Neoplasms	0	0.0	Malignant Neoplasms	39	2.0
Assault (Homicide)	0	0.0	Assault (Homicide)	37	1.9

* 2002 data are provisional

Rate per 100,000 population ages 1-14 years. Rate numerator was deaths for years 1998-2002, divided by 5; denominator was the 2000 population.

Due to the implementation of ICD-10 in 1999, comparability ratios have been applied to statistics for years prior to 1999. Rates and numbers may not equal those previously reported due to the application of comparability ratios.

SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics



ADOLESCENT/YOUTH (15-19) YEARS - SCHOOL ENROLLMENT & DROPOUT RATE

**PUBLIC HIGH SCHOOL ENROLLMENT
GRADES 9-12
SCHOOL YEARS 2000-2003**

SCHOOL YEAR	Los Alamos Co.	New Mexico
2000-2001	1,201	95,427
2001-2002	1,159	95,224
2002-2003	1,212	95,767


SOURCE: NM Department of Education

**PRIVATE AND PUBLIC
HIGH SCHOOL ENROLLMENT
GRADES 9 - 12
SCHOOL YEAR 2000-2001**

GRADE	Los Alamos Co.		New Mexico	
	PRIVATE	PUBLIC	PRIVATE	PUBLIC
9th	2	335	2,454	28,944
10th	3	300	2,092	25,476
11th	0	271	1,901	21,905
12th	2	295	1,690	19,102
Total	7	1,201	8,137	95,427


SOURCE: NM Department of Education

**PERCENT ENROLLMENT
PUBLIC & PRIVATE
SCHOOLS GRADES 9-12
2000-2001**



SOURCE: NM Department of Education

**HIGH SCHOOL DROPOUT RATE
GRADES 9 - 12
SCHOOL YEARS 1995-2002**



Rate calculated by dividing the number of dropouts by the number of students enrolled in grades 9-12 on the 40th day of enrollment. A dropout is a student who was enrolled in school the previous year, but did not enroll the following year and did not graduate or meet certain approved exclusions (e.g., transfer, illness).

SOURCE: NM Department of Education

**RESIDENT FALL ENROLLMENT TO NEW MEXICO
HIGHER EDUCATION INSTITUTIONS 2001-2002**

INSTITUTE	Los Alamos		New Mexico	
	2001	2002	2001	2002
UNM	364	384	19,751	20,497
UNM Gallup	0	0	2,125	2,485
UNM Los Alamos	389	439	824	918
UNM Medical School	9	12	263	268
UNM Taos	1	2	1,190	1,349
UNM Valencia	0	0	1,563	1,717
NMSU	148	146	10,897	11,330
NMSU Alamogordo	0	1	1,300	1,380
NMSU Carlsbad	0	0	1,028	1,108
NMSU Dona Ana	11	15	4,342	4,744
NMSU Grants	0	0	619	640
ENMU	27	34	3,144	3,120
ENMU Roswell	2	3	3,046	3,536
ENMU Ruidoso	1	0	752	751
NMHU	29	18	2,987	2,841
WNMU	0	1	2,109	2,277
Other NM Institutions*	362	168	38,739	41,773

SOURCE: NM Commission on Higher Education



NOTE: Not all resident students report their original county of origin. In addition, out of state students are not included. Resident students attending school out of state are also not included. Counts reflect all students at a specific site, including extended services enrollments.

*Includes all other institutions of higher education not listed above, including community and technical colleges.

**PERSONS 19 AND UNDER KILLED OR INJURED AS VEHICLE OCCUPANTS
IN CRASHES BY SEATBELT STATUS
2002**

	KILLED			INJURED		
	TOTAL	NO BELT	BELT	TOTAL	NO BELT	BELT
Los Alamos Co.	0	0	0	34	4	30
New Mexico	81	59	22	6,407	974	5,433


NOTE: Number excludes pedestrians, bicyclists, motorcycleists, and unknown.
SOURCE: New Mexico Department of Transportation, Traffic Safety Bureau



**NUMBER OF PERSONS ARRESTED
FOR DRIVING WHILE IMPAIRED (DWI)
2001 & 2002**

	19 Years and Younger		All Persons	
	2001	2002	2001	2002
Los Alamos Co.	7	12	43	36
New Mexico	3,617	3,593	21,576	21,603

SOURCE: NM Department of Transportation, Traffic Safety Bureau



ADOLESCENT/YOUTH (15-19) YEARS - NATALITY/MORTALITY

NEW MEXICO RESIDENT LIVE BIRTHS TO MOTHERS AGE 15-17 YEARS 1998-2002* AVERAGE


	Number	Rate
Los Alamos Co.	11	5.6
New Mexico	8,687	40.0

*2002 data are provisional

Rate is per 1,000 female population ages 15-17 years. Rate numerator was births to mothers age 15-17 years for 1998-2002, divided by 5; denominator was 2000 female population age 15-17.

SOURCE: NM Department of Health
ONMVRHS

NEW MEXICO RESIDENT BIRTH RATES FOR MOTHERS AGES 15-17 YEARS 1970, 1980, 1990, & 2000



SOURCE: NM Department of Health
Office of New Mexico Vital Records and Health Statistics


NEW MEXICO RESIDENT DEATHS FOR AGES 15-19 YEARS 1992-2002

Year	Los Alamos Co.	New Mexico
1992	0	117
1993	0	132
1994	0	128
1995	1	150
1996	1	158
1997	0	118
1998	1	144
1999	0	150
2000	1	143
2001	1	107
2002*	2	136

*2002 data are provisional

SOURCE: NM Department of Health
ONMVRHS

NEW MEXICO RESIDENT DEATH RATES FOR AGES 15-19 YEARS 1998-2002



*2002 data are provisional

SOURCE: NM Department of Health
Office of New Mexico Vital Records and Health Statistics

NEW MEXICO RESIDENT DEATHS LEADING CAUSES OF DEATH - AGES 15-19 YEARS 1998-2002* AVERAGE

LOS ALAMOS COUNTY			NEW MEXICO		
Causes	Number	Rate	Causes	Number	Rate
All Causes	5	82.3	All Causes	680	93.3
Accidents (Unintentional Injuries)	3	49.9	Accidents (Unintentional Injuries)	312	42.8
---(Motor Vehicle Accidents)	(1)	(16.5)	---(Motor Vehicle Accidents)	(235)	(32.2)
Intentional Self-Harm (Suicide)	1	16.5	Assault (Homicide)	117	16.0
Assault (Homicide)	0	0.0	Intentional Self-Harm (Suicide)	117	16.0
Malignant Neoplasms	0	0.0	Malignant Neoplasms	35	4.8


* 2002 data are provisional

Rate per 100,000 population ages 15-19 years. Rate numerator was deaths for years 1998-2002, divided by 5; denominator was the 2000 population.

Due to the implementation of ICD-10 in 1999, comparability ratios have been applied to statistics for years prior to 1999. Rates and numbers may not equal those previously reported due to the application of comparability ratios.

SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics

GASTROINTESTINAL DISEASES




**HEPATITIS A
NUMBER OF CASES**

Year	Los Alamos Co.	New Mexico
1994-1996	2	2,254
1997-1999	0	557
2000-2002	0	141

Data from NETSS*

**SOURCE: NM Department of Health
Office of Epidemiology**




**CAMPYLOBACTER INFECTION
NUMBER OF CASES**

Year	Los Alamos Co.	New Mexico
1994-1996	15	1,117
1997-1999	12	1,093
2000-2002	10	1,059

Data from NETSS*

**SOURCE: NM Department of Health
Office of Epidemiology**




**SALMONELLOSIS
NUMBER OF CASES**

Year	Los Alamos Co.	New Mexico
1994-1996	7	1,016
1997-1999	9	984
2000-2002	5	856

Data from NETSS*

**SOURCE: NM Department of Health
Office of Epidemiology**



**SHIGELLOSIS
NUMBER OF CASES**

Year	Los Alamos Co.	New Mexico
1994-1996	0	1,900
1997-1999	0	786
2000-2002	1	560


Data from NETSS*

**SOURCE: NM Department of Health
Office of Epidemiology**

*National Electronic Telecommunication System for Surveillance (NETSS)

INFECTIOUS / COMMUNICABLE DISEASE - BLOODBORNE & RESPIRATORY DISEASES

BLOODBORNE DISEASES




**HEPATITIS B
NUMBER OF CASES**

Year	Los Alamos Co.	New Mexico
1994-1996	2	905
1997-1999	1	736
2000-2002	0	419

Data from NETSS*

**SOURCE: NM Department of Health
Office of Epidemiology**

*National Electronic Telecommunication System for Surveillance (NETSS)




**AIDS
NUMBER OF CASES**

Year	Los Alamos Co.	New Mexico
1994-1996	1	559
1997-1999	0	357
2000-2002*	0	270

NOTE: *2002 counts may be low due to delays in reporting.

SOURCE: New Mexico HIV/AIDS Reporting System

RESPIRATORY DISEASES




**PERTUSSIS
NUMBER OF CASES**

Year	Los Alamos Co.	New Mexico
1994-1996	6	247
1997-1999	33	453
2000-2002	6	426

Data from NETSS*

**SOURCE: NM Department of Health
Office of Epidemiology**



**TUBERCULOSIS
NUMBER OF CASES**


Year	Los Alamos Co.	New Mexico
1997-1998	0	139
1999-2000	0	110
2001-2002	0	111

Data from TIMS**

**SOURCE: NM Department of Health
Infectious Disease Bureau**

**Tuberculosis Information Management System (TIMS)


SEXUALLY TRANSMITTED DISEASES



CHLAMYDIA NUMBER OF CASES

Year	Los Alamos Co.	New Mexico
2001	0	6,669
2002	9	7,419


Data from STD MIS*
SOURCE: NM Department of Health Infectious Disease Bureau



GONORRHEA NUMBER OF CASES

Year	Los Alamos Co.	New Mexico
2001	0	1,090
2002	1	1,472

Data from STD MIS*
SOURCE: NM Department of Health Infectious Disease Bureau



SYPHILIS NUMBER OF CASES

Year	Los Alamos Co.	New Mexico
2001	0	19
2002	0	39

Data from STD MIS*
SOURCE: NM Department of Health Infectious Disease Bureau

NOTE: The scales on the above graphs are not comparable.

*Sexually Transmitted Diseases Management Information Systems (STD MIS)


INJURY - MOTOR VEHICLE CRASHES



NUMBER OF FATAL AND INJURY CRASHES VEHICLE MILES TRAVELED, LICENSED DRIVERS AND ECONOMIC LOSS 2001						
	NUMBER OF CRASHES			Licensed Drivers	Economic Loss *1000	100 MVM Traveled
	Total	Fatal	Injury			
Los Alamos Co.	270	2	68	15,646	\$13,231	2.1
New Mexico	50,236	415	17,879	1,225,793	\$3,537,921	227.1

NOTE: MVM = Million Vehicle Miles

SOURCE: NM Department of Transportation, Traffic Safety Bureau
"New Mexico Traffic Crash Information", 2001 Report.





ALL PERSONS KILLED OR INJURED AS VEHICLE OCCUPANTS IN CRASHES BY SEATBELT STATUS 2002

	KILLED			INJURED		
	TOTAL	NO BELT	BELT	TOTAL	NO BELT	BELT
Los Alamos Co.	0	0	0	106	13	93
New Mexico	349	236	113	24,771	2,818	21,953

NOTE: Number excludes pedestrians, bicyclists, motorcyclists, and unknown.

SOURCE: New Mexico Department of Transportation, Traffic Safety Bureau.





ALCOHOL RELATED CRASHES
NEW MEXICO - 2001


- 43 percent of all fatal crashes involved alcohol.
- A person died in an alcohol-involved crash every 44 hours.
- A person was injured in an alcohol-involved crash every 174 minutes.
- An alcohol-involved crash occurred every 147 minutes.

ALCOHOL INVOLVED CRASHES
PERSONS INVOLVED AND DWI CONVICTIONS
2002

	CRASHES		PERSONS INVOLVED			
	Fatal	Injury	Killed	Injured	DWI Conviction*	DWI Rate
Los Alamos Co.	0	7	0	7	34	2.2
New Mexico	198	1,774	221	2,921	12,544	10.1

*DWI convictions are those handed down during year listed. The citations which resulted in these convictions could have been issued prior to these years. Convictions are counted by county of driver's residence, not the county in which the citation was issued.


SOURCE: NM Department of Transportation, Traffic Safety Bureau
"Driving While Impaired", 2002 Report.



INJURY - BY MECHANISM

LOS ALAMOS COUNTY INJURY DEATHS BY MECHANISM 1999-2001			
Mechanism of Injury	Number of Deaths in 3 Years	Age Adjusted Rate/100,000* Per Year	New Mexico Age Adjusted Rate/100,000*
Cut/pierce	0	0.0	1.8
Drowning	1	1.4	1.4
Fall	10	17.4	10.2
Fire/burn	0	0.0	1.0
Firearm	4	8.0	15.7
Motor Vehicle Traffic	10	17.6	22.1
Poisoning	8	18.2	17.0
Other**	7	13.4	14.0
All Injury	40	76.0	83.2

NON-FATAL INJURY HOSPITALIZATIONS 1998-2000		
Number/Rate	Los Alamos County	New Mexico
Total Number of Hospital Discharges in 3 Years	300	30,596
Age Adjusted Rate per 100,000* Population per Year	586.6	585.2
NOTE: Injury as the principal diagnosis of discharge. * Rates are adjusted to the 2000 U. S. Standard Population.		
SOURCE: NM Health Policy Commission		



Note: Injury categories are from the "Preliminary External Cause of Injury Mortality Matrix for ICD-10," June 12, 2001 by Centers for Disease Control and Prevention, National Center for Injury Prevention and Control.

*Age-adjusted death rate adjusted to the 2000 U.S standard population. Age adjusted death rates weight the age-specific rates for a given population by the age distribution of a standard population, thereby enabling the direct comparison of rates between populations with differing age structures.

** Other includes machinery, cyclist, pedestrian, natural /environmental, struck by/against, suffocation, other specified and unspecified categories.

New Mexico Department of Health, Office of Epidemiology, Injury Epidemiology Unit
Source: Office of New Mexico Vital Records and Health Statistics

CANCER INCIDENCE AMONG MALES NUMBER AND INCIDENCE RATE 1994-2000 AGGREGATE				
SITE	Los Alamos		New Mexico	
	NUMBER	RATE	NUMBER	RATE
All Cancers	322	527.0	23,565	468.7
Stomach	7	11.6	515	10.6
Colon and Rectum	20	32.5	2,482	50.4
Liver and Intrahepatic Bile Duct	^	^	412	8.2
Gallbladder	^	^	52	1.1
Pancreas	11	22.3	570	11.7
Lung and Bronchus	23	41.5	3,053	62.2
Melanomas of the Skin	21	30.2	974	18.7
Breast	^	^	51	1.0
Prostate	136	209.8	7,320	145.5
Urinary Bladder	24	42.8	1,324	27.4
Kidney and Renal Pelvis	8	12.8	741	14.3
Non-Hodgkins Lymphomas	12	20.0	912	17.8
Leukemias	10	16.2	727	14.2
All Other Cancers	48	80.3	4,432	85.3

Rates are per 100,000 and age-adjusted to the 2000 U.S. (19 age groups) standard.
 ~ Statistic could not be calculated.
 ^ Statistic not displayed due to less than 5 cases.

SOURCE: New Mexico Tumor Registry, University of New Mexico

Colorectal Cancer Screening and Early Detection

Screening tests can reduce deaths from colorectal cancer by identifying polyps, which are tiny growths inside the colon, before they become cancerous. Screening also detects early cancers when treatment is most effective and survival rates are high.

SOURCE: www.cdc.gov

Prostate Cancer Fact


The American Cancer Society estimates that in 2003, 220,900 new cases of prostate cancer will be diagnosed and that 28,900 men will die of the disease in the United States.

Two methods for detecting prostate cancer are commonly used by clinicians:

- 1) Digital rectal examination (DRE)
- 2) Prostate-specific antigen (PSA)

SOURCE: www.cdc.gov

**TOP FIVE CANCERS AMONG NEW MEXICO MALES
INCIDENCE RATES
1994-2000 AGGREGATE**



SOURCE: New Mexico Tumor Registry, University of New Mexico

CHRONIC DISEASE - CANCER DATA, FEMALES

CANCER INCIDENCE AMONG FEMALES NUMBER AND INCIDENCE RATE 1994-2000 AGGREGATE				
SITE	Los Alamos		New Mexico	
	NUMBER	RATE	NUMBER	RATE
All Cancers	261	382.2	21,575	353.8
Stomach	^	^	333	5.5
Colon and Rectum	27	39.9	2,173	35.6
Liver and Intrahepatic Bile Duct	^	^	211	3.4
Gallbladder	^	^	113	1.8
Pancreas	5	9.2	543	8.9
Lung and Bronchus	17	25.1	2,208	36.0
Melanomas of the Skin	24	33.7	745	12.2
Breast	104	144.2	7,067	116.5
Cervix	^	^	566	9.3
Corpus and Uterus, NOS	12	17.8	1,116	18.3
Urinary Bladder	^	^	484	7.9
Kidney and Renal Pelvis	^	^	472	7.7
Non-Hodgkins Lymphomas	8	13.0	759	12.5
Leukemias	7	13.3	532	8.6
All Other Cancers	46	69.6	4,253	69.5

Rates are per 100,000 and age-adjusted to the 2000 U.S. (19 age groups) standard.
 ~ Statistic could not be calculated.
 ^ Statistic not displayed due to less than 5 cases.

SOURCE: New Mexico Tumor Registry, University of New Mexico

Breast Cancer Screening

According to the American Cancer Society, an estimated 211,300 new invasive cases of breast cancer are expected to occur among women in the United States during 2003. Mammography is the best way to detect breast cancer in its earliest, most treatable stage, an average of 1.7 years before a woman can feel the lump. Mammography also locates cancers too small to be felt during a clinical breast examination.


SOURCE: www.cdc.gov

Cervical Cancer Screening

Cervical cancer is nearly 100 percent preventable, yet according to the American Cancer Society, in 2003, an estimated 12,200 new cases of invasive cervical cancer will be diagnosed and about 4,100 women will die of the disease. The occurrence of deaths from cervical cancer has declined significantly over the past 40 years. This decline is largely attributed to the effectiveness of Pap test screening in detecting precancerous lesions and early stage cervical cancer.

SOURCE: www.cdc.gov

**TOP FIVE CANCERS AMONG NEW MEXICO FEMALES
INCIDENCE RATES
1994-2000 AGGREGATE**



SOURCE: New Mexico Tumor Registry, University of New Mexico

MODIFIED MAJOR DIAGNOSTIC CATEGORIES (MMDC)

► Hospitals use a classification scheme, called Major Diagnostic Categories (MDC), to group the diagnoses of patients upon their discharge from the hospital. Data shown in the following pages are based on a modification of the Major Diagnostic Categories. The Modified Major Diagnostic Categories (MMDCs) separates injuries and neoplasms into their own unique groupings while conventional MDCs distribute these diagnoses across other categories, which obscures their impact.

METHODOLOGY NOTES:


- The size of the county’s population and the population demographics, such as average age of residents, should be taken into account in interpreting reported data.
- Indian Health Service facilities do not report discharge data to the New Mexico Health Policy Commission, the state agency that maintains the hospital discharge database. As such, counties with large Native American populations may have artificially lower rates.
- Only hospitalization to New Mexico hospitals are included. Counties bordering other states may have a significant number of hospitalization in other states.

**HOSPITAL INPATIENT DISCHARGE DATA - ALL AGES
MODIFIED MAJOR DIAGNOSTIC CATEGORIES (MMDCs)
1999-2001**


MMDC	1999		2000		2001	
	Los Alamos	New Mexico	Los Alamos	New Mexico	Los Alamos	New Mexico
01: Nervous System	44	6,319	69	6,416	58	6,799
02: Eye Diseases	13	639	2	386	5	205
03: Ear, Nose, Mouth, Throat	19	1,879	14	1,612	20	1,702
04: Respiratory System	120	17,875	137	15,151	116	15,329
05: Circulatory System	175	20,349	226	20,923	244	20,629
06: Digestive System	139	12,425	164	13,099	175	12,921
07: Hepatobiliary System	39	5,084	56	5,306	41	5,343
08: Musculoskeletal System	112	7,400	93	7,206	114	7,293
09: Skin, Subcutaneous, Breast	21	2,272	29	2,392	14	2,583
10: Endocrine, Metabolic	41	4,658	34	4,726	45	5,103
11: Kidney & Urinary Tract	42	4,789	38	4,787	46	5,186
12: Male Reproductive System	10	772	6	662	13	767
13: Female Reproductive System	28	3,330	31	3,496	50	3,542
14: Pregnancy, Childbirth	205	26,121	237	26,521	198	26,606
15: Newborns, Neonates	188	23,859	200	24,401	178	24,567
16: Blood & Blood Forming-Organs	13	1,052	8	1,170	9	1,253
17: Myeloproliferative Diseases	108	8,616	91	8,345	90	8,118
18: Infectious Diseases	29	2,128	27	1,795	16	1,915
19: Mental Diseases	69	8,878	73	9,064	72	9,485
20: Alcohol/ Drug Abuse	16	3,295	12	2,957	15	2,909
21: Injuries & Poisonings	132	14,682	135	14,193	154	14,113
22: Burns	0	270	1	233	2	229
23: Factors Influencing Health	40	4,148	31	4,274	32	4,387
24: Multiple Trauma	0	0	0	0	0	0
25: HIV	0	148	0	96	0	86

SOURCE: NM Health Policy Commission

CHRONIC DISEASE - HOSPITAL DISCHARGE STATUS / ASTHMA



NEW MEXICO ASTHMA DISCHARGE DATA BY COUNTY 1998-2000



HOSPITAL DISCHARGES BY PRIMARY PAYER 1999 & 2000

Payee	Los Alamos		New Mexico	
	1999	2000	1999	2000
Medicare	418	455	47,144	47,959
Medicaid	52	56	39,147	39,468
Private Insurance	1,092	1,134	71,401	74,271
Uninsured	44	68	12,354	13,859
Others	16	9	5,431	4,738
Total Discharges	1,622	1,722	175,477	180,295

SOURCE: NM Health Policy Commission

NEW MEXICO ASTHMA HOSPITAL DISCHARGES* BY COUNTY 1998-2000

	Number	Rate
Los Alamos Co.	22	4.0
New Mexico	4,936	9.4

*Primary discharges from non-Federal Hospitals
Average rates per 10,000 population per year.

SOURCE: NM Health Policy Commission

ESTIMATED DIABETES PREVALENCE AMONG NEW MEXICO ADULTS 2002*			
County	2002 Adult Population	Number of Adults with Diabetes	Percentage of Adults with Diabetes
Bernalillo	430,698	38,586	9.0%
Catron	2,844	228	8.0%
Chaves	43,413	3,806	8.8%
Cibola	18,460	1,960	10.6%
Colfax	10,765	951	8.8%
Curry	31,536	2,672	8.5%
De Baca	1,666	142	8.5%
Dona Ana	127,663	12,049	9.4%
Eddy	37,146	3,195	8.6%
Grant	22,677	2,022	8.9%
Guadalupe	3,513	352	10.0%
Harding	616	55	8.9%
Hidalgo	3,801	344	9.1%
Lea	39,662	3,451	8.7%
Lincoln	15,533	1,269	8.2%
Los Alamos	13,763	1,075	7.8%
Luna	18,007	1,639	9.1%
McKinley	47,057	5,630	12.0%
Mora	3,960	398	10.0%
Otero	43,945	3,827	8.7%
Quay	7,524	646	8.6%
Rio Arriba	29,687	3,093	10.4%
Roosevelt	13,160	1,109	8.4%
Sandoval	68,949	6,313	9.2%
San Juan	82,679	8,169	9.9%
San Miguel	22,029	2,197	10.0%
Santa Fe	103,491	9,359	9.0%
Sierra	10,497	859	8.2%
Socorro	13,177	1,246	9.5%
Taos	23,651	2,246	9.5%
Torrance	11,901	1,030	8.7%
Union	2,962	251	8.5%
Valencia	48,121	4,450	9.2%
New Mexico**	1,354,553	120,555	8.9%

*County estimates were derived in the following manner: The Behavioral Risk Factor Surveillance System (BRFSS, 2002), a telephone survey of adults' (age 18 and over) health in New Mexico, was utilized to generate the racial/ethnic-specific diagnosed diabetes prevalence rates for the entire state. County populations were then obtained from the US Census Bureau (2002) by racial/ethnic group. The BRFSS rates were applied to these groups, generating an estimate of the number of American Indians, non-Hispanic Whites, Hispanics and Others (Asian/Pacific Islanders, non-Hispanic Blacks, and other) with diagnosed diabetes. The numbers were then combined to yield a total estimate of adults in each county with diagnosed diabetes. For those with undiagnosed diabetes, estimates by racial/ethnic group from NHANES III (National Health and Nutrition Examination Survey) were obtained from Harris, MI et al. (1998). The estimated numbers of adults with diagnosed and undiagnosed diabetes were combined for the final estimate.

**State estimates were derived in the following manner: The Behavioral Risk Factor Surveillance System (BRFSS, 2002) was utilized to generate an overall estimate of diagnosed diabetes among New Mexican adults. That is, in 2002, an estimated 6.2% of New Mexican adults indicated they had been diagnosed with diabetes. An estimate for undiagnosed diabetes (from NHANES III data) was obtained from Harris, MI et al. (1998). The estimated numbers of adults with diagnosed and undiagnosed diabetes were combined for the final estimate. Note: adding up the county estimates will not result in the state estimate. For the state estimate, there was no initial stratification by race/ethnicity, it was simply a calculation of those with diabetes (all races) divided by those responding to the question.

Source: Department of Health, Diabetes Prevention & Control Program

AGING - INPATIENT HOSPITALIZATION AGES 65+ YEARS

HOSPITAL INPATIENT DISCHARGE DATA MODIFIED MAJOR DIAGNOSTIC CATEGORIES (MMDC) LOS ALAMOS COUNTY 1999-2001


MMDC	1999			2000			2001		
	65+	All Ages	% All Ages	65+	All Ages	% All Ages	65+	All Ages	% All Ages
01: Nervous System	22	44	50.0	36	69	52.2	29	58	50.0
02: Eye Diseases	5	13	38.5	1	2	50.0	2	5	40.0
03: Ear, Nose, Mouth, Throat	6	19	31.6	4	14	28.6	3	20	15.0
04: Respiratory System	53	120	44.2	74	137	54.0	55	116	47.4
05: Circulatory System	84	175	48.0	113	226	50.0	127	244	52.0
06: Digestive System	53	139	38.1	58	164	35.4	61	175	34.9
07: Hepatobiliary System	13	39	33.3	10	56	17.9	15	41	36.6
08: Musculoskeletal System	52	112	46.4	45	93	48.4	56	114	49.1
09: Skin, Subcutaneous, Breast	8	21	38.1	10	29	34.5	1	14	7.1
10: Endocrine, Metabolic	12	41	29.3	13	34	38.2	15	45	33.3
11: Kidney & Urinary Tract	15	42	35.7	18	38	47.4	24	46	52.2
12: Male Reproductive System	7	10	70.0	4	6	66.7	10	13	76.9
13: Female Reproductive System	4	28	14.3	2	31	6.5	5	50	10.0
14: Pregnancy, Childbirth	0	205	0.0	0	237	0.0	0	198	0.0
15: Newborns, Neonates	0	188	0.0	3	200	1.5	0	178	0.0
16: Blood & Blood-Forming Organs	6	13	46.2	4	8	50.0	4	9	44.4
17: Myeloproliferative Diseases	44	108	40.7	42	91	46.2	31	90	34.4
18: Infectious Diseases	13	29	44.8	17	27	63.0	10	16	62.5
19: Mental Diseases	2	69	2.9	0	73	0.0	0	72	0.0
20: Alcohol / Drug Abuse	0	16	0.0	1	12	8.3	2	15	13.3
21: Injuries & Poisonings	44	132	33.3	44	135	32.6	58	154	37.7
22: Burns	0	0	--	1	1	100.0	0	2	0.0
23: Factors Influencing Health	19	40	47.5	15	31	48.4	18	32	56.3
24: Multiple Trauma	0	0	--	0	0	--	0	0	--
25: HIV	0	0	--	0	0	--	0	0	--

SOURCE: New Mexico Health Policy Commission

LOS ALAMOS COUNTY HOSPITAL INPATIENT DISCHARGE STATUS FOR AGE 65 YEARS AND OLDER 1999-2001



	1999	2000	2001
Routine Discharge	320	369	379
Transfer-Hospital	17	23	22
Transfer-Skilled Nursing Facility	35	31	35
Transfer-Intermediate Care Facility	20	19	17
Transfer-Other	11	8	20
Transfer-Home Care	40	44	35
Left Against Medical Advice	1	0	0
Died	23	29	27
Other	3	1	0
TOTAL DISCHARGED	470	524	535

SOURCE: New Mexico Health Policy Commission



Discharged

TOP FIVE CATEGORIES OF HOSPITALIZATION FOR AGES 65+ 1999-2001



SOURCE: NM Health Policy Commission

ADULT ABUSE CASES NUMBER AND TYPE OF INVESTIGATION Annual 2002					
Residence	Substantiated Investigations		Unsubstantiated Investigations		Total Investigations
	Number	Percent	Number	Percent	Number
Los Alamos Co.	4	36.4	7	63.6	11
New Mexico	1475	29.2	3569	70.8	5,044


Source: NM Children, Youth and Families Department
Protective Services Division Fact Book, Fourth Quarter & Annual 2002



NEW MEXICO RESIDENT DEATHS AGES 65 YEARS AND OLDER 1992-2002		
Year	Los Alamos Co.	New Mexico
1992	54	7,600
1993	69	7,971
1994	73	8,368
1995	67	8,628
1996	71	8,663
1997	65	8,772
1998	67	9,100
1999	78	9,515
2000	74	9,441
2001	88	9,864
2002*	70	9,840

*2002 data are provisional

SOURCE: NM Department of Health
ONMVRHS



NEW MEXICO RESIDENT DEATHS LEADING CAUSES OF DEATH - AGES 65 YEARS AND OLDER 1996-2000* AVERAGE					
LOS ALAMOS COUNTY			NEW MEXICO		
Causes	Number	Rate	Causes	Number	Rate
All Causes	377	3396.4	All Causes	47,760	4500.9
Diseases of Heart	99	889.3	Diseases of Heart	13,459	1268.4
Malignant Neoplasms	87	784.6	Malignant Neoplasms	10,313	971.9
Chronic Lower Respiratory Diseases	27	247.1	Chronic Lower Respiratory Diseases	3,630	342.1
Cerebrovascular Diseases	27	246.4	Cerebrovascular Diseases	3,407	321.1
Alzheimers Disease	16	144.1	Diabetes Mellitus	1,969	185.5

* 2002 data are provisional

Rate per 100,000 population ages 65 years and older. Rate numerator was deaths for years 1998-2002, divided by 5; denominator was the 2000 population.

Due to the implementation of ICD-10 in 1999, comparability ratios have been applied to statistics for years prior to 1999. Rates and numbers may not equal those previously reported due to the application of comparability ratios.

SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics

GENERAL MORTALITY


NEW MEXICO RESIDENT DEATHS COUNTY AND STATE TOTALS 1992-2002

	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002*
Los Alamos Co.	71	93	96	86	94	83	85	100	109	120	97
New Mexico	11,130	11,689	12,106	12,500	12,456	12,613	12,858	13,433	13,384	14,016	14,114

* 2002 data are provisional

SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics

NEW MEXICO RESIDENTS DEATH RATES 1992-2002



SOURCE: NM Department of Health
Office of New Mexico Vital Records and Health Statistics

NEW MEXICO RESIDENT DEATHS LEADING CAUSES OF DEATH 1998-2002* AVERAGE

LOS ALAMOS COUNTY			NEW MEXICO		
All Races/All Ages	Number	Rate	All Races/All Ages	Number	Rate
All Causes	511	557.2	All Causes	67,805	745.5
Malignant Neoplasms	122	133.2	Diseases of Heart	16,186	178.0
Diseases of Heart	111	120.7	Malignant Neoplasms	14,440	158.8
Accidents (Unintentional Injuries)	44	48.1	Accidents (Unintentional Injuries)	4,759	52.3
---(Motor Vehicle Accidents)	(13)	(14.0)	---(Motor Vehicle Accidents)	(1,904)	(20.9)
Cerebrovascular Diseases	33	36.4	Chronic Lower Respiratory Diseases	4,125	45.3
Chronic Lower Respiratory Diseases	28	31.0	Cerebrovascular Diseases	3,890	42.8

* 2002 data are provisional

Rate per 100,000 population. Rate numerator was deaths for years 1998-2002, divided by 5; denominator was the 2000 population.

Due to the implementation of ICD-10 in 1999, comparability ratios have been applied to statistics for years prior to 1999.

Rates and numbers may not equal those previously reported due to the application of comparability ratios.

SOURCE: NM Department of Health, Office of New Mexico Vital Records and Health Statistics

CHILDREN UNDER 6 WITH ELEVATED BLOOD LEAD LEVELS OF THOSE CHILDREN SCREENED, 2001-2002		
	2001	2002
Los Alamos Co.		
Number of Children with Elevated Blood Lead Levels	0	0
New Mexico		
Number of Children Screened	2,691	2,876
Number of Children with Elevated Blood Lead Levels	37	35
Percent of Children with Elevated Blood Lead Levels	1.4	1.2



NOTE: Elevated Blood Lead Levels is defined as $\geq 10 \mu\text{g}/\text{dl}$ of blood.

In Los Alamos County, 18.9% of the houses were built prior to 1950. More than 27% pre-1950 housing in an area is considered a greater than average risk for lead poisoning in children.

- Lead poisoning is the number one preventable environmental health problem for children under 6 years.
- Risk factors for lead poisoning include older housing, poverty, and adult occupational exposure to lead.
- The only way to determine a child's lead level is with a blood lead test.
- The national estimate (1997) of children with an elevated blood lead level is 4.4%.²

It is estimated that 60% to 80% of children with elevated blood lead levels are in the Medicaid population.²

Note: Screening rates have declined significantly in New Mexico (NM) since the mid 1990's.



¹ $\geq 10 \mu\text{g}/\text{dl}$ of blood (greater than or equal to 10 micrograms per deciliter of blood), the Centers for Disease Control and Prevention (CDC) identified level of concern.

² General Accounting Office (GAO) Report, 1999.

SOURCE: NM Department of Health, Office of Epidemiology

COMMUNITY RESOURCES



HOSPITALS AND PRIMARY CARE FACILITIES

HOSPITAL / PRIMARY CARE FACILITY	PHONE	STREET ADDRESS	CITY	STATE	ZIP
Los Alamos Medical Center	(505)662-4201	3917 West Road	Los Alamos	NM	87544

SOURCE: NM Department of Health; District II Health Office

HEALTH CARE CLINICS

FACILITY	PHONE	STREET ADDRESS	CITY	STATE	ZIP
Aspen Medical Care	662-4798	118 Central Park Square	Los Alamos	NM	87544
Children's Clinic	662-4234	3917 West Road Suite 128	Los Alamos	NM	87544
LAMC Family Care Center	662-6747	3917 West Road	Los Alamos	NM	87544
Los Alamos Family Practice	662-2900	3917 West Road	Los Alamos	NM	87544
Los Alamos Medical Care Clinic, Ltd.	662-4351	3917 West Road Suite 150	Los Alamos	NM	87544
Los Alamos Women's Health Services	662-4412	3917 West Road	Los Alamos	NM	87544
Medical Associates of Northern NM	661-8900	3917 West Road Suite A	Los Alamos	NM	87544

SOURCE: NM Department of Health; District II Health Office

LOS ALAMOS COUNTY SELECTED COMMUNITY PARTNERS FOR PUBLIC HEALTH

COMMUNITY PARTNER	PHONE #
Betty Ehart Senior Center - Jerry Davis, RN	662-8920
Family Strengths Network - Joanna Gillespie, Executive Director	662-4515
Hope Pregnancy Center - Carla, RN	662-2300
Local Emergency Preparedness Committee (County) - Phil Taylor	663-0883
Los Alamos Community Health Council - Jennifer Bartram - Chair	753-1656
Los Alamos County - Stefani Johnson,	662-8262
Los Alamos DWI Planning Council - Carolyn Bossert	662-3990
Los Alamos Family Council - Joy Beery, Executive Director	662-4160
Los Alamos High School - Lee Bussolini, Nurse	663-2530
Los Alamos Maternal and Child Health (MCH) Council - Bernadette Lauritzen	500-0049
Los Alamos Medical Center: Infection Control & ER - Diane VanDiver, RN	661-9584
Los Alamos National Laboratory - Bill Brady, Medical Director	665-7349
Los Alamos Police Department - Rich Melton, Chief	662-8226
Los Alamos Public Schools - Carol Turner, Prevention Specialist	663-2783
Self-Help - Ellen Morris, Executive Director	662-4666
YMCA - Linda Weeks, Executive Director	662-3100

SOURCE: NM Department of Health; District II Health Office


LICENSED HEALTH PROFESSIONALS BY COUNTY OF LICENSE 2002		
	Los Alamos Co.	New Mexico
Medical Doctor	57	5,809
Medical Doctor Resident	0	1,144
Physician Assistant	8	287
Nurse (RN & LPN)	181	19,575
Certified Nurse Midwives	1	148
Licensed Midwives	0	79

SOURCE: New Mexico Health Policy Commission

ACTIVE EMERGENCY MEDICAL SERVICES PERSONNEL BY GENDER AS OF AUGUST 20, 2003		
Gender	Los Alamos Co.	New Mexico
Male	52	4,574
Female	7	1,995
Unknown	0	72
Total	59	6,641

NOTE: There are personnel with current active licenses at more than one level in this snapshot. The actual state personnel total is 6,546.

SOURCE: NM Department of Health



ACTIVE EMERGENCY MEDICAL SERVICES PERSONNEL BY LEVEL AS OF AUGUST 20, 2003		
Level	Los Alamos Co.	New Mexico
First Responder	1	760
Dispatcher	6	398
Dispatcher-Instructor	0	16
EMT-Basic	33	3,321
EMT-Intermediate	15	1,190
EMT-Paramedic	4	955
Total	59	6,641

NOTE: There are personnel with current active licenses at more than one level in this snapshot. The actual state personnel total is 6,546.

SOURCE: NM Department of Health

GLOSSARY

AGE-ADJUSTED—Weights the age-specific rates for a given population by the age distribution of a standard population, thereby enabling the direct comparison of rates between populations with differing age structures.

CHILDREN'S CHRONIC CONDITIONS REGISTRY—A registry of data on children with special needs; data are from programs and physicians who provide services to these children. Maintained by the New Mexico Department of Health.

COMPARABILITY RATIOS—With each revision of the *International Classification of Diseases (ICD)*, discontinuities are created in cause-of-death trend data. The classification and rule changes have a substantial impact as deaths that may have been coded to one category in the previous revision are coded to another category in the new revision. To compensate for these shifts, comparability (also called bridge-coding) studies are undertaken to determine the extent of comparability between the two revisions. As a result of these studies, comparability ratios are developed that reflect the degree of comparability between the two revisions.

CRUDE BIRTH RATE—Number of live births per 1,000 population.

CRUDE DEATH RATE—Number of deaths per 1,000 or 100,000 population.

D.W.I.—Driving While Impaired; the current legal limit for blood alcohol concentration is .08 for 21 and older, and .02 for younger than 21.

FERTILITY RATE—Number of live births per 1,000 women 15-44 years of age.

FOOD STAMP PROGRAM (FSP)—The FSP is an entitlement program based on Federal rules and mandates. The purpose of the FSP is to increase food purchasing power and to supplement the nutrition level of eligible households. In addition, the FSP provides a nutrition education program to eligible households. Eligibility for participation in the FSP is based on a gross income test at 130% of the Federal Poverty Guidelines for the size of the household. Eligibility is also based on a resource test; the household's liquid and nonliquid resources cannot exceed \$2000.00. Food stamp benefits are issued on a monthly basis through an electronic benefit transfer (EBT) system. The FSP has a change reporting and work requirement for adults in the household. Failure to report changes or comply with work requirements results in a reduction or closure of Food Stamp benefits. Under contract with another agency, the Department provides a free nutrition education program for Food Stamp applicants and recipients.

HOSPITAL DISCHARGE DATA—Data, such as diagnosis, gender, age, residence, on hospital inpatient discharges; collected by the NM Health Policy Commission from licensed, non-federal general and specialty hospitals.

INCIDENCE—Measure of the frequency at which new events/cases of a disease or condition occur in a specified population over a given time period.

INCIDENCE RATE—Number of new cases of disease/condition over a given time period (often, a year) that occur in a population at risk for that disease/condition (ergo number of new lung cancer cases per 100,000 persons in a year). An estimate of the risk of developing a disease/condition during a specified time period.

INFANT DEATH—Death of an infant under one year of age (neonatal + postneonatal).

INFANT MORTALITY RATE—Number of infant deaths per 1,000 (or 100,000) live births.

LIVE BIRTH—A birth that shows any sign of life after delivery.

LOW BIRTH WEIGHT—A live birth weighing less than 2500 grams (5-1/2 pounds).

MEDICAID—A federally and state-funded program to pay for medical and other services to eligible New Mexico citizens.

NEONATAL DEATH—Death of newborn under 28 days of age.

NEONATAL MORTALITY RATE—Number of neonatal deaths per 1,000 (or 100,000) live births.

NEURAL TUBE DEFECTS—Malformations of the spine and brain that arise in the first 29 days of pregnancy.

OCCURRENCE DATA—Data allocated by place where event occurred, regardless of the person's place of residence.

GLOSSARY CONTINUED

POPULATION ESTIMATE—Estimate of the number of persons for either a past or current time period.

POSTNEONATAL DEATH—Death of an infant of at least 28 days, but less than one year of age.

POSTNEONATAL MORTALITY RATE—Number of postneonatal deaths per 1,000 or (100,000) live births.

POVERTY—Poverty status is based on the 1964 Social Security Administration definition (modified in 1969 and 1980). At the core of this definition was the 1961 Department of Agriculture economy food plan, which arose from findings of a 1955 Department of Agriculture survey of food consumption. The 1955 findings showed that families of three or more spent about 1/3 of their income on food. Poverty status/level is tied to the cost of the economy food plan that is revised annually for cost of living as reflected in the Consumer Price Index.

PRENATAL CARE—1) Level of Prenatal Care – categorization of prenatal care services into no/low, middle and high levels of care based on the number of visits and month care began (modified Kessner index). 2) Adequacy of Prenatal Care Utilization Index – an alternative measure of prenatal care utilization that adjusts for some of the weaknesses of the trimester care began and the Kessner index (Kotelchuck index).

RESIDENCE DATA—Data allocated by place of residence of the decedent (deaths) or by place of residence of the child's mother (births).

SCHOOL ENROLLMENT—The count of high school students on the current roll on the 40th official school day, by school district.

SUBSTANTIATED—Through the course of the investigation, the social worker determined that the child(ren) who is the subject of the report have been determined to have been the victim of abuse and/or neglect. In other words the allegations are true.

TEMPORARY ASSISTANCE FOR NEEDY FAMILIES (TANF)—TANF is the State-administered, county-operated, monthly cash assistance program funded by a Federal block grant under Title IV-A of the Social Security Act. In July 1997, TANF replaced the previous entitlement program known as Aid to Families with Dependent Children (AFDC). The TANF program is not an entitlement program and has a 60-month term limit in New Mexico, which means that adults receiving assistance from the TANF block grant program can receive assistance for a 60 month maximum limit. TANF is available to both single and two-parent families. To receive TANF, there must be at least one dependent child (under age 18) in the home. TANF eligibility is based on a gross income test at 85% of the Federal Poverty Guideline for the size of the family. Eligibility is also based on a resource test; the family's liquid resources must be less than \$1500.00 and non liquid resources must be less than \$2000.00. Cash assistance is issued through an electronic benefit transfer system, similar to an ATM debit card. The TANF program has a mandatory change reporting and work requirement for adults and a mandatory school attendance requirement for dependent children. The adults in the family must cooperate with child support enforcement efforts on behalf of the dependent children. There are cash payment reductions for failure to comply with change reporting, work requirements, child support enforcement and school attendance.

TOTAL PERSONAL INCOME (TPI)—Includes the earnings (wages and salaries, other labor income, proprietors' income), dividends, interest, and rent, and transfer payments received by the residents of county. Data shown in thousands.

UNEMPLOYED—Based on monthly surveys, persons who did not work during a specified week but made specific efforts to find a job in the previous 4 weeks and were available for work. Also, persons who did not work, were available for work but were not actively seeking work because they (a) had been laid off and were waiting to be called back; or (b) were waiting to report to a job within 30 days. Does not include those no longer seeking work other than in situations (a) and (b).

UNEMPLOYMENT RATE—Number of persons unemployed as a percent of the civilian labor force.

UNSUBSTANTIATED—Investigation indicates that the investigator was unable to determine that the allegation(s) were true.

VERY LOW BIRTH WEIGHT—A live birth weighing less than 1500 grams (about 2 lbs. 5 oz.) at birth.

W.I.C.—Women, Infants and Children; a federally-funded, special supplemental nutrition program administered by the New Mexico Department of Health and tribal agencies. Its purpose is to provide high-nutrient density food to promote optimal health outcome during the perinatal period. Services include food assistance, nutrition education and referral to health services.