

DEPARTMENT OF HEALTH
SCIENTIFIC LABORATORY DIVISION
CHEMISTRY BUREAU
FEE SCHEDULE
FISCAL YEAR 2025

AIR AND METALS SECTION
WTU/FEE SCHEDULE FY2025

	WTU Water	WTU Other	PRICE Water	PRICE Other	APPROXIMATE TURNAROUND TIME
Single Metal Analysis (EPA 245.1 CVAA Mercury): Hg	30	Not Applicable	\$32.10	Not Applicable	8 weeks
Single Metal Analysis (EPA 245.5 CVAA Mercury): Hg	Not Applicable	60*	Not Applicable	\$64.20	8 weeks
Individual Metal Analyses (EPA 200.7 ICP-OES Metals): Al Ba Be B Cd Ca Cr Co Cu Fe Mg Mn Mo Ni K Si Ag Na Sr V Zn	20 per element up to 3+	40 per element up to 3+	\$26.75 per element up to 3+	\$53.50 per element up to 3+	6/8 weeks
Individual Metal Analyses (EPA 200.8 ICP-MS Metals): Al Sb As Ba Be Cd Cr Co Cu Pb Mn Hg Mo Ni Se Ag Ti U V Zn	20 per element up to 4+	40 per element up to 4+	\$26.75 per element up to 4+	\$53.50 per element up to 4+	6/8 weeks
Group Metal Analysis, Scan (EPA 200.7 ICP-OES Metals): Al Ba Be B Cd Ca Cr Co Cu Fe Mg Mn Mo Ni K Si Ag Na Sr V Zn	60	120	\$80.25	\$160.50	8 weeks
Group Metal Analysis, Scan (EPA 200.8 ICP-MS Metals): Al Sb As Ba Be Cd Cr Co Cu Pb Mn Hg Mo Ni Ag Se Ti U V Zn	80	160	\$107.00	\$214.00	8 weeks
SDWA Lead & Copper (EPA 200.8 ICP-MS Metals): Pb Cu	40	Not Applicable	\$53.50	Not Applicable	4 weeks
SDWA Group I (EPA 200.8 ICP-MS Metals): Sb As Ba Be Cd Cr Hg Ni Se Ti	80	Not Applicable	\$107.00	Not Applicable	8 weeks
SWQB Dissolved Metals (EPA 200.7 ICP-OES Metals, 200.8 ICP-MS Metals): Al Sb As Ba Be B Cd Ca Cr Co Cu Pb Mg Mn Hg Mo Ni Se Ag Ti U V Zn	140	Not Applicable	\$187.25	Not Applicable	8 weeks
SWQB Total Metals (EPA 200.7 ICP-OES Metals, 200.8 ICP-MS Metals, 245.1 CVAA Mercury, SOP 41414 HM Non Drinking Water Digest): Al Sb As Ba Be B Cd Ca Cr Co Cu Pb Mg Mn Hg Mo Ni Se Ag Ti U V Zn	185	Not Applicable	\$235.40	Not Applicable	8 weeks
SWQB Total Mercury/Total Selenium (EPA 245.1 CVAA Mercury, 200.8 ICP-MS Selenium, 41414 HM Non Drinking Water Digest): Hg Se	65	Not Applicable	\$74.90	Not Applicable	8 weeks
4CSBC Metals (EPA 200.8 ICP-MS Metals): As Cd Mn Ti U	80	Not Applicable	\$107.00	Not Applicable	8 weeks
4CSBC Arsenic (III) (EPA 200.8 ICP-MS Metals): As (III)	20	Not Applicable	\$26.75	Not Applicable	8 weeks
UCMR5 Lithium (EPA 200.7 ICP-OES Metals, 41418 HM Drinking Water Digest): Li	35	Not Applicable	\$42.80	Not Applicable	8 weeks
Calcium & Magnesium, for hardness (EPA 200.7 ICP-OES Metals): Ca Mg	40	Not Applicable	\$53.50	Not Applicable	8 weeks
Cations (EPA 200.7 ICP-OES Metals): Na K Ca Mg Fe Mn	60	Not Applicable	\$80.25	Not Applicable	8 weeks
Total Solids (SOP 41903)	Not Applicable	15	Not Applicable	\$16.05	See Main Results
Acid Digestion (SOP 41414 HM Non Drinking Water Digest)	15	Not Applicable	\$16.05	Not Applicable	Not Reported
Acid Digestion (SOP 41415 HM Solid Digest)	Not Applicable	25	Not Applicable	\$26.75	Not Reported
Acid Digestion (SOP 41418 HM Drinking Water Digest)	15	Not Applicable	\$16.05	Not Applicable	Not Reported
PM 10 (AQ 8" x 10" Filter)	Not Applicable	15	Not Applicable	\$16.05	4 weeks
PM 10 (AQ 47mm Filter)	Not Applicable	15	Not Applicable	\$16.05	4 weeks
PM 2.5 (AQ 47 mm Filter)	Not Applicable	15	Not Applicable	\$16.05	4 weeks
Filter Shipping Cost	Not Applicable	NA	Not Applicable	\$1.00 / filter	Not Reported

Note: Other elements may be available upon request. Please call the Section Supervisor at **505-383-9032**.

Water samples with turbidity > 1 NTU, for Mercury analysis, will be run by EPA Method 245.1. Samples not needing a digestion can be run by EPA 200.8 or EPA 245.1.

* Biological solids (fish tissue), run by cold vapor mercury analyzer are charged as 'other'.

* Non-biological solids (soils, sediments) run by CVAA are charged as 'other'.

Metals in biological matrices such as urine may be run in a different section (CTAR), but will be charged as a water sample

Metals on solid matrices such as blood spots may be run in a different section (CTAR), but will be charged as 'other'.

Priority 2 samples will be double the cost. Priority 1 samples will be triple the cost. Turnaround times are shown as a guide only.

Additional paper copies of reports will be charged at \$2.00 per copy, to cover printing and mailing costs. The prices above include one paper copy.

**CTAR SECTION
WTU/FEE SCHEDULE **FY2025****

DESCRIPTION	WTU	PRICE	APPROXIMATE TURNAROUND TIME
4CSBC Metals (by ICP-MS): As Cd Mn Tl U	150	\$150.00	8 weeks
4CSBC Pyrethroid (by LC/MS/MS): Pyr	120	\$120.00	8 weeks
Multiple Toxic Elements (by ICP-MS): As Ba Be Cd Pb Tl U	150	\$150.00	8 weeks
Arsenic (by ICP-MS): As	20	\$25.00	8 weeks
Lead (by ICP-MS): Pb	20	\$25.00	8 weeks
Uranium (by ICP-MS): U	20	\$25.00	8 weeks
Creatinine (by FIA in Urine)	20	\$20.00	8 weeks

Note: Other elements may be available upon request. Please call the Section Supervisor at **(505) 383-9027**.

Turnaround times are shown as a guide only

ORGANIC CHEMISTRY SECTION
WTU/FEE SCHEDULE FY2025

DESCRIPTION	WTU Water	WTU Other	PRICE Water	PRICE Other	APPROXIMATE TURNAROUND TIME
SDWA Organic Disinfection Byproduct Suite (EPA 524.2 SDWA TTHM, 552.2 HAA5)	180	Not Applicable	\$203.30	Not Applicable	6 weeks
SDWA HAA5 (EPA 552.2 SDWA Haloacetic Acids)	120	Not Applicable	\$117.70	Not Applicable	6 weeks
SDWA TTHM (EPA 524.2 SDWA Total Trihalomethanes)	60	Not Applicable	\$85.60	Not Applicable	4 weeks
SDWA VOCs I (40 CFR 141.61a) (EPA 524.2 SDWA Volatile Organic Compounds I)	60	Not Applicable	\$112.35	Not Applicable	4 weeks
SDWA Full Suite Semi-volatiles (SOCs = 40 CFR 141.61c) (EPA 504.1, 508.1, 515.4, 525.2, 531.2, 547, 548.1, 549.2)	1030	Not Applicable	\$1,214.45	Not Applicable	8 weeks
SDWA Acid Herbicides (EPA 515.4 SDWA Acid Herbicides)	190	Not Applicable	\$214.00	Not Applicable	8 weeks
SDWA Carbamates (EPA 531.2 SDWA Carbamates)	150	Not Applicable	\$171.20	Not Applicable	8 weeks
SDWA Diquat (EPA 549.2 SDWA Diquat)	125	Not Applicable	\$139.10	Not Applicable	8 weeks
SDWA Endothall (EPA 548.1 SDWA Endothall)	150	Not Applicable	\$171.20	Not Applicable	8 weeks
SDWA Glyphosate (EPA 547 SDWA Glyphosate)	150	Not Applicable	\$171.20	Not Applicable	8 weeks
SDWA SOCs (EPA 525.2 SDWA Synthetic Organic Compounds)	120	Not Applicable	\$139.10	Not Applicable	8 weeks
SDWA Chlordane, Toxaphene, PCBs (EPA 508.1 SDWA Chlordane, Toxaphene, PCBs)	90	Not Applicable	\$117.70	Not Applicable	8 weeks
SDWA SOCs + Chlordane, Toxaphene, PCBs (EPA 525.2 SDWA SOCs, 508.1 SDWA Chlordane, Toxaphene, PCBs)	210	Not Applicable	\$256.80	Not Applicable	8 weeks
SDWA VOCs II EDB & DBCP (EPA 504.1 SDWA Volatile Organic Compounds II EDB)	55	Not Applicable	\$90.95	Not Applicable	8 weeks
Mass Spec VOCs (EPA 8260B SW846 Mass Spec VOCs)	120	240	\$181.90	\$363.80	4 weeks
Appendix IX Mass Spec VOCs (EPA 8260B SW846 Mass Spec VOCs Appendix IX)	150	300	\$224.70	\$449.40	4 weeks
B/N Semi-volatiles, no phenols (EPA 8270D SW846 Base/Neutral Semi-volatiles)	235	470	\$262.15	\$524.30	8 weeks
B/N/A Semi-volatiles (EPA 8270D SW846 Base/Neutral/Acid Semi-volatiles)	235	470	\$262.15	\$524.30	8 weeks
PFAS (EPA 537.1 Perfluorinated Alkyl Substances, 18 analytes)	200	Not Applicable	\$251.45	Not Applicable	8 weeks
PFAS (EPA 533 Perfluorinated Alkyl Substances, 25 analytes)	250	Not Applicable	\$315.65	Not Applicable	8 weeks

If needs exist which are not addressed here, please call **(505) 383-9030**.

Please call for assistance if you require special QC reports, special detection limits, turnaround times, etc., or if your samples present an unusual matrix.

Priority 2 samples will be double the cost. Priority 1 samples will be triple the cost. Turnaround times are shown as a guide only.

Additional paper copies of reports will be charged at \$2.00 per copy, to cover printing and mailing costs. The prices above include one paper copy.

RADIOCHEMISTRY SECTION
WTU/FEE SCHEDULE FY2025

DESCRIPTION	WTU VALUE	PRICE (each)	APPROXIMATE TURNAROUND TIME
Baseline Gross Alpha, Radium-226, Radium-228, Uranium by ICP-MS (EPA 900.0, EPA 903.1, 904.0, 200.8)	490	\$363.80	8 weeks
Gross Alpha and/or Beta (EPA 900.0 Gross Alpha and/or Beta)	120	\$112.35	8 weeks
Radium-226 (EPA 903.1 Radium-226)	140	\$112.35	8 weeks
Radium-228 (EPA 904.0 Radium-228)	190	\$112.35	8 weeks
Uranium by ICP/MS (EPA 200.8 Uranium by ICP-MS)	40	\$26.75	8 weeks
Uranium-234/238 (U-02-RC Uranium-234/238 Isotope ratio)	140	\$171.20	8 weeks
Gamma Scan, enquire (EPA 901.1 Gamma Scan, 60-1850 keV)	120	\$112.35	6 weeks
Plutonium-238/(239 + 240), inquire**	160	\$224.70	8 weeks
Americium-241, inquire**	160	\$224.70	8 weeks
Pyrosulfate Fusion for Radium-226 or Radium-228, when needed	30	\$37.45	NA
Soils, Sediment - dry, mill and grind (done as needed - not listed as an analysis)	30	\$37.45	NA

Other analyses may be available upon request. Please call the Section Supervisor at **(505) 383-9037**.

**Please contact SLD to discuss analytical request, sample matrix, analytical requirements, special reports, etc.

Priority 2 samples will be double the cost. Priority 1 samples will be triple the cost.
 Turnaround times are shown as a guide only.

Additional paper copies of reports will be charged at \$2.00 per copy, to cover printing and mailing costs. The prices above include one paper copy.

WATER CHEMISTRY SECTION
WTU/FEE SCHEDULE FY2025

DESCRIPTION	WTU		PRICE		APPROXIMATE TURNAROUND TIME
	Water	WTU Other	Water	PRICE Other	
Alkalinity (SM 2320B Alkalinity, Bicarbonate, Carbonate, pH)	20	Not Applicable	\$21.40	Not Applicable	6 weeks
Ammonia (EPA 350.1 Ammonia)	20	Not Applicable	\$21.40	Not Applicable	4 weeks
Chloride (EPA 300.0 Part A Anions - Chloride)	20	Not Applicable	\$21.40	Not Applicable	5 weeks
Chloride - Sulfate (EPA 300.0 Part A Anions - Chloride - Sulfate)	40	Not Applicable	\$42.80	Not Applicable	5 weeks
Chloride & TDS (EPA 300.0 Part A Anions, SM 2540C TDS)	45	Not Applicable	\$48.15	Not Applicable	5 weeks
Color (SLD Screen Color)	10	Not Applicable	\$10.70	Not Applicable	3 weeks
Conductivity (SM 2510B Conductivity)	10	Not Applicable	\$10.70	Not Applicable	3 weeks
Cyanide, Free (SM 4500CN-F Free Cyanide)	20	Not Applicable	\$21.40	Not Applicable	4 weeks
Cyanide, Total (EPA 335.4 Total Cyanide)	50	Not Applicable	\$53.50	Not Applicable	4 weeks
Fluoride (SM 4500F-C Fluoride)	20	Not Applicable	\$21.40	Not Applicable	4 weeks
Major Anions (SM 2320B Alkalinity, EPA 300.0 Chloride, Sulfate, SM 2540C TDS)	85	Not Applicable	\$90.95	Not Applicable	6 weeks
Nitrate + Nitrite (EPA 353.2 Nitrate + Nitrite)	20	Not Applicable	\$21.40	Not Applicable	4 weeks
Nitrate + Nitrite, Ammonia, TKN (EPA 353.2 Nitrate + Nitrite, 350.1 Ammonia, 351.2 TKN)	70	Not Applicable	\$74.90	Not Applicable	5 weeks
Nitrate + Nitrite, TKN (EPA 353.2 Nitrate + Nitrite, 351.2 TKN)	50	Not Applicable	\$53.50	Not Applicable	5 weeks
Nitrite (EPA 353.2 Nitrite)	40	Not Applicable	\$42.80	Not Applicable	3 weeks
Nutrients (EPA 353.2 Nitrate + Nitrite, 350.1 Ammonia, 351.2 TKN, 365.4 Phosphate - Total)	100	Not Applicable	\$107.00	Not Applicable	5 weeks
Nutrients, Low (EPA 353.2 Nitrate + Nitrite, 350.1 Ammonia, 351.2 TKN, 365.1 Phosphate - Low Concentration)	95	Not Applicable	\$101.65	Not Applicable	6 weeks
Phosphate - Low Concentration (EPA 365.1 Phosphate - Low Concentration)	25	Not Applicable	\$26.75	Not Applicable	6 weeks
Phosphate - Ortho (EPA 365.1 Phosphate - Ortho)	20	Not Applicable	\$21.40	Not Applicable	5 weeks
Phosphate - Total (EPA 365.4 Phosphate - Total)	30	Not Applicable	\$32.10	Not Applicable	5 weeks
Sulfate (EPA 300.0 Part A Anions - Sulfate)	20	Not Applicable	\$21.40	Not Applicable	6 weeks
SWQB NPS Anions (SM 2320B Alkalinity, 300.0 Chloride, Sulfate, SM 4500F-C Fluoride, SLD Screen Color, SM 2510B Conductivity, SM 2540C TDS, SM 2540D TSS)	145	Not Applicable	\$155.15	Not Applicable	6 weeks
SWQB SS Anions (SM 2320B Alkalinity, 300.0 Chloride, Sulfate, SM 2540C TDS, SM 2540D TSS)	105	Not Applicable	\$112.35	Not Applicable	6 weeks
TDS & TSS (SM 2540C Total Dissolved Solids, SM 2540D Total Suspended Solids)	45	Not Applicable	\$48.15	Not Applicable	5 weeks
TDS (SM 2540C Total Dissolved Solids - TDS)	25	Not Applicable	\$26.75	Not Applicable	5 weeks
TKN (EPA 351.2 Total Kjeldahl Nitrogen - TKN)	30	Not Applicable	\$32.10	Not Applicable	5 weeks
TOC (SM 5310 Total Organic Carbon - TOC)	30	Not Applicable	\$32.10	Not Applicable	5 weeks
SWQB DOC (SM 5310 Dissolved Organic Carbon - DOC)	30	Not Applicable	\$32.10	Not Applicable	5 weeks
TSS (SM 2540D Total Suspended Solids - TSS)	20	Not Applicable	\$21.40	Not Applicable	3 weeks
Turbidity (EPA 180.1 Turbidity)	10	Not Applicable	\$10.70	Not Applicable	3 weeks

Other analyses may be available upon request. Please call the Section Supervisor at **505-383-9035**.

Priority 2 samples will be double the cost. Priority 1 samples will be triple the cost.

Turnaround times are shown as a guide only.

Additional paper copies of reports will be charged at \$2.00 per copy, to cover printing and mailing costs. The prices above include one paper copy.