




Investing for tomorrow, delivering today.

Health Status of New Mexico 2020

Released July 2022


New Mexico Health Regions







Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org


NM Urban-Rural County Classification



-  Metropolitan Counties
-  Small Metro Counties
-  Mixed Urban/Rural Counties
-  Rural Counties


Percentage of NM Adults Living in Households with Annual Income Less Than \$20,000

By Health Region, New Mexico, 2018-2020




Percentage of NM Adults Age 65+ Living in Household Annual Incomes Less Than \$20,000

By Health Region, New Mexico, 2018-2020



Percentage of NM Adults Living in Households with Annual Income of Less Than \$20,000

By Age Group, New Mexico, 2018-2020




Source: NMDOH, Behavioral Risk Factor Surveillance System

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Percentage of NM Adults Living in Households with Annual Income of Less Than \$20,000

By Urban and Rural Counties, New Mexico, 2018-2020




Source: NMDOH, Behavioral Risk Factor Surveillance System

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Percentage of NM Adults with Less Than a High School Education

By Health Region, New Mexico, 2018-2020




Source: NMDOH, Behavioral Risk Factor Surveillance System

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org


Percentage of NM Adults Age 65+ with Less Than a High School Education

By Health Region, New Mexico, 2018-2020



Percentage of NM Adults with Less Than a High School Education

By Age Group, New Mexico, 2018-2020




Source: NMDOH, Behavioral Risk Factor Surveillance System

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Percentage of NM Adults with Less Than a High School Education

By Urban and Rural Counties, New Mexico, 2018-2020




Source: NMDOH, Behavioral Risk Factor Surveillance System

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org


Percentage of Adults without Health Care Coverage

By Health Region, New Mexico, 2018-2020



Percentage of NM Adults Age 65+ without Health Care Coverage

By Health Region, New Mexico, 2018-2020




Note: statewide, 98.0% of adults age 65+ had coverage.

Source: NMDOH, Behavioral Risk Factor Surveillance System


Percentage of NM Adults Ages 18-64 without Health Care Coverage

By Health Region, New Mexico, 2018-2020



Percentage of NM Adults without Health Care Coverage

By Age Group, New Mexico, 2018-2020



Statewide: 98.6% of adults age 65+ had coverage.


Source: NMDOH, Behavioral Risk Factor Surveillance System

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Percentage of Adults without Health Care Coverage

By Urban and Rural Counties, New Mexico, 2018-2020




Source: NMDOH, Behavioral Risk Factor Surveillance System

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Percentage of Adults with Fair or Poor General Health Status

New Mexico and U.S., 1997-2020



* Addition of Cellular Telephones & New Weighting Process

Source: NMDOH, Behavioral Risk Factor Surveillance System


Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org




Percentage of Adults with Fair or Poor General Health Status

By Household Income, New Mexico, 2020



Percentage of Adults with Fair or Poor General Health Status

By Educational Attainment, New Mexico, 2020




Source: NMDOH, Behavioral Risk Factor Surveillance System

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Percentage of NM Adults in Fair or Poor General Health Status

By Age Group, New Mexico, 2020




Source: NMDOH, Behavioral Risk Factor Surveillance System

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Percentage of Adults with Fair or Poor General Health Status

By Race/Ethnicity, New Mexico, 2020




Source: NMDOH, Behavioral Risk Factor Surveillance System

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org


Percentage of Adults with Fair or Poor General Health Status

By Health Region, New Mexico, 2020



Percentage of Adults in Fair or Poor General Health Status

by Urban and Rural Counties, New Mexico, 2020




Source: NMDOH, Behavioral Risk Factor Surveillance System

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Percentage of Current Smokers

New Mexico and U.S., 2004-2020



* = Addition of Cellular Telephones & New Weighting Process


Source: NMDOH, Behavioral Risk Factor Surveillance System

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Current Smokers by Household Income

New Mexico, 2020



Source: NMDOH, Behavioral Risk Factor Surveillance System




Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Current Smokers by Educational Attainment

New Mexico, 2020




Source: NMDOH, Behavioral Risk Factor Surveillance System

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Current Smokers by Age Group

New Mexico, 2020




Source: NMDOH, Behavioral Risk Factor Surveillance System

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Current Smokers by Race/Ethnicity

New Mexico, 2020




Source: NMDOH, Behavioral Risk Factor Surveillance System

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org


Current Smoking by Health Region

New Mexico, 2020



Current Smoking by Urban & Rural Counties

New Mexico, 2020




Source: NMDOH, Behavioral Risk Factor Surveillance System

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Oral Health Visit within Past Year

New Mexico and U.S., 2002-2020 (Even Years Only)



* Addition of Cellular Telephones & New Weighting Process


Source: NMDOH, Behavioral Risk Factor Surveillance System

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Percentage of Adults with an Oral Health Visit within the Past Year

By Annual Household Income, NM, 2020 (Even Years Only)




Source: NMDOH, Behavioral Risk Factor Surveillance System

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Percentage of Adults with an Oral Health Visit within the Past Year

By Educational Attainment, NM, 2020 (Even Years Only)




Source: NMDOH, Behavioral Risk Factor Surveillance System

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org


Percentage of Adults with an Oral Health Visit within the Past Year

By Age Group, New Mexico, 2020 (Even Years Only)



Percentage of Adults with an Oral Health Visit within the Past Year

By Race/Ethnicity, New Mexico, 2020 (Even Years Only)




Source: NMDOH, Behavioral Risk Factor Surveillance System

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org


Percentage of Adults with an Oral Health Visit within the Past Year

By Health Region, New Mexico, 2020 (Even Years Only)



Percentage of Adults with an Oral Health Visit within the Past Year

by Urban & Rural Counties, New Mexico, 2020 (Even Years Only)




Source: NMDOH, Behavioral Risk Factor Surveillance System

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Percentage of NM Adults Who Were Obese (BMI \geq 30)

New Mexico and U.S., 1998-2020



BMI=Body Mass Index

Note: * = Addition of Cellular Telephones & New Weighting Process


Source: NMDOH, Behavioral Risk Factor Surveillance System

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Percentage of NM Adults Who Were Obese (BMI ≥ 30), by Household Income

New Mexico, 2020




Source: NMDOH, Behavioral Risk Factor Surveillance System

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Percentage of NM Adults Who Were Obese (BMI ≥ 30), by Educational Attainment

New Mexico, 2020




Source: NMDOH, Behavioral Risk Factor Surveillance System

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Percentage of NM Adults Who Were Obese (BMI \geq 30) by Age Group

New Mexico, 2020




Source: NMDOH, Behavioral Risk Factor Surveillance System

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Percentage of NM Adults Who Were Obese (BMI ≥ 30), By Race/Ethnicity

New Mexico, 2020



** Insufficient Sample Size


Source: NMDOH, Behavioral Risk Factor Surveillance System

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org


Percentage of NM Adults Who Were Obese (BMI \geq 30), by Health Region

New Mexico, 2020



Percentage of NM Adults Who Were Obese (BMI \geq 30), by Urban and Rural Counties

New Mexico, 2020




Source: NMDOH, Behavioral Risk Factor Surveillance System

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Percentage of NM Adults with Binge Drinking at Least Once in Past 30 Days

New Mexico and U.S., 2006-2020



Definition of Binge Drinking:

Males: 5+ drinks on an occasion, at least once in the past 30 days.

Females: 4+ drinks on an occasion, at least once in the past 30 days.

* Addition of Cellular Telephones & New Weighting Process

Source: NMDOH, Behavioral Risk Factor Surveillance System


Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org



Percentage of NM Adults with Binge Drinking at Least Once in Past 30 Days

By Gender and Household Income, New Mexico, 2020




Source: NMDOH, Behavioral Risk Factor Surveillance System

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Percentage of NM Adults with Binge Drinking at Least Once in Past 30 Days

By Gender and Educational Attainment, New Mexico, 2020




Source: NMDOH, Behavioral Risk Factor Surveillance System

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org


Percentage of NM Adults with Binge Drinking at Least Once in Past 30 Days

By Gender and Age Group, New Mexico, 2020



Percentage of NM Adults with Binge Drinking at Least Once in Past 30 Days


By Gender and Race/Ethnicity, New Mexico, 2020



** Insufficient Sample Size for Individuals Identifying as Asian, Pacific Islanders and Black, African Americans


Percentage of NM Adults with Binge Drinking at Least Once in Past 30 Days

By Gender and Health Region, New Mexico, 2020



Percentage of NM Adults with Binge Drinking at Least Once in Past 30 Days

By Gender and Urban/Rural Counties, New Mexico, 2020




Source: NMDOH, Behavioral Risk Factor Surveillance System

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Percentage of NM Adults with Diagnosed Diabetes

New Mexico and U.S., 1999-2020



* Addition of Cellular Telephones & New Weighting Process


Source: NMDOH, Behavioral Risk Factor Surveillance System

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Percentage of NM Adults with Diagnosed Diabetes by Household Income

New Mexico, 2020



Source: NMDOH, Behavioral Risk Factor Surveillance System


Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org




Percentage of NM Adults with Diagnosed Diabetes by Educational Attainment

New Mexico, 2020



Percentage of NM Adults with Diagnosed Diabetes by Age

New Mexico, 2020



Source: NMDOH, Behavioral Risk Factor Surveillance System


Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org



Percentage of NM Adults with Diagnosed Diabetes by Race/Ethnicity

New Mexico, 2020



Source: NMDOH, Behavioral Risk Factor Surveillance System


Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org



Percentage of NM Adults With Diagnosed Diabetes by Health Region

New Mexico, 2020




Source: NMDOH, Behavioral Risk Factor Surveillance System

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Percentage of NM Adults with Diagnosed Diabetes by Urban and Rural Counties

New Mexico, 2020



Source: NMDOH, Behavioral Risk Factor Surveillance System


Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org



Percentage of Adults with Mental Distress

New Mexico and U.S., 2003-2020



* Addition of Cellular Telephones & New Weighting Process


Source: NMDOH, Behavioral Risk Factor Surveillance System

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Percentage of Adults with Mental Distress by Household Income

New Mexico, 2020




Source: NMDOH, Behavioral Risk Factor Surveillance System

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org


Percentage of Adults with Mental Distress by Educational Attainment

New Mexico, 2020



Percentage of Adults with Mental Distress by Age Group

New Mexico, 2020




Source: NMDOH, Behavioral Risk Factor Surveillance System

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Percentage of Adults with Mental Distress by Race/Ethnicity

New Mexico, 2020




Source: NMDOH, Behavioral Risk Factor Surveillance System

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org


Percentage of Adults with Mental Distress by Health Region

New Mexico, 2020



Percentage of Adults with Mental Distress by Urban and Rural Counties

New Mexico, 2020




Source: NMDOH, Behavioral Risk Factor Surveillance System

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Percentage of Adults with Mental Distress by Number of Chronic Health Conditions

New Mexico, 2020



Chronic Health Conditions include: history of myocardial infarction (MI), history of stroke, heart disease, asthma, COPD, cancer, chronic kidney disease, arthritis, or diabetes.


Source: NMDOH, Behavioral Risk Factor Surveillance System

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Alcohol and Drug Use, Grades 9 – 12

New Mexico and U.S., 2019



* Statistically significant difference


Source: NM Youth Risk and Resiliency Survey (YRRS)

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org


Current Drinking, Grades 9-12 by Health Region

New Mexico, 2019



Current Drinking, Grades 9-12 by Urban and Rural Status

New Mexico, 2019




Source: NM Youth Risk and Resiliency Survey (YRRS)

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org


Binge Drinking, Grades 9-12 by Health Region

New Mexico, 2019



Binge Drinking, Grades 9-12 by Urban and Rural Status

New Mexico, 2019




Source: NM Youth Risk and Resiliency Survey (YRRS)

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Current Cigarette Smoking, Grades 9-12

New Mexico and U.S., 2005 - 2019




Source: NM Youth Risk and Resiliency Survey (YRRS)

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org


Current Cigarette Smoking, Grades 9-12

by Health Region, New Mexico, 2019



Any Tobacco Use*, Grades 9-12 by Health Region

New Mexico, 2019



*Any tobacco use: past 30-day use of cigarettes, cigars, spit tobacco, or hookah.


Source: NM Youth Risk and Resiliency Survey (YRRS)

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Any Tobacco Use, Grades 9-12

New Mexico, 2003 - 2019




Source: NM Youth Risk and Resiliency Survey (YRRS)

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org


Current Marijuana Use, Grades 9-12 by Health Region

New Mexico, 2019



Current Marijuana Use, Grades 9-12 by Urban and Rural Status

New Mexico, 2019




Source: NM Youth Risk and Resiliency Survey (YRRS)

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Current Cocaine Use Grades 9-12 by Health Region

New Mexico, 2019




Source: NM Youth Risk and Resiliency Survey (YRRS)

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Current Cocaine Use, Grades 9-12 by Urban and Rural Counties

New Mexico, 2019




Source: NM Youth Risk and Resiliency Survey (YRRS)

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org


Suicide Attempts and Suicidal Ideation, Grades 9 – 12, by Gender

New Mexico and U.S., 2019




Suicide Attempts, Grades 9-12 by Health Region and Gender

New Mexico, 2019



Suicide Attempts, Grades 9-12 by Urban and Rural Counties

New Mexico, 2019




Source: NM Youth Risk and Resiliency Survey (YRRS)

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Forced Sexual Intercourse, Grades 9-12

New Mexico and U.S., 2005 - 2019




Source: NM Youth Risk and Resiliency Survey (YRRS)

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org


Forced Sexual Intercourse, Grades 9-12 by Health Region

New Mexico, 2019



Forced Sexual Intercourse, Grades 9-12, by Urban and Rural Counties

New Mexico, 2019




Source: NM Youth Risk and Resiliency Survey (YRRS)

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Selected Risk Behaviors, Grades 9-12 by Sexual Identity

New Mexico, 2019




Source: NM Youth Risk and Resiliency Survey (YRRS)

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Selected Risk Behaviors, Grades 9-12 by Sexual Identity

New Mexico, 2019




Source: NM Youth Risk and Resiliency Survey (YRRS)

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Selected Risk Behaviors, Grades 9-12 by Country of Birth

New Mexico, 2019




Source: NM Youth Risk and Resiliency Survey (YRRS)

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Selected Risk Behaviors, Grades 9-12 by Family Relationships

New Mexico, 2019




Source: NM Youth Risk and Resiliency Survey (YRRS)

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Academic Success, Grades 9-12 by Selected Risk Behaviors

New Mexico, 2019




Source: NM Youth Risk and Resiliency Survey (YRRS)

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org


Academic Success, Grades 9-12 by Parent Education

New Mexico, 2019



Used Painkillers to Get High, Grades 9-12 by Parent Education

New Mexico, 2019




Source: NM Youth Risk and Resiliency Survey (YRRS)

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org


Unstable Housing, Grades 9-12, by Health Region

New Mexico, 2019



Unstable Housing, Grades 9-12 by Urban and Rural Counties

New Mexico, 2019




Source: NM Youth Risk and Resiliency Survey (YRRS)

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Selected Risk Behaviors, Grades 9-12 by Housing Stability

New Mexico, 2019




Source: NM Youth Risk and Resiliency Survey (YRRS)

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org


Pregnancy Intention among women with a live birth

New Mexico, 2012-2020



Daily Preconception multivitamin or folic acid supplement among women with a live birth

New Mexico, 2012-2020




Source: NM Pregnancy Risk Assessment Monitoring System (PRAMS)

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Diabetes among women with a live birth

New Mexico, 2012-2020




Source: NM Pregnancy Risk Assessment Monitoring System (PRAMS)

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Cigarette Smoking among women with a live birth

New Mexico, 2012-2020




Source: NM Pregnancy Risk Assessment Monitoring System (PRAMS)

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Teeth Cleaning before or during pregnancy by prenatal insurance type

New Mexico, 2016-2020




Source: NM Pregnancy Risk Assessment Monitoring System (PRAMS)

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Postpartum Depression among women with a live birth

New Mexico, 2012-2020




Source: NM Pregnancy Risk Assessment Monitoring System (PRAMS)

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Breastfeeding Initiation and duration among women with a live birth

New Mexico, 2012-2020




Source: NM Pregnancy Risk Assessment Monitoring System (PRAMS)

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Leave from work* taken after birth of a child

New Mexico, 2012-2020



* = Among people working during pregnancy and returning to same job after delivery


Source: NM Pregnancy Risk Assessment Monitoring System (PRAMS)

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Aggregate* Healthcare Provider (HP) Influenza Vaccination Rates

New Mexico and US, 2013-2021



* 33 inpatient healthcare facilities in New Mexico; reporting is voluntary. Healthy People 2030 goal is 90%.

Source: NMDOH Healthcare-associated Infections Program


Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Healthcare Associated Infections Trends

New Mexico Standardized Infection Ratios*

New Mexico, 2015-2020




* The standardized infection ratio (SIR) is a summary measure used to track infections over time. The SIR compares the actual number of infections to the number of expected infections given the standard population (national baseline). A SIR of greater than 1.0 indicates more infections than predicted and a SIR of less than 1.0 indicates fewer infections than predicted.

Source: NMDOH Infectious Disease Epidemiology Bureau.

Measles

New Mexico, 1985-2020




Source: NMDOH Infectious Disease Epidemiology Bureau.

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Invasive Bacterial Infection Rates

by Pathogen, New Mexico, 2014-2020 and U.S., 2014-2019




Sources: New Mexico – NMDOH Infectious Disease Epidemiology Bureau, Active Bacterial Core Surveillance Program (ABCs); U.S. Estimate – Centers for Disease Control and Prevention, Active Bacterial Core Surveillance Report

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Burden of Invasive Bacterial* Disease by Race/Ethnicity†

New Mexico, 2014–2020



Bacterial Pathogens: Group A *Streptococcus* (GAS) and group B *Streptococcus* (GBS), *Streptococcus pneumoniae* (SPN), *Haemophilus influenzae* (HFLU), *Neisseria meningitidis* (NMEN)

† 10% of cases missing race/ethnicity information


Source: New Mexico – NMDOH Infectious Disease Epidemiology Bureau, Active Bacterial Core Surveillance Program (ABCs)

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Invasive Streptococcus pneumoniae Rates


New Mexico, 2014-2020, U.S., 2014-2019



Sources: New Mexico – NMDOH Infectious Disease Epidemiology Bureau, Active Bacterial Core Surveillance Program (ABCs); U.S. Estimate – Centers for Disease Control and Prevention, Active Bacterial Core Surveillance Report, Emerging Infections Program Network


Invasive Streptococcus pneumoniae Rates by Urban-Rural Areas

New Mexico, 2014–2020



Hepatitis A Rates

New Mexico and United States, 1995-2019



Includes confirmed and probable cases


Sources: New Mexico – NMDOH Infectious Disease Epidemiology Bureau; United States – Centers for Disease Control & Prevention, Summary of Notifiable Diseases, United States

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Pertussis Rates per 100,000 Population


New Mexico and U.S., 2000-2020



Sources: New Mexico – NMDOH Infectious Disease Epidemiology Bureau; United States – Centers for Disease Control & Prevention, Summary of Notifiable Diseases, United States

Pertussis Rates in Infants 0-6 Months of Age

New Mexico, 2006-2020




Sources: NM Electronic Disease Surveillance System (confirmed and probable pertussis cases) and New Mexico Indicator-Based Information System (NM-IBIS)

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Influenza-related Hospitalization Rates by Age Group

New Mexico, 2013-2020




Source: Influenza Hospitalization Network (FluSurv-NET)

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Influenza and Pneumonia Death Rates

New Mexico, 2005-2020 and U.S., 2005-2018



Rates have been age-adjusted to the standard U.S. 2000 population

Sources: NMDOH, Bureau of Vital Records and Health Statistics; CDC WONDER




Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Influenza and Pneumonia Death Rates by Race/Ethnicity

New Mexico, 2020



Rates have been age-adjusted to the standard U.S. 2000 population


Source: NMDOH, Bureau of Vital Records and Health Statistics

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Influenza and Pneumonia Death Rates by Health Region

New Mexico, 2020



Rates have been age-adjusted to the standard U.S. 2000 population


Source: NMDOH, Bureau of Vital Records and Health Statistics

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Influenza and Pneumonia Death Rates by Urban and Rural Counties

New Mexico, 2017-2020



Rates have been age-adjusted to the standard U.S. 2000 population


Source: NMDOH, Bureau of Vital Records and Health Statistics

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org


Influenza-like Illness (ILI) Visits

New Mexico¹ and United States², 2015-2020



Influenza-like Illness (ILI) Visits

New Mexico¹ and United States², 2019-2020 Season




1. Source: Sentinel Site Surveillance ILI Net. 2. Source: CDC FluView.

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Human Plague Cases

New Mexico, 1949-2020




Source: NMDOH Infectious Disease Epidemiology Bureau

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Rate of Acute Hepatitis B Infection

New Mexico and U.S., 2004 – 2019



*New Mexico rates are based on less than 20 cases per year and should be interpreted with caution as events based on small numbers can be unstable. Includes confirmed cases only.

Sources: NM cases, New Mexico Electronic Disease Surveillance System (NM-EDSS); NM population estimates, NMDOH Indicator-Based Information System (NM IBIS). U.S., Centers for Disease Control & Prevention, Division of Viral Hepatitis.




Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Number of Newly Reported Chronic Hepatitis C Infections by Case Status and Year*

New Mexico, 2006-2019



*Year of first reported positive laboratory test result


Source: New Mexico Electronic Disease Surveillance System (NM-EDSS)

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Rate of Chronic Hepatitis C Infection by Age Group at diagnosis and Year*

New Mexico, 2006-2019



* = Year of first reported positive laboratory test result


Source: New Mexico Electronic Disease Surveillance System (NM-EDSS)

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Number of Hospital Discharges with Any Diagnosis of Hepatitis C Infection

By Infection Status and Year, New Mexico, 2014-2019



Hospitalizations were defined using ICD-9-CM and ICD-10-CM codes in any diagnosis field. Includes non-federal hospitalizations for NM residents only.

Source: New Mexico Hospital Inpatient Discharge Data (HIDD)


Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org



New HIV Diagnosis Rate Among Adults and Adolescents, Ages 13 and Older


New Mexico, 2011-2019 and United States, 2011-2020



Sources: NM cases, New Mexico Enhanced HIV/AIDS Reporting System (eHARS); NM population estimates, NMDOH Indicator-Based Information System (NM IBIS). U.S., HIV Surveillance Reports at <https://www.cdc.gov/hiv/library/reports/hiv-surveillance-archive.html>. 2018 U.S. HIV rate is not available.

New HIV Diagnosis Rate Among Adults and Adolescents, Ages 13 and Older


By Health Region, New Mexico, 2016-2020



Sources: NM incident cases, New Mexico Enhanced HIV/AIDS Reporting System (eHARS);
NM population estimates, NMDOH Indicator-Based Information System (NM IBIS).

New HIV Distribution Among Adults and Adolescents, Ages 13 and Older, by Gender

New Mexico, 2016-2020




Source: NM incident cases, New Mexico Enhanced HIV/AIDS Reporting System (eHARS)

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

New HIV Diagnosis Rate Among Adults and Adolescents, Ages 13 and Older


By Race/Ethnicity, New Mexico, 2016-2020



Source: NM incident cases, New Mexico Enhanced HIV/AIDS Reporting System (eHARS).

Tuberculosis (TB) Rates

New Mexico and U.S., 2012 - 2019



Sources: U.S.: <https://www.cdc.gov/mmwr/volumes/69/wr/mm6911a3.htm>; New Mexico: New Mexico Electronic Disease Surveillance System




Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Tuberculosis (TB) Cases by Age Group

New Mexico, 2019




Source: New Mexico Electronic Disease Surveillance System

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org


Tuberculosis (TB) Rates Among U.S. born vs. Non-U.S. born Persons

New Mexico, 2013 - 2019



Chlamydia Rates

New Mexico and U.S., 1989 - 2020




Sources: New Mexico Electronic Disease Surveillance System; <https://www.cdc.gov/std/statistics/2020/tables/2.htm>, PRISM – Patient Reporting Investigation Surveillance Manager

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Chlamydia Rates by Sex

New Mexico, 2000 - 2020



	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
— NM Male CT Rate	110.9	135.3	158.1	158.5	226.7	220.9	243.7	245.7	228.5	248.5	292.6	297.7	307.7	309.5	300.7	327.4	364.1	406.2	415.7	421.9	350.3
— NM Female CT Rate	450.5	521.8	623.7	621.9	707.3	643.8	749.1	699.5	685.9	678.2	834.5	789.8	832.2	851.1	785.2	871.5	876.8	879.2	914.5	933.6	778.2

Source: PRISM – Patient Reporting Investigation Surveillance Manager




Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Chlamydia Rates by Age Group

New Mexico, 2019 - 2020




Source: PRISM – Patient Reporting Investigation Surveillance Manager

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Chlamydia Rates by Race/Ethnicity

New Mexico, 2019 - 2020




Source: PRISM – Patient Reporting Investigation Surveillance Manager

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Gonorrhea Rates

New Mexico and U.S., 1972 - 2020



Sources: New Mexico Electronic Disease Surveillance System, <https://www.cdc.gov/std/statistics/2020/tables/2.htm>, PRISM – Patient Reporting Investigation Surveillance Manager




Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Gonorrhea Rates by Sex

New Mexico, 2000-2020



	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
— NM Male GC Rate	63.4	60.7	77.3	60.5	58.7	71.7	75.1	83.6	62.2	50.9	60.7	89.1	99.1	106.4	122.6	134.8	189.3	231.9	282.2	260.3	241.5
— NM Female GC Rate	61.9	50.4	78.0	62.3	77.0	89.9	100.8	96.7	76.9	55.3	58.4	87.8	81.0	78.5	89.9	102.4	145.1	195.5	221.1	205.6	190.6

Source: PRISM – Patient Reporting Investigation Surveillance Manager




Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Gonorrhea Rates by Age Group

New Mexico, 2019 - 2020




Source: PRISM – Patient Reporting Investigation Surveillance Manager

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Gonorrhea Rates by Race/Ethnicity


New Mexico, 2019 - 2020



Note: Similar to national level data, gonorrhea rates show health disparities: Gonorrhea disproportionately affects African American, American Indian, and Hispanic populations in New Mexico.

Primary and Secondary Syphilis Rates

New Mexico and U.S., 1970 - 2020



Sources: New Mexico Electronic Disease Surveillance System, <https://www.cdc.gov/std/statistics/2020/tables/2.htm>, PRISM – Patient Reporting Investigation Surveillance Manager




Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Primary & Secondary Syphilis Cases

By Sex, New Mexico, 2000-2020



	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
NM Male Rate	1.2	1.4	2.9	5.1	4.8	4.2	5.9	3.2	3.8	5.5	5.0	6.7	8.9	5.6	10.9	10.3	15.6	16.8	24.9	36.2	30.7
NM Female Rate	0.5	0.6	1.3	2.4	3.7	1.6	2.2	1.5	0.6	0.6	0.3	0.2	0.9	1.9	1.3	1.0	2.5	1.8	4.3	13.1	12.8

Source: PRISM – Patient Reporting Investigation Surveillance Manager




Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Primary, Secondary, Early Syphilis Rates

By Age Group, New Mexico, 2019 - 2020




Source: PRISM – Patient Reporting Investigation Surveillance Manager

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Primary, Secondary, and Early Latent Syphilis Rates by Race/Ethnicity

New Mexico, 2019 - 2020




Source: PRISM – Patient Reporting Investigation Surveillance Manager

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Percentage of Students Overweight and Obese by Gender

New Mexico, 2019




Note: Due to pandemic-related closures, childhood obesity data was not collected in 2020.

Source: NMDOH, New Mexico Statewide Childhood Obesity Surveillance System

Percentage of Kindergarten Students Overweight and Obese by Race/Ethnicity

New Mexico, 2019



*Data collected through annual surveillance continue to be inadequate for the systematic study of disparities faced by African Americans and Asians. Due to small sample sizes, 2018 and 2019 data have been aggregated.

Note: Due to pandemic-related closures, childhood obesity data was not collected in 2020.

Source: NMDOH, New Mexico Statewide Childhood Obesity Surveillance System




Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Percentage of Third Grade Students Overweight and Obese by Race/Ethnicity

New Mexico, 2019




*Data collected through annual surveillance continue to be inadequate for the systematic study of disparities faced by African Americans and Asians. Due to small sample sizes, 2018 and 2019 data have been aggregated.

Note: Due to pandemic-related closures, childhood obesity data was not collected in 2020.

Source: NMDOH, New Mexico Statewide Childhood Obesity Surveillance System

Percentage of Kindergarten Students Overweight and Obese by Race/Ethnicity

New Mexico, 2017-2018




*Data collected through annual surveillance continue to be inadequate for the systematic study of disparities faced by African Americans and Asians. Due to small sample sizes, 2018 and 2019 data have been aggregated.

Note: Due to pandemic-related closures, childhood obesity data was not collected in 2020.

Source: NMDOH, New Mexico Statewide Childhood Obesity Surveillance System

Percentage of Third Grade Students Overweight and Obese by Race/Ethnicity

New Mexico, 2018



*Data collected through annual surveillance continue to be inadequate for the systematic study of disparities faced by African Americans and Asians. Due to small sample sizes, 2018 and 2019 data have been aggregated.

Note: Due to pandemic-related closures, childhood obesity data was not collected in 2020.

Source: NMDOH, New Mexico Statewide Childhood Obesity Surveillance System




Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Child Asthma Hospitalization Rates, Ages 0-17 Years

New Mexico, 1999-2020 and U.S., 2000-2018



NOTES: Includes asthma as first-listed ICD-9 diagnosis (493-493.92) and ICD-10 codes J45 starting September 2015. This series does not include Indian Health Service data.

Source: New Mexico Department of Health (data via <http://ibis.health.state.nm.us>). U.S.: Healthcare Cost and Utilization Project. Agency for Healthcare Research and Quality, Rockville, MD (data via <https://hcupnet.ahrq.gov>).




Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Child Asthma Hospitalization Rates by Health Region, Ages 0-17 Years

New Mexico, 2016-2020




NOTES: Includes asthma as first-listed ICD-9 diagnosis (493-493.92) and ICD-10 codes J45 starting September 2015. This series does not include Indian Health Service data.

Source: New Mexico Department of Health (data via <http://ibis.health.state.nm.us>).

Child Asthma Hospitalization Rates by Urban and Rural Counties

New Mexico, 2015-2019




NOTES: Includes asthma as first-listed ICD-9 diagnosis (493-493.92) and ICD-10 codes J45 starting September 2015. This series does not include Indian Health Service data.

Source: New Mexico Department of Health (data via <http://ibis.health.state.nm.us>).

Elevated Blood Lead Levels* in Children under Age 6 Years

New Mexico, 2006-2019



NOTES: *Elevated blood lead levels: ≥ 10 $\mu\text{g}/\text{dL}$ (prior to 2016) & ≥ 5 $\mu\text{g}/\text{dL}$ (lowered in 2016) by venous test or 2 capillary tests within 12 weeks. In October of 2021 CDC lowered its recommended threshold to >3.5 (data not shown in this chart)

Source: NMDOH, NMEB Public Health Tracking and Childhood Lead Poisoning Prevention Program




Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Heat-Related Illness Hospitalizations and Emergency Department Visit Rates by Region

New Mexico, May 1-September 30, 2022




Rates have been age-adjusted to the standard U.S. 2000 population

Source: NMDOH, New Mexico Emergency Department and Hospital Inpatient Discharge Data

Heat-Related Illness Emergency Department Visits by Month and Year

New Mexico 2009-2019



Source: : NMDOH, NM Emergency Department Data




Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Spina Bifida without Anencephaly

New Mexico, 2000-2019 vs U.S., 2000-2011




NOTES: Spina bifida is a neural tube defect, which can be prevented through a woman's intake of folic acid during reproductive years.

Source: NMDOH, Environmental Health Epidemiology Bureau's Birth Defects Prevention and Surveillance System; National data: <http://www.cdc.gov/mmwr/pdf/wk/mm6401.pdf>, among programs with prenatal ascertainment. Data not available every year.

Cleft Lip with or without Cleft Palate


New Mexico, 2011-2019



Source: NMDOH, Environmental Health Epidemiology Bureau's Birth Defects Prevention and Surveillance System

Neonatal Abstinence Syndrome

New Mexico, 2000-2020 and U.S., 2000-2016



Source: US: Weighted national estimates from Healthcare Cost and Utilization Project (HCUP) Nationwide Inpatient Sample (NIS), 2000, Agency for Healthcare Research and Quality (AHRQ), based on data collected by individual states and provided to AHRQ by the states. Rio Arriba County & New Mexico: Hospital Inpatient Discharge Data (HIDD).




Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Occupational Injury Fatalities Per 100,000 Full-Time Equivalent Workers

New Mexico and U.S., 2001-2020



FTE Rates for the United States are not available prior to 2006.

— U.S. — New Mexico

Source: U.S. Bureau of Labor Statistics Census of Fatal Occupational Injury




Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Hospitalization Discharge Rates by Region and Sex

New Mexico, 2020



Rates have been age-adjusted to the standard U.S. 2000 population


Source: NMDOH, NM Hospital Inpatient Discharge Data

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Hospitalization Rate of Discharge Deaths by Health Region

New Mexico, 2016-2020



Rates have been age-adjusted to the standard U.S. 2000 population


Source: NMDOH, NM Hospital Inpatient Discharge Data

Investing for tomorrow, delivering today.



Hospitalization Rate of Discharges by Primary Payer Category

New Mexico, 2016-2020



Rates have been age-adjusted to the standard U.S. 2000 population

Source: NMDOH, NM Hospital Inpatient Discharge Data


Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org



Ambulatory Care Sensitive Condition Hospitalization Rates by Region

New Mexico, 2016-2020



Rates have been age-adjusted to the standard U.S. 2000 population


Source: NMDOH, NM Hospital Inpatient Discharge Data

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Top Five Ambulatory Care Sensitive Condition Hospitalization Rates

New Mexico, 2020



Rates have been age-adjusted to the standard U.S. 2000 population


Source: NMDOH, NM Hospital Inpatient Discharge Data

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Count of All Hospitalizations vs Covid Hospitalizations

CY 2020 and CY 2021




Source: NMDOH, NM Hospital Inpatient Discharge Data

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Diabetes Hospitalization Rates by Region

New Mexico, 2016-2020



Rates have been age-adjusted to the standard U.S. 2000 population


Source: NMDOH, NM Hospital Inpatient Discharge Data – Diabetes as primary diagnosis

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org


Emergency Department Visit Rates by Age

New Mexico, 2016-2020



Number of Emergency Department Visits by Age and Quarter

New Mexico, 2020




Source: NMDOH, NM Emergency Department Data

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Teen Birth Rates

New Mexico, 2005-2020, and U.S., 2005-2020




Source: NMDOH, Bureau of Vital Records and Health Statistics; National Center for Health Statistics

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Teen Birth Rates by Health Region

New Mexico, 2020




Source: NMDOH, Bureau of Vital Records and Health Statistics

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Teen Birth Rates by Urban & Rural Counties

New Mexico, 2018-2020




Source: NMDOH, Bureau of Vital Records and Health Statistics

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Percentage of Births to Single Women

New Mexico, 2005-2020 and U.S., 2005-2020




Source: NMDOH, Bureau of Vital Records and Health Statistics; National Center for Health Statistics

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Percentage of Births to Single Women

By Health Region, New Mexico, 2020




Source: NMDOH, Bureau of Vital Records and Health Statistics

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Life Expectancy at Birth

New Mexico, 2005-2020 and U.S., 2005-2019



Source: NMDOH, New Mexico Indicator-Based Information System (NM IBIS)




Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Life Expectancy at Birth by Health Region

New Mexico, 2020




Source: NMDOH, New Mexico Indicator-Based Information System (NM IBIS)

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Life Expectancy Trend by Sex

New Mexico, 2005-2020




Source: NMDOH, New Mexico Indicator-Based Information System (NM IBIS)

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Life Expectancy Trend by Race/Ethnicity

New Mexico, 2005 - 2020




Source: NMDOH, New Mexico Indicator-Based Information System (NM IBIS)

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Infant Mortality Rates

New Mexico, 2005-2019 and U.S., 2005-2019




Source: Bureau of Vital Records and Health Statistics; NCHS

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Infant Mortality Rates by Health Region

New Mexico, 2019




Source: NMDOH, Bureau of Vital Records and Health Statistics

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Infant Mortality Rates by Urban & Rural Counties

New Mexico, 2017-2019




Source: NMDOH, Bureau of Vital Records and Health Statistics

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Infant Mortality Rates

New Mexico, 1930 – 2020 and U.S., 1930-2019




Source: NMDOH, Bureau of Vital Records and Health Statistics; NCHS

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Infant Mortality Rates

New Mexico, 2005-2020 and U.S., 2005-2019




Source: NMDOH, Bureau of Vital Records and Health Statistics; NCHS

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Infant Mortality Rates by Health Region

New Mexico, 2020



Source: NMDOH, Bureau of Vital Records and Health Statistics




Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Infant Mortality Rates by Urban and Rural Counties

New Mexico, 2018-2020




Source: NMDOH, Bureau of Vital Records and Health Statistics

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Infant Mortality Rates by Race/Ethnicity

New Mexico, 2020




Source: NMDOH, Bureau of Vital Records and Health Statistics

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Total Death Rates

New Mexico, 2005-2020 and U.S., 2005-2018



Rates have been age-adjusted to the standard U.S. 2000 population


Source: NMDOH, Bureau of Vital Records and Health Statistics; CDC WONDER

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Total Death Rates by Health Region

New Mexico, 2020



Rates have been age-adjusted to the standard U.S. 2000 population


Source: NMDOH, Bureau of Vital Records and Health Statistics

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Total Death Rates by Urban and Rural Counties

New Mexico, 2018-2020



Rates have been age-adjusted to the standard U.S. 2000 population


Source: NMDOH, Bureau of Vital Records and Health Statistics

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Total Death Rates by Race/Ethnicity and Sex

New Mexico, 2020



Rates have been age-adjusted to the standard U.S. 2000 population


Source: NMDOH, Bureau of Vital Records and Health Statistics

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Total Death Rates by Race/Ethnicity, Ages 0-24 Years

New Mexico, 2020




Source: NMDOH, Bureau of Vital Records and Health Statistics

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Total Death Rates by Race/Ethnicity, Ages 25-64 Years

New Mexico, 2020




Source: NMDOH, Bureau of Vital Records and Health Statistics

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Total Death Rates by Race/Ethnicity, Ages 65 and Older

New Mexico, 2020



Source: NMDOH, Bureau of Vital Records and Health Statistics

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Top 10 Leading Causes of Death

New Mexico, 2020 and U.S., 2020

New Mexico	Rank	United States
Heart disease	1	Heart disease
Cancer	2	Cancer
COVID-19	3	COVID-19
Unintentional injuries	4	Unintentional injuries
Chronic lower respiratory diseases	5	Cerebrovascular disease (stroke)
Cerebrovascular disease (stroke)	6	Chronic lower respiratory diseases
Diabetes	7	Alzheimer's disease
Chronic liver diseases and cirrhosis	8	Diabetes
Alzheimer's disease	9	Influenza and pneumonia
Suicide	10	Kidney disease

Sources: New Mexico - Vital Records and Health Statistics. United States - National Center for Health Statistics (NCHS)




Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Rates of 5 Leading Causes of Death

New Mexico, 2020 and U.S., 2020



Rates have been age-adjusted to the standard U.S. 2000 population

Source: NMDOH, Bureau of Vital Records and Health Statistics




Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Rates of 5 Leading Causes of Death

Northwest Region, New Mexico, 2020



Rates have been age-adjusted to the standard U.S. 2000 population

Source: NMDOH, Bureau of Vital Records and Health Statistics




Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Rates of 5 Leading Causes of Death

Northeast Region, New Mexico, 2020



Rates have been age-adjusted to the standard U.S. 2000 population


Source: NMDOH, Bureau of Vital Records and Health Statistics

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Rates of 5 Leading Causes of Death

Metro Region, New Mexico, 2020



Rates have been age-adjusted to the standard U.S. 2000 population


Source: NMDOH, Bureau of Vital Records and Health Statistics

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Rates of 5 Leading Causes of Death

Southeast Region, New Mexico, 2020



Rates have been age-adjusted to the standard U.S. 2000 population


Source: NMDOH, Bureau of Vital Records and Health Statistics

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Rates of 5 Leading Causes of Death

Southwest Region, New Mexico, 2020



Rates have been age-adjusted to the standard U.S. 2000 population


Source: NMDOH, Bureau of Vital Records and Health Statistics

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Heart Disease Death Rates

New Mexico, 2005-2020 and U.S., 2005-2020



Rates have been age-adjusted to the standard U.S. 2000 population

Source: NMDOH, Bureau of Vital Records and Health Statistics; CDC WONDER




Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Heart Disease Death Rates by Race/Ethnicity

New Mexico, 2020



Rates have been age-adjusted to the standard U.S. 2000 population


Source: NMDOH, Bureau of Vital Records and Health Statistics

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Heart Disease Death Rates by Health Region

New Mexico, 2020



Rates have been age-adjusted to the standard U.S. 2000 population


Source: NMDOH, Bureau of Vital Records and Health Statistics

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Heart Disease Death Rates by Urban and Rural Counties

New Mexico, 2018-2020



Rates have been age-adjusted to the standard U.S. 2000 population


Source: NMDOH, Bureau of Vital Records and Health Statistics

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Cancer Death Rates

New Mexico, 2005-2020 and U.S., 2005-2020



Rates have been age-adjusted to the standard U.S. 2000 population

Source: NMDOH, Bureau of Vital Records and Health Statistics; CDC WONDER




Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Cancer Death Rates by Race/Ethnicity

New Mexico, 2020



Rates have been age-adjusted to the standard U.S. 2000 population

Source: NMDOH, Bureau of Vital Records and Health Statistics




Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Cancer Death Rates by Health Region

New Mexico, 2020



Rates have been age-adjusted to the standard U.S. 2000 population

Source: NMDOH, Bureau of Vital Records and Health Statistics




Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Cancer Death Rates by Urban and Rural Counties

New Mexico, 2018-2020



Rates have been age-adjusted to the standard U.S. 2000 population


Source: NMDOH, Bureau of Vital Records and Health Statistics

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Chronic Lower Respiratory Disease Death Rates

New Mexico, 2006-2020 and U.S., 2006-2020



Rates have been age-adjusted to the standard U.S. 2000 population

Source: NMDOH, Bureau of Vital Records and Health Statistics; CDC WONDER




Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Chronic Lower Respiratory Disease Death Rates by Health Region

New Mexico, 2020



Rates have been age-adjusted to the standard U.S. 2000 population


Source: NMDOH, Bureau of Vital Records and Health Statistics

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Chronic Lower Respiratory Disease Death Rates by Urban and Rural Counties

New Mexico, 2018-2020



Rates have been age-adjusted to the standard U.S. 2000 population

Source: NMDOH, Bureau of Vital Records and Health Statistics




Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Cerebrovascular Disease Death Rates

New Mexico, 2006-2020 and U.S., 2006-2020



Rates have been age-adjusted to the standard U.S. 2000 population

Source: NMDOH, Bureau of Vital Records and Health Statistics; CDC WONDER




Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Cerebrovascular Disease Death Rates by Health Region

New Mexico, 2020



Rates have been age-adjusted to the standard U.S. 2000 population


Source: NMDOH, Bureau of Vital Records and Health Statistics

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Cerebrovascular Disease Death Rates by Urban and Rural Counties

New Mexico, 2018-2020



Rates have been age-adjusted to the standard U.S. 2000 population


Source: NMDOH, Bureau of Vital Records and Health Statistics

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Diabetes Death Rates

New Mexico, 2006-2020 and U.S., 2006-2020



Rates have been age-adjusted to the standard U.S. 2000 population

Source: NMDOH, Bureau of Vital Records and Health Statistics; CDC WONDER




Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Diabetes Death Rates by Health Region

New Mexico, 2020



Rates have been age-adjusted to the standard U.S. 2000 population


Source: NMDOH, Bureau of Vital Records and Health Statistics

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Diabetes Death Rates by Urban and Rural Counties

New Mexico, 2018-2020



Rates have been age-adjusted to the standard U.S. 2000 population


Source: NMDOH, Bureau of Vital Records and Health Statistics

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Unintentional Injury Death Rates by Health Region

New Mexico, 2020



Rates have been age-adjusted to the standard U.S. 2000 population

Source: NMDOH, Bureau of Vital Records and Health Statistics


Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org



Unintentional Injury Death Rates by Urban and Rural Counties

New Mexico, 2018-2020



Rates have been age-adjusted to the standard U.S. 2000 population

Source: NMDOH, Bureau of Vital Records and Health Statistics


Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org



Fall-related Death Rates Among Older Adults by Age Group

New Mexico, 2005-2020




Source: NMDOH, Bureau of Vital Records and Health Statistics

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Fall-related Death Rates Among Older Adults 65+, by Race/Ethnicity

New Mexico, 2016-2020



* indicates rates with less than 20 cases and are considered unreliable for comparisons


Source: NMDOH, Bureau of Vital Records and Health Statistics

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Fall-related Death Rates Among Older Adults 65+ by Health Region


New Mexico, 2016-2020



Source: NMDOH, Bureau of Vital Records and Health Statistics

Fall-related Death Rates Among Older Adults 65+ by Urban and Rural Counties

New Mexico, 2018-2020




Source: NMDOH, Bureau of Vital Records and Health Statistics

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Violent Death Rates*

New Mexico, 2005-2020 and U.S., 2005-2020



* Note: Violent Deaths are defined as deaths from homicides, suicides, and legal interventions. Rates have been age-adjusted to the standard U.S. 2000 population

Source: NMDOH, Bureau of Vital Records and Health Statistics; CDC WONDER




Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Violent Death Rates by Health Region

New Mexico, 2018-2020



Rates have been age-adjusted to the standard U.S. 2000 population


Source: NMDOH, Bureau of Vital Records and Health Statistics; CDC WONDER

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Violent Death Rates by Selected Mechanisms/Means

New Mexico and U.S., 2018-2020




Rates have been age-adjusted to the standard U.S. 2000 population

Source: NMDOH, Bureau of Vital Records and Health Statistics; CDC WONDER

Suicide Death Rates

New Mexico, 2005-2020 and U.S., 2005-2020



Rates have been age-adjusted to the standard U.S. 2000 population

Source: NMDOH, Bureau of Vital Records and Health Statistics; CDC WONDER




Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Suicide Death Rates by Age Group

New Mexico, 2020




Note: * indicates rates with less than 20 cases and are considered unreliable for comparisons

Source: NMDOH, Bureau of Vital Records and Health Statistics

Suicide Death Rates by Urban and Rural Counties

New Mexico, 2018-2020




Rates have been age-adjusted to the standard U.S. 2000 population

Source: NMDOH, Bureau of Vital Records and Health Statistics

Youth (Ages 15-19) Suicide Death Rates

New Mexico, 2005-2020 and U.S., 2005-2020




Source: NMDOH, Bureau of Vital Records and Health Statistics

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Youth (Ages 15-19) Suicide Death Rates by Health Region

New Mexico, 2016-2020



Source: NMDOH, Bureau of Vital Records and Health Statistics


Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org



Firearm Injury Death Rates

New Mexico, 2005-2020 and U.S., 2005-2020



Rates have been age-adjusted to the standard U.S. 2000 population

Source: NMDOH, Bureau of Vital Records and Health Statistics; CDC WONDER




Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Firearm Injury Death Rates by Race/Ethnicity

New Mexico, 2020




Note: * indicates rates with less than 20 cases and are considered unreliable for comparisons
Rates have been age-adjusted to the standard U.S. 2000 population

Source: NMDOH, Bureau of Vital Records and Health Statistics

Firearm Injury Death Rates by Health Region

New Mexico, 2020




Rates have been age-adjusted to the standard U.S. 2000 population

Source: NMDOH, Bureau of Vital Records and Health Statistics

Firearm Injury Death Rates by Urban and Rural Counties

New Mexico, 2020



Rates have been age-adjusted to the standard U.S. 2000 population


Source: NMDOH, Bureau of Vital Records and Health Statistics

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Chronic Liver Disease Death Rates

New Mexico, 2005-2019 and U.S., 2005-2018



Rates have been age-adjusted to the standard U.S. 2000 population


Source: NMDOH, Bureau of Vital Records and Health Statistics; CDC WONDER

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Chronic Liver Disease Death Rates by Race/Ethnicity

New Mexico, 2017 - 2019



Rates have been age-adjusted to the standard U.S. 2000 population


Source: NMDOH, Bureau of Vital Records and Health Statistics

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Chronic Liver Disease Death Rates by Health Region

New Mexico, 2019



Rates have been age-adjusted to the standard U.S. 2000 population


Source: NMDOH, Bureau of Vital Records and Health Statistics

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Chronic Liver Disease Death Rates by Urban and Rural Counties

New Mexico, 2017-2019



Rates have been age-adjusted to the standard U.S. 2000 population


Source: NMDOH, Bureau of Vital Records and Health Statistics

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Drug Overdose Death Rates

New Mexico and U.S., 1990-2020



Rates have been age-adjusted to the standard U.S. 2000 population.
ICD-10 codes include X40-X44, X60-X64, X85, and Y10-Y14.

Source: NMDOH, Bureau of Vital Records and Health Statistics; CDC WONDER




Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Drug Overdose Death Rates by Health Region

New Mexico, 2016-2020




Rates have been age-adjusted to the standard U.S. 2000 population

Source: NMDOH, Bureau of Vital Records and Health Statistics; UNM-GPS; IBEB SAES

Drug Overdose Death Rates by Urban and Rural Counties

New Mexico, 2016-2020




Rates have been age-adjusted to the standard U.S. 2000 population

Source: NMDOH, Bureau of Vital Records and Health Statistics; UNM-GPS; IBEB SAES

Years of Potential Life Lost (YPLL) Before Age 75

New Mexico, 2019




Source: NMDOH, Bureau of Vital Records and Health Statistics; UNM-GPS; IBEB SAES

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Years of Potential Life Lost (YPLL) Before Age 75

New Mexico, 2020




Source: NMDOH, Bureau of Vital Records and Health Statistics; UNM-GPS; IBEB SAES

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Disability-Adjusted Life Years (DALYs)

NM vs. U.S. Age-standardized Total DALYs, 1999-2019




Source: University of Washington, Institute for Health Metrics and Evaluation, Global Burden of Disease 2019

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

DALYs: NM vs. U.S., Age 70+

Total DALYs, 1999-2019




Source: University of Washington, Institute for Health Metrics and Evaluation, Global Burden of Disease 2019

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

DALYs: Top 10 Conditions Age-Standardized

New Mexico vs. U.S., 2018




Source: University of Washington, Institute for Health Metrics and Evaluation, Global Burden of Disease 2019

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

DALYs: Top 10 Conditions Age-Standardized

New Mexico vs. U.S., 2019




Source: University of Washington, Institute for Health Metrics and Evaluation, Global Burden of Disease 2019

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

DALYs: Top 10 Conditions Age 70+

New Mexico vs. U.S., 2018




Source: University of Washington, Institute for Health Metrics and Evaluation, Global Burden of Disease 2019

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

DALYs: Top 10 Conditions Age 70+

New Mexico vs. U.S., 2019



Source: University of Washington, Institute for Health Metrics and Evaluation, Global Burden of Disease 2019

Investing for tomorrow, delivering today.

1190 S. St. Francis Drive • Santa Fe, NM 87505 • Phone: 505-827-2613 • Fax: 505-827-2530 • nmhealth.org

Highlights

General Conclusions

- Health status is inversely associated with poverty at the community level.
- Indicators with greater than twice the risk for persons living in high poverty areas include: teen birth, deaths due to chronic liver disease, diabetes, influenza and pneumonia.
- Chronic disease mortality rates continue to decrease in New Mexico.
- Injury and substance abuse death rates are stable or increasing.
- The infant mortality rate reduction in NM is a success story but disparities remain.
- Geographic, socioeconomic and racial/ethnic disparities persist in NM, particularly in rural areas.

Data Sources

- **ABCs:** CDC Active Bacterial Core Surveillance Program
- **BRFSS:** NM Behavioral Risk Factor Surveillance System
- CDC FluView
- CDC Summary of Notifiable Diseases
- CDC Wonder
- **ED:** NMDOH Emergency Department Data
- **eHARS:** New Mexico Enhanced HIV/AIDS Reporting System
- FluServ-NET
- **HCUP:** Healthcare Cost and Utilization Project, Agency for Healthcare Research and Quality (AHRQ)
- **HIDD:** NMDOH Hospital Inpatient Discharge Data
- IHME Global Burden of Disease
- ILI Net
- NM Childhood Obesity Surveillance System
- **NM-EDSS:** NM Electronic Disease Surveillance System
- **NM-IBIS:** NM Indicator-Based Information System
- NMDOH Healthcare-associated Infections Program
- **PRAMS:** NM Pregnancy Risk Assessment Monitoring System
- **PRISM:** Patient Reporting Investigation Surveillance Manager
- Sentinel Site Surveillance Influenza Like Illness (ILI) Net
- US Census of Fatal Injury
- **VRHS:** NMDOH Vital Records Health Statistics
- **YRRS:** NM Youth Risk and Resiliency Survey

NM Health Status Resources

NM IBIS (Indicator Based Information System)

<https://ibis.doh.nm.gov/>

NM Environmental Public Health Tracking System

<https://nmtracking.doh.nm.gov/>

NM DOH health data presentations

<https://nmhealth.org/about/erd/hdps/>

NM DOH health data resources and publications

<https://nmhealth.org/data/>

NM DOH health data subscriber information

HealthData.NM@state.nm.us