Birth Generic Load

Birth Generic Load

Field Number	Column	Description	Datatype	Max Len	Hint	Application Page	Field Label	Is Updateable	Validation CODE_TYPE_CODE	Included in Legacy Extract										
1	BIRTH_REGISTRATION_BIRTH_CERTIFIER_IS_ATTENDANT	Birth Registration Birth Certifier Is Attendant	varchar	1		Birth - Attendant Certifier	Same As Attendant	Y		Y		int	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	Birth Reg	+isnull(BIRTH_REGIST		rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_CERTIFIER_IS_ATTENDANT,'')) +
2	BIRTH_REGISTRATION_BIRTH_DATE_CERTIFIED	Birth Registration Birth Date Certified	varchar	12				Y		Y	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_DATE_CERTIFIED,'')) +
3	BIRTH_TASK_ATTENDANT_ADDRESS_APARTMENT_NUM	Attendant's Address Apartment Number	varchar	20		Birth - Attendant Certifier	Apt #, Suite #,etc	Y		N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_ATTENDANT_ADDRESS_APARTMENT_NUM,'')) +
4	BIRTH_TASK_ATTENDANT_ADDRESS_CITY_PLACE_PLACE_NAME	Attendant Address City	varchar	100		Birth - Attendant Certifier	City or Town	Y		N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_ATTENDANT_ADDRESS_CITY_PLACE_PLACE_NAME,'')) +
5	BIRTH_TASK_ATTENDANT_ADDRESS_COUNTRY_PLACE_PLACE_NAME	Attendant Address Country	varchar	100		Birth - Attendant Certifier	Country	Y		N	EVENT_T	datetime	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_ATTENDANT_ADDRESS_COUNTRY_PLACE_PLACE_NAME,'')) +
6	BIRTH_TASK_ATTENDANT_ADDRESS_POST_DIRECT_CD_ID	Attendant's Address Post Direct	varchar	200	See Attachment S	Birth - Attendant Certifier	Post Directional	Y	43_BIRTH_TASK_ATTENDANT_ADDRESS_POST_DIRECT_CD_ID	N	EVENT_T	decimal	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_ATTENDANT_ADDRESS_POST_DIRECT_CD_ID,'')) +
7	BIRTH_TASK_ATTENDANT_ADDRESS_POSTAL_CODE_PLACE_PLACE_NAME	Attendant Address Zip Code	varchar	100		Birth - Attendant Certifier	Zip Code	Y		N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_ATTENDANT_ADDRESS_POSTAL_CODE_PLACE_PLACE_NAME,'')) +
8	BIRTH_TASK_ATTENDANT_ADDRESS_PRE_DIRECT_CD_ID	Attendant's Address Pre Direct	varchar	200	See Attachment S	Birth - Attendant Certifier	Pre Directional	Y	42_BIRTH_TASK_ATTENDANT_ADDRESS_PRE_DIRECT_CD_ID	N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_ATTENDANT_ADDRESS_PRE_DIRECT_CD_ID,'')) +
9	BIRTH_TASK_ATTENDANT_ADDRESS_STATE_PLACE_PLACE_NAME	Attendant Address State	varchar	100		Birth - Attendant Certifier	State	Y		N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_ATTENDANT_ADDRESS_STATE_PLACE_PLACE_NAME,'')) +
10	BIRTH_TASK_ATTENDANT_ADDRESS_STREET_DESIGNATOR	Attendant's Address Street Designator	varchar	200	See Attachment S	Birth - Attendant Certifier	Street Designator	Y	44_BIRTH_TASK_ATTENDANT_ADDRESS_STREET_DESIGNATOR_CD_ID	N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_ATTENDANT_ADDRESS_STREET_DESIGNATOR,'')) +
11	BIRTH_TASK_ATTENDANT_ADDRESS_STREET_NAME	Attendant's Address Street Name	varchar	60		Birth - Attendant Certifier	Street Name or PO Box, Rural Route, etc.	Y		N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_ATTENDANT_ADDRESS_STREET_NAME,'')) +
12	BIRTH_TASK_ATTENDANT_ADDRESS_STREET_NUMBER	Attendant's Address Street Number	varchar	15		Birth - Attendant Certifier	Street Number	Y		N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_ATTENDANT_ADDRESS_STREET_NUMBER,'')) +
13	BIRTH_TASK_ATTENDANT_LICENSE_PARTY_LICENSE_LICENSE_NUMBER	Attendant - PARTY_LICENSE - LICENSE_NUMBER	varchar	30		Birth - Attendant Certifier	Attendant License			N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_ATTENDANT_LICENSE_PARTY_LICENSE_LICENSE_NUMBER,'')) +
14	BIRTH_TASK_ATTENDANT_NAME_FIRST_NAME	Attendant's Name First Name	varchar	50		Birth - Attendant Certifier	First All Special Characters shall be stripped.	Y		N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(dt	if @parse	rtrim(ISNULL(@BIRTH_TASK_ATTENDANT_NAME_FIRST_NAME,'')) +
15	BIRTH_TASK_ATTENDANT_NAME_LAST_NAME	Attendant's Name Last Name	varchar	50		Birth - Attendant Certifier	Last All Special Characters shall be stripped.	Y		N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(dt	if @parse	rtrim(ISNULL(@BIRTH_TASK_ATTENDANT_NAME_LAST_NAME,'')) +
16	BIRTH_TASK_ATTENDANT_NAME_MIDDLE_NAME	Attendant's Name Middle Name	varchar	50		Birth - Attendant Certifier	Middle All Special Characters shall be stripped.	Y		N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(dt	if @parse	rtrim(ISNULL(@BIRTH_TASK_ATTENDANT_NAME_MIDDLE_NAME,'')) +
17	BIRTH_TASK_ATTENDANT_NAME_NAME_SUFFIX	Attendant's Name's Name Suffix	varchar	10		Birth - Attendant Certifier	Suffix All Special Characters shall be stripped.	Y		N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(dt	if @parse	rtrim(ISNULL(@BIRTH_TASK_ATTENDANT_NAME_NAME_SUFFIX,'')) +
18	BIRTH_TASK_ATTENDANT_NAME_OTHER_MIDDLE_NAME	Attendant - NAME - OTHER_MIDDLE_NAME	varchar	50		Birth - Attendant Certifier	Other Middle All Special Characters shall be stripped.	Y		N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(dt	if @parse	rtrim(ISNULL(@BIRTH_TASK_ATTENDANT_NAME_OTHER_MIDDLE_NAME,'')) +
19	BIRTH_TASK_ATTENDANT_NAME_TITLE_CD_ID	Attendant's Name Title	varchar	200	See Attachment S	Birth - Attendant Certifier	Attendant's Title	Y	161	N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(dt	if @parse	rtrim(ISNULL(@BIRTH_TASK_ATTENDANT_NAME_TITLE_CD_ID,'')) +
20	BIRTH_TASK_ATTENDANT_NAME_TITLE_OTHER	Attendant's Name Title Other	varchar	50		Birth - Attendant Certifier	Other Specify	Y		N	EVENT_TYPE	BIRTH	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(dt	if @parse	rtrim(ISNULL(@BIRTH_TASK_ATTENDANT_NAME_TITLE_OTHER,'')) +
21	BIRTH_TASK_ATTENDANT_PARTY_LICENSE_LICENSE_NUMBER	Attendant's License License Number	varchar	30		Birth - Attendant Certifier	Attendant NPI			N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_ATTENDANT_PARTY_LICENSE_LICENSE_NUMBER,'')) +
22	BIRTH_TASK_CERTIFIER_NAME_FIRST_NAME	Certifier's Name First Name	varchar	50		Birth - Attendant Certifier	First All Special Characters shall be stripped.	Y		N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(dt	if @parse	rtrim(ISNULL(@BIRTH_TASK_CERTIFIER_NAME_FIRST_NAME,'')) +
23	BIRTH_TASK_CERTIFIER_NAME_LAST_NAME	Certifier-Last Name	varchar	50		Birth - Attendant Certifier	Last All Special Characters shall be stripped.	Y		N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(dt	if @parse	rtrim(ISNULL(@BIRTH_TASK_CERTIFIER_NAME_LAST_NAME,'')) +
24	BIRTH_TASK_CERTIFIER_NAME_MIDDLE_NAME	Certifier's Name Middle Name	varchar	50		Birth - Attendant Certifier	Middle All Special Characters shall be stripped.	Y		N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(dt	if @parse	rtrim(ISNULL(@BIRTH_TASK_CERTIFIER_NAME_MIDDLE_NAME,'')) +
25	BIRTH_TASK_CERTIFIER_NAME_NAME_SUFFIX	Certifier-Name Suffix	varchar	10		Birth - Attendant Certifier	Suffix All Special Characters shall be stripped.	Y		N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(dt	if @parse	rtrim(ISNULL(@BIRTH_TASK_CERTIFIER_NAME_NAME_SUFFIX,'')) +
26	BIRTH_TASK_CERTIFIER_NAME_OTHER_MIDDLE_NAME	Certifier - NAME - OTHER_MIDDLE_NAME	varchar	50		Birth - Attendant Certifier	Other Middle All Special Characters shall be stripped.	Y		N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(dt	if @parse	rtrim(ISNULL(@BIRTH_TASK_CERTIFIER_NAME_OTHER_MIDDLE_NAME,'')) +
27	BIRTH_TASK_CERTIFIER_NAME_TITLE_CD_ID	Certifier's Name Title	varchar	200	See Attachment S	Birth - Attendant Certifier	Certifier's Title	Y	162	N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(dt	if @parse	rtrim(ISNULL(@BIRTH_TASK_CERTIFIER_NAME_TITLE_CD_ID,'')) +
28	BIRTH_TASK_CERTIFIER_NAME_TITLE_OTHER	Certifier-Title Other Specify	varchar	50		Birth - Attendant Certifier	Other Specify	Y		N	EVENT_TYPE	BIRTH	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(dt	if @parse	rtrim(ISNULL(@BIRTH_TASK_CERTIFIER_NAME_TITLE_OTHER,'')) +
29	BIRTH_TASK_CERTIFIER_PARTY_LICENSE_LICENSE_NUMBER	Certifier-License Number	varchar	30		Birth - Attendant Certifier	Certifier NPI			N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_CERTIFIER_PARTY_LICENSE_LICENSE_NUMBER,'')) +
30	BIRTH_REGISTRATION_BIRTH_BREASTFED_CD_ID	Birth Registration Birth Breastfed	varchar	200	See Attachment S	Birth - Child	Is infant being breastfed at discharge?		29_BIRTH_REGISTRATION_BIRTH_BREASTFED_CD_ID	Y	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_BREASTFED_CD_ID,'')) +
31	BIRTH_REGISTRATION_BIRTH_LIVE_AT_REPORT_CD_ID	Birth Registration Birth Live At Report	varchar	200	See Attachment S	Birth - Child	Is infant living at time of Report?		29_BIRTH_REGISTRATION_BIRTH_LIVE_AT_REPORT_CD_ID	Y	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_LIVE_AT_REPORT_CD_ID,'')) +
32	BIRTH_REGISTRATION_REGISTRATION_EVENT_DATE_LONG	Birth Registration - REGISTRATION - EVENT_DATE	varchar	19						Y	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_REGISTRATION_EVENT_DATE_LONG,'')) +
33	BIRTH_TASK_CHILD_CHILD_SSN_REQUEST_CD_ID	Child Child Ssn Request	varchar	200	See Attachment S	Birth - Child	Request SSN for Child		144	Y	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_CHILD_CHILD_SSN_REQUEST_CD_ID,'')) +
34	BIRTH_TASK_CHILD_NAME_FIRST_NAME	Child's Name First Name	varchar	50		Adoption - Child	First All Special Characters shall be stripped.	Y		Y	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(dt	if @parse	rtrim(ISNULL(@BIRTH_TASK_CHILD_NAME_FIRST_NAME,'')) +
35	BIRTH_TASK_CHILD_NAME_LAST_NAME	Child's Name Last Name	varchar	50		Adoption - Child	Last All Special Characters shall be stripped.	Y		Y	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(dt	if @parse	rtrim(ISNULL(@BIRTH_TASK_CHILD_NAME_LAST_NAME,'')) +
36	BIRTH_TASK_CHILD_NAME_MIDDLE_NAME	Child's Name Middle Name	varchar	50		Adoption - Child	Middle All Special Characters shall be stripped.	Y		Y	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(dt	if @parse	rtrim(ISNULL(@BIRTH_TASK_CHILD_NAME_MIDDLE_NAME,'')) +
37	BIRTH_TASK_CHILD_NAME_NAME_SUFFIX	Child's Name's Name Suffix	varchar	10		Adoption - Child	Suffix All Special Characters shall be stripped.	Y		Y	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(dt	if @parse	rtrim(ISNULL(@BIRTH_TASK_CHILD_NAME_NAME_SUFFIX,'')) +
38	BIRTH_TASK_CHILD_NAME_OTHER_MIDDLE_NAME	Child's Name Other Middle Name	varchar	50		Adoption - Child	Other Middle All Special Characters shall be stripped.	Y		Y	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(dt	if @parse	rtrim(ISNULL(@BIRTH_TASK_CHILD_NAME_OTHER_MIDDLE_NAME,'')) +
39	BIRTH_TASK_CHILD_PERSON_GENDER_CD_ID	Child Person Gender	varchar	200	See Attachment S	Adoption - Child	Gender	Y	BIRTH_TASK_CHILD_PERSON_GENDER_CD_ID	Y	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(dt	if @parse	rtrim(ISNULL(@BIRTH_TASK_CHILD_PERSON_GENDER_CD_ID,'')) +
40	BIRTH_TASK_CHILD_PERSON_SSN	Child Person Ssn	varchar	9		Birth - Child	Child SSN			Y	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_CHILD_PERSON_SSN,'')) +
41	BIRTH_REGISTRATION_BIRTH_DELIVERY_ATTEMPTED_FORCEPS_CD_ID	Birth Registration Birth Delivery Attempted Forceps	varchar	200	See Attachment S	Birth - Delivery	Was Delivery with Forceps Attempted but Unsuccessful?		29_BIRTH_REGISTRATION_BIRTH_DELIVERY_ATTEMPTED_FORCEPS_CD_ID	Y	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_DELIVERY_ATTEMPTED_FORCEPS_CD_ID,'')) +
42	BIRTH_REGISTRATION_BIRTH_DELIVERY_ATTEMPTED_VACUUM_CD_ID	Birth Registration Birth Delivery Attempted Vacuum	varchar	200	See Attachment S	Birth - Delivery	Was Delivery with Vacuum Extraction Attempted but Unsuccessful?		29_BIRTH_REGISTRATION_BIRTH_DELIVERY_ATTEMPTED_VACUUM_CD_ID	Y	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_DELIVERY_ATTEMPTED_VACUUM_CD_ID,'')) +
43	BIRTH_REGISTRATION_BIRTH_DELIVERY_DELIVERY_METHOD_CD_ID	Birth Registration Birth Delivery Delivery Method	varchar	200	See Attachment S	Birth - Delivery	Final Route and Method of Delivery		155	Y	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_DELIVERY_DELIVERY_METHOD_CD_ID,'')) +
44	BIRTH_REGISTRATION_BIRTH_DELIVERY_FETAL_PRESENTATION_CD_ID	Birth Registration Birth Delivery Fetal Presentation	varchar	200	See Attachment S	Birth - Delivery	Fetal Presentation at Birth		154	Y	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_DELIVERY_FETAL_PRESENTATION_CD_ID,'')) +
45	BIRTH_REGISTRATION_BIRTH_DELIVERY_TRIAL_OF_LABOR_CD_ID	Birth Registration Birth Delivery Trial Of Labor	varchar	200	See Attachment S	Birth - Delivery	If Cesarean, was a Trial of Labor Attempted?		29_BIRTH_REGISTRATION_BIRTH_DELIVERY_TRIAL_OF_LABOR_CD_ID	Y	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_DELIVERY_TRIAL_OF_LABOR_CD_ID,'')) +
46	BIRTH_REGISTRATION_BIRTH_INFANT_TRANSFERRED_CD_ID	Birth Registration Birth Infant Transferred	varchar	200	See Attachment S	Birth - Delivery	Infant Transferred within 24 hours of delivery		29_BIRTH_REGISTRATION_BIRTH_INFANT_TRANSFERRED_CD_ID	Y	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_INFANT_TRANSFERRED_CD_ID,'')) +
47	BIRTH_REGISTRATION_BIRTH_MOTHER_TRANSFERRED_CD_ID	Birth Registration Birth Mother Transferred	varchar	200	See Attachment S	Birth - Delivery	Mother Transferred for maternal medical or fetal indication prior to delivery		29_BIRTH_REGISTRATION_BIRTH_MOTHER_TRANSFERRED_CD_ID	Y	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_MOTHER_TRANSFERRED_CD_ID,'')) +
48	BIRTH_TASK_FATHER_BIRTHPLACE_ADDRESS_COUNTRY_PLACE_PLACE_NAME	Father Birthplace Address Country	varchar	100		Adoption - Father	Birthplace Country			N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_FATHER_BIRTHPLACE_ADDRESS_COUNTRY_PLACE_PLACE_NAME,'')) +
49	BIRTH_TASK_FATHER_BIRTHPLACE_ADDRESS_POSTAL_CODE_PLACE_PLACE_NAME	Father Birthplace Address Zip Code	varchar	100		Adoption - Father	Zip Code			N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_FATHER_BIRTHPLACE_ADDRESS_POSTAL_CODE_PLACE_PLACE_NAME,'')) +
50	BIRTH_TASK_FATHER_BIRTHPLACE_ADDRESS_STATE_PLACE_PLACE_NAME	Father Birthplace Address State	varchar	100		Adoption - Father	Birthplace State			N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_FATHER_BIRTHPLACE_ADDRESS_STATE_PLACE_PLACE_NAME,'')) +
51	BIRTH_TASK_FATHER_NAME_FIRST_NAME	Father's Name First Name	varchar	50		Adoption - Father	First All Special Characters shall be stripped.	Y		Y	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(dt	if @parse	rtrim(ISNULL(@BIRTH_TASK_FATHER_NAME_FIRST_NAME,'')) +
52	BIRTH_TASK_FATHER_NAME_LAST_NAME	Father's Name Last Name	varchar	50		Adoption - Father	Last All Special Characters shall be stripped.	Y		Y	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(dt	if @parse	rtrim(ISNULL(@BIRTH_TASK_FATHER_NAME_LAST_NAME,'')) +
53	BIRTH_TASK_FATHER_NAME_MIDDLE_NAME	Father's Name Middle Name	varchar	50		Adoption - Father	Middle All Special Characters shall be stripped.	Y		Y	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(dt	if @parse	rtrim(ISNULL(@BIRTH_TASK_FATHER_NAME_MIDDLE_NAME,'')) +
54	BIRTH_TASK_FATHER_NAME_NAME_SUFFIX	Father's Name's Name Suffix	varchar	10		Adoption - Father	Suffix All Special Characters shall be stripped.	Y		Y	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(dt	if @parse	rtrim(ISNULL(@BIRTH_TASK_FATHER_NAME_NAME_SUFFIX,'')) +
55	BIRTH_TASK_FATHER_NAME_TITLE_CD_ID	Father - NAME - TITLE	varchar	10		Adoption - Father	Title	Y		Y	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(dt	if @parse	rtrim(ISNULL(@BIRTH_TASK_FATHER_NAME_TITLE_CD_ID,'')) +
56	BIRTH_TASK_FATHER_PERSON_AGE	Father Person Age	varchar	10		Adoption - Father	Age	Y		N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_FATHER_PERSON_AGE,'')) +
57	BIRTH_TASK_FATHER_PERSON_BIRTH_DATE_LONG	Father's BIRTH_DATE	varchar	19				Y		N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_FATHER_PERSON_BIRTH_DATE_LONG,'')) +
58	BIRTH_TASK_FATHER_PERSON_SSN	Father Person Ssn	varchar	9		Adoption - Father	Social Security Number			N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_FATHER_PERSON_SSN,'')) +
59	BIRTH_TASK_FATHER_PERSON_EDUCATION_LEVEL_CODE_ID	Father Person Education Level Code Id	varchar	200	See Attachment S	Birth - Father Attributes	Education		55_BIRTH_TASK_FATHER_PERSON_EDUCATION_LEVEL_CODE_ID	N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_FATHER_PERSON_EDUCATION_LEVEL_CODE_ID,'')) +
60	BIRTH_TASK_FATHER_PERSON_EDUCATION_YEARS	Father Person Education Years	varchar	10		Birth - Father Attributes Pri	Education			N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_FATHER_PERSON_EDUCATION_YEARS,'')) +
61	BIRTH_TASK_FATHER_BIRTHPLACE_FIPS_COUNTRY_GEO_CODE_GEO_CODE_VALUE	Father Birthplace Fops Country Geo Code Geo Code	varchar	20		Birth - Geocodes	FIPS Country			N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_FATHER_BIRTHPLACE_FIPS_COUNTRY_GEO_CODE_GEO_CODE_VALUE,'')) +
62	BIRTH_TASK_FATHER_BIRTHPLACE_FIPS_STATE_GEO_CODE_GEO_CODE_VALUE	Father Birthplace Fops State Geo Code Geo Code Va	varchar	20		Birth - Geocodes	FIPS State			N	EVENT_TYPE	BIRTH	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_FATHER_BIRTHPLACE_FIPS_STATE_GEO_CODE_GEO_CODE_VALUE,'')) +
63	BIRTH_TASK_MOTHER_ADDRESS_CENSUS_BLOCK	Mother's Address Census Block	varchar	30		Birth - Geocodes	Census Block Root			N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_ADDRESS_CENSUS_BLOCK,'')) +
64	BIRTH_TASK_MOTHER_ADDRESS_CENSUS_BLOCK_SUFFIX	Mother's Address Census Block	varchar	30		Birth - Geocodes	Census Block Root			N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_ADDRESS_CENSUS_BLOCK_SUFFIX,'')) +
65	BIRTH_TASK_MOTHER_ADDRESS_CENSUS_TRACT	Mother's Address Census Tract	varchar	30		Birth - Geocodes	Census Tract Root			N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_ADDRESS_CENSUS_TRACT,'')) +
66	BIRTH_TASK_MOTHER_ADDRESS_CENSUS_TRACT_SUFFIX	Mother's Address Census Tract	varchar	30		Birth - Geocodes	Census Tract Root			N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_ADDRESS_CENSUS_TRACT_SUFFIX,'')) +
67	BIRTH_TASK_MOTHER_ADDRESS_GIS_CENTROID_TYPE	Mother's Address Gis Centroid Type	varchar	1		Birth - Geocodes	Centroid Type			N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_ADDRESS_GIS_CENTROID_TYPE,'')) +
68	BIRTH_TASK_MOTHER_ADDRESS_GIS_MATCH_STATUS	Mother's Address Gis Match Status	varchar	10		Birth - Geocodes	Match Status			N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_ADDRESS_GIS_MATCH_STATUS,'')) +
69	BIRTH_TASK_MOTHER_ADDRESS_LATTITUDE	Mother's Address Latitude	varchar	20		Birth - Geocodes	Latitude			N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_ADDRESS_LATTITUDE,'')) +
70	BIRTH_TASK_MOTHER_ADDRESS_LONGITUDE	Mother's Address Longitude	varchar	20		Birth - Geocodes	Longitude			N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_ADDRESS_LONGITUDE,'')) +
71	BIRTH_TASK_MOTHER_BIRTHPLACE_FIPS_COUNTRY_GEO_CODE_GEO_CODE_VALUE	Mother Birthplace Fops Country Geo Code Geo Code	varchar	20		Birth - Geocodes	FIPS Country			N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_BIRTHPLACE_FIPS_COUNTRY_GEO_CODE_GEO_CODE_VALUE,'')) +
72	BIRTH_TASK_MOTHER_BIRTHPLACE_FIPS_STATE_GEO_CODE_GEO_CODE_VALUE	Mother Birthplace Fops State Geo Code Geo Code Va	varchar	20		Birth - Geocodes	FIPS State			N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_BIRTHPLACE_FIPS_STATE_GEO_CODE_GEO_CODE_VALUE,'')) +
73	BIRTH_TASK_MOTHER_BOROUGH_CODE_GEO_CODE_GEO_CODE_VALUE	Mother Borough Code Geo Code Geo Code Value	varchar	20		Birth - Geocodes	Borough			N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_BOROUGH_CODE_GEO_CODE_GEO_CODE_VALUE,'')) +
74	BIRTH_TASK_MOTHER_FIPS_COUNTRY_GEO_CODE_GEO_CODE_VALUE	Mother Fops Country Geo Code Geo Code Value	varchar	20		Birth - Geocodes	FIPS Country			N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_FIPS_COUNTRY_GEO_CODE_GEO_CODE_VALUE,'')) +
75	BIRTH_TASK_MOTHER_FIPS_COUNTY_GEO_CODE_GEO_CODE_VALUE	Mother Fops County Geo Code Geo Code Value	varchar	20		Birth - Geocodes	FIPS County			N	EVENT_TYPE	BIRTH	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_FIPS_COUNTY_GEO_CODE_GEO_CODE_VALUE,'')) +
76	BIRTH_TASK_MOTHER_FIPS_MCD_GEO_CODE_GEO_CODE_VALUE	Mother Fops Mad Geo Code Geo Code Value	varchar	20		Birth - Geocodes	FIPS MCD			N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_FIPS_MCD_GEO_CODE_GEO_CODE_VALUE,'')) +
77	BIRTH_TASK_MOTHER_FIPS_STATE_GEO_CODE_GEO_CODE_VALUE	Mother Fops State Geo Code Geo Code Value	varchar	20		Birth - Geocodes	FIPS State			N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_FIPS_STATE_GEO_CODE_GEO_CODE_VALUE,'')) +
78	BIRTH_TASK_MOTHER_HEALTH_AREA_GEO_CODE_GEO_CODE_VALUE	Mother Health Area - GEO_CODE - GEO_CODE_VAL	varchar	20		Birth - Geocodes	Health Area			N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_HEALTH_AREA_GEO_CODE_GEO_CODE_VALUE,'')) +
79	BIRTH_TASK_MOTHER_HEALTH_DISTRICT_GEO_CODE_GEO_CODE_VALUE	Mother Health District Geo Code Geo Code Value	varchar	20		Birth - Geocodes	Health Center District			N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_HEALTH_DISTRICT_GEO_CODE_GEO_CODE_VALUE,'')) +
80	BIRTH_TASK_MOTHER_IHS_CODE_GEO_CODE_GEO_CODE_VALUE	Mother IHS Code - GEO_CODE - GEO_CODE_VALUE	varchar	20		Birth - Geocodes	IHS			N	EVENT_TYPE	BIRTH	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_IHS_CODE_GEO_CODE_GEO_CODE_VALUE,'')) +
81	BIRTH_TASK_MOTHER_NCHS_GEOCODE_GEO_CODE_GEO_CODE_VALUE	Mother Niches Geocode Geo Code Geo Code Value	varchar	20		Birth - Geocodes	NCHS Geo-Code			N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_NCHS_GEOCODE_GEO_CODE_GEO_CODE_VALUE,'')) +
82	BIRTH_TASK_MOTHER_STATE_GEOCODE_GEO_CODE_GEO_CODE_VALUE	Mother State Geocode Geo Code Geo Code Value	varchar	20		Birth - Geocodes	Geo-Code			N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_STATE_GEOCODE_GEO_CODE_GEO_CODE_VALUE,'')) +
83	BIRTH_TASK_PLACE_OF_BIRTH_ADDRESS_CENSUS_BLOCK	Place Of Birth's Address Census Block	varchar	30		Birth - Geocodes	Census Block Root			Y	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_PLACE_OF_BIRTH_ADDRESS_CENSUS_BLOCK,'')) +
84	BIRTH_TASK_PLACE_OF_BIRTH_ADDRESS_CENSUS_BLOCK_SUFFIX	Place Of Birth's Address Census Block	varchar	30		Birth - Geocodes	Census Block Root			Y	EVENT_TYPE	BIRTH	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_PLACE_OF_BIRTH_ADDRESS_CENSUS_BLOCK_SUFFIX,'')) +
85	BIRTH_TASK_PLACE_OF_BIRTH_ADDRESS_CENSUS_TRACT	Place Of Birth's Address Census Tract	varchar	30		Birth - Geocodes	Census Tract Root			Y	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_PLACE_OF_BIRTH_ADDRESS_CENSUS_TRACT,'')) +
86	BIRTH_TASK_PLACE_OF_BIRTH_ADDRESS_CENSUS_TRACT_SUFFIX	Place Of Birth's Address Census Tract	varchar	30		Birth - Geocodes	Census Tract Root			Y	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_PLACE_OF_BIRTH_ADDRESS_CENSUS_TRACT_SUFFIX,'')) +
87	BIRTH_TASK_PLACE_OF_BIRTH_ADDRESS_GIS_CENTROID_TYPE	Place Of Birth's Address Gis Centroid Type	varchar	1		Birth - Geocodes	Centroid Type			Y	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_PLACE_OF_BIRTH_ADDRESS_GIS_CENTROID_TYPE,'')) +
88	BIRTH_TASK_PLACE_OF_BIRTH_ADDRESS_GIS_MATCH_STATUS	Place Of Birth's Address Gis Match Status	varchar	10		Birth - Geocodes	Match Status			Y	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_PLACE_OF_BIRTH_ADDRESS_GIS_MATCH_STATUS,'')) +
89	BIRTH_TASK_PLACE_OF_BIRTH_ADDRESS_LATTITUDE	Place Of Birth's Address Latitude	varchar	20		Birth - Geocodes	Latitude			Y	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_PLACE_OF_BIRTH_ADDRESS_LATTITUDE,'')) +
90	BIRTH_TASK_PLACE_OF_BIRTH_ADDRESS_LONGITUDE	Place Of Birth's Address Longitude	varchar	20		Birth - Geocodes	Longitude			Y	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_PLACE_OF_BIRTH_ADDRESS_LONGITUDE,'')) +
91	BIRTH_TASK_PLACE_OF_BIRTH_BOROUGH_CODE_GEO_CODE_GEO_CODE_VALUE	Facility Of Birth Borough Code Geo Code Geo Code V	varchar	20		Birth - Geocodes	Borough			Y	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_PLACE_OF_BIRTH_BOROUGH_CODE_GEO_CODE_GEO_CODE_VALUE,'')) +
92	BIRTH_TASK_PLACE_OF_BIRTH_FIPS_COUNTRY_GEO_CODE_GEO_CODE_VALUE	Facility Of Birth Fops Country Geo Code Geo Code V	varchar	20		Birth - Geocodes	FIPS Country			Y	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_PLACE_OF_BIRTH_FIPS_COUNTRY_GEO_CODE_GEO_CODE_VALUE,'')) +
93	BIRTH_TASK_PLACE_OF_BIRTH_FIPS_COUNTY_GEO_CODE_GEO_CODE_VALUE	Facility Of Birth Fops County Geo Code Geo Code Va	varchar	20		Birth - Geocodes	FIPS County			Y	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_PLACE_OF_BIRTH_FIPS_COUNTY_GEO_CODE_GEO_CODE_VALUE,'')) +
94	BIRTH_TASK_PLACE_OF_BIRTH_FIPS_MCD_GEO_CODE_GEO_CODE_VALUE	Facility Of Birth Fops Mad Geo Code Geo Code Value	varchar	20		Birth - Geocodes	FIPS MCD			Y	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_PLACE_OF_BIRTH_FIPS_MCD_GEO_CODE_GEO_CODE_VALUE,'')) +
95	BIRTH_TASK_PLACE_OF_BIRTH_FIPS_STATE_GEO_CODE_GEO_CODE_VALUE	Facility Of Birth Fops State Geo Code Geo Code Valu	varchar	20		Birth - Geocodes	FIPS State			Y	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_PLACE_OF_BIRTH_FIPS_STATE_GEO_CODE_GEO_CODE_VALUE,'')) +
96	BIRTH_TASK_PLACE_OF_BIRTH_HEALTH_AREA_GEO_CODE_GEO_CODE_VALUE	Facility of Birth Health Area - GEO_CODE - GEO_COI	varchar	20		Birth - Geocodes	Health Area			Y	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_PLACE_OF_BIRTH_HEALTH_AREA_GEO_CODE_GEO_CODE_VALUE,'')) +
97	BIRTH_TASK_PLACE_OF_BIRTH_HEALTH_DISTRICT_GEO_CODE_GEO_CODE_VALUE	Facility Of Birth Health District Geo Code Geo Code V	varchar	20		Birth - Geocodes	Health Center District			Y	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_PLACE_OF_BIRTH_HEALTH_DISTRICT_GEO_CODE_GEO_CODE_VALUE,'')) +
98	BIRTH_TASK_PLACE_OF_BIRTH_IHS_CODE_GEO_CODE_GEO_CODE_VALUE	Facility of Birth IHS Code - GEO_CODE - GEO_CODE	varchar	20		Birth - Geocodes	IHS			N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_PLACE_OF_BIRTH_IHS_CODE_GEO_CODE_GEO_CODE_VALUE,'')) +
99	BIRTH_TASK_PLACE_OF_BIRTH_NCHS_GEOCODE_GEO_CODE_GEO_CODE_VALUE	Facility Of Birth Niches Geocode Geo Code Geo Code	varchar	20		Birth - Geocodes	NCHS Geo-Code			Y	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_PLACE_OF_BIRTH_NCHS_GEOCODE_GEO_CODE_GEO_CODE_VALUE,'')) +
100	BIRTH_TASK_PLACE_OF_BIRTH_STATE_GEOCODE_GEO_CODE_GEO_CODE_VALUE	Facility Of Birth State Geocode Geo Code Geo Code	varchar	20		Birth - Geocodes	Geo-Code			Y	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_PLACE_OF_BIRTH_STATE_GEOCODE_GEO_CODE_GEO_CODE_VALUE,'')) +
101	BIRTH_DEATH_LINK_REGISTRATION_EVENT_DATE_LONG	Death linked to Birth - REGISTRATION - EVENT_DAT	varchar	19						N	EVENT_T	1	BIRTH_D	BIRTH_D	BIRTH_D	BIRTH_DE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_DEATH_LINK_REGISTRATION_EVENT_DATE_LONG,'')) +
102	BIRTH_DEATH_LINK_REGISTRATION_FILE_NUMBER	Death Linked To Birth Registration File Number	varchar	50		Birth - Identifiers	Death State File Number	Y		N	EVENT_T	1	BIRTH_D	BIRTH_D	BIRTH_D	BIRTH_DE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_DEATH_LINK_REGISTRATION_FILE_NUMBER,'')) +
103	BIRTH_DEATH_LINK_REGISTRATION_OOS_FILE_NUMBER	Death Linked To Birth Registration Osos File Number	varchar	50		Birth - Identifiers	Out of State File Number	Y		N	EVENT_T	1	BIRTH_D	BIRTH_D	BIRTH_D	BIRTH_DE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_DEATH_LINK_REGISTRATION_OOS_FILE_NUMBER,'')) +
104	BIRTH_REGISTRATION_BIRTH_ADOPTION_CASE	Birth Registration - BIRTH - ADOPTION_CASE	varchar	200		Birth - Identifiers	Adoption Case #			Y	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_ADOPTION_CASE,'')) +
105	BIRTH_REGISTRATION_BIRTH_INTERSTATE_EXCHANGE_EXTRACT_DATE	Birth Registration Birth Interstate Exchange Extract Da	varchar	12		Birth - Identifiers	Interstate Exchange Extract Date			Y	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_INTERSTATE_EXCHANGE_EXTRACT_DATE,'')) +
106	BIRTH_REGISTRATION_BIRTH_REGISTRATION_ID	Birth Registration Birth Registration Id	varchar	10		Birth - Identifiers	Case/Record Id			Y	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_REGISTRATION_ID,'')) +
107	BIRTH_REGISTRATION_REGISTRATION_FILE_DATE_LONG	Birth Registration - REGISTRATION - FILE_DATE	varchar	19		Birth - Identifiers	File Date	Y		N	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_REGISTRATION_FILE_DATE_LONG,'')) +
108	BIRTH_REGISTRATION_REGISTRATION_FILE_NUMBER		varchar	6		Birth - Identifiers	File Number	Y		N	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_REGISTRATION_FILE_NUMBER,'')) +
109	BIRTH_REGISTRATION_REGISTRATION_INTERSTATE_EXCHANGE_PRINT_DATE_LONG	Birth Registration - REGISTRATION - INTERSTATE_E	varchar	19						N	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_REGISTRATION_INTERSTATE_EXCHANGE_PRINT_DATE_LONG,'')) +
110	BIRTH_REGISTRATION_REGISTRATION_NCHS_EXTRACT_DATE_LONG	Birth Registration - REGISTRATION - NCHS_EXTRAC	varchar	19						Y	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_REGISTRATION_NCHS_EXTRACT_DATE_LONG,'')) +
111	BIRTH_REGISTRATION_REGISTRATION_OOS_FILE_NUMBER	Birth Registration Registration Osos File Number	varchar	50		Birth - Identifiers	Out of State File Number			Y	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_REGISTRATION_OOS_FILE_NUMBER,'')) +
112	BIRTH_REGISTRATION_REGISTRATION_REGISTRATION_SOURCE_CD_ID	Birth Registration Registration Registration Source	varchar	200	See Attachment S	Birth - Identifiers	Record Source	Y	39	Y	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_REGISTRATION_REGISTRATION_SOURCE_CD_ID,'')) +
113	BIRTH_REGISTRATION_REGISTRATION_SSA_EXTRACT_DATE_LONG	Birth Registration - REGISTRATION - SSA_EXTRACT	varchar	19						Y	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_REGISTRATION_SSA_EXTRACT_DATE_LONG,'')) +
114	BIRTH_REGISTRATION_BIRTH_INFORMANT_RELATION_CD_ID	Birth Registration Birth Informant Relation	varchar	200	See Attachment S	Birth - Informant	Relationship of Informant to Baby		BIRTH_INFORMANT_RELATIONSHIP	Y	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_INFORMANT_RELATION_CD_ID,'')) +
115	BIRTH_REGISTRATION_BIRTH_INFORMANT_RELATION_OTHER	Birth Registration Birth Informant Relation Other	varchar	50		Birth - Informant	Other Specify			Y	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_INFORMANT_RELATION_OTHER,'')) +
116	BIRTH_TASK_INFORMANT_NAME_FIRST_NAME	Informant's Name First Name	varchar	50		Birth - Informant	First All Special Characters shall be stripped.			N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(dt	if @parse	rtrim(ISNULL(@BIRTH_TASK_INFORMANT_NAME_FIRST_NAME,'')) +
117	BIRTH_TASK_INFORMANT_NAME_LAST_NAME	Informant-Last Name	varchar	50		Birth - Informant	Last All Special Characters shall be stripped.			N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(dt	if @parse	rtrim(ISNULL(@BIRTH_TASK_INFORMANT_NAME_LAST_NAME,'')) +
118	BIRTH_TASK_INFORMANT_NAME_MIDDLE_NAME	Informant's Name Middle Name	varchar	50		Birth - Informant	Middle All Special Characters shall be stripped.			N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(dt	if @parse	rtrim(ISNULL(@BIRTH_TASK_INFORMANT_NAME_MIDDLE_NAME,'')) +
119	BIRTH_TASK_INFORMANT_NAME_NAME_SUFFIX	Informant-Name Suffix	varchar	10		Birth - Informant	Suffix All Special Characters shall be stripped.			N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(dt	if @parse	rtrim(ISNULL(@BIRTH_TASK_INFORMANT_NAME_NAME_SUFFIX,'')) +
120	BIRTH_REGISTRATION_BIRTH_MOTHER_MARRIED_CD_ID	Birth Registration - BIRTH - MOTHER_MARRIED	varchar	200	See Attachment S	Birth - Marital Status	Mother married between conception and birth	Y	29_BIRTH_REGISTRATION_BIRTH_MOTHER_MARRIED_CD_ID	N	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_MOTHER_MARRIED_CD_ID,'')) +
121	BIRTH_REGISTRATION_BIRTH_MOTHER_MOTHER_EVER_MARRIED_CD_ID	Birth Registration Birth Mother Mother Ever Married	varchar	200	See Attachment S	Birth - Marital Status	Mother married at birth, conception and any time between?	Y	29_BIRTH_REGISTRATION_BIRTH_MOTHER_MOTHER_EVER_MARRIED_CD_ID	Y	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_MOTHER_MOTHER_EVER_MARRIED_CD_ID,'')) +
122	BIRTH_REGISTRATION_BIRTH_PATERNITY_ACKNOWLEDGED_CD_ID	Birth Registration Birth Paternity Acknowledged	varchar	200	See Attachment S	Birth - Marital Status	Has acknowledgement of paternity been signed in the hospital?	Y	29_BIRTH_REGISTRATION_BIRTH_PATERNITY_ACKNOWLEDGED_CD_ID	Y	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_PATERNITY_ACKNOWLEDGED_CD_ID,'')) +
123	BIRTH_REGISTRATION_BIRTH_PATERNITY_CASE_NUMBER	Birth Registration - BIRTH - PATERNITY_CASE_NUMB	varchar	50		Birth - Marital Status	Paternity Case #			Y	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_PATERNITY_CASE_NUMBER,'')) +
124	BIRTH_REGISTRATION_BIRTH_PATERNITY_TYPE_CD_ID	Birth Registration Birth Paternity Type	varchar	200	See Attachment S	Birth - Marital Status	Paternity Type		145	Y	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_PATERNITY_TYPE_CD_ID,'')) +
125	BIRTH_TASK_MOTHER_BIRTHPLACE_ADDRESS_COUNTRY_PLACE_PLACE_NAME	Mother Birthplace Address Country	varchar	100		Adoption - Mother	Birthplace Country	Y		N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_BIRTHPLACE_ADDRESS_COUNTRY_PLACE_PLACE_NAME,'')) +
126	BIRTH_TASK_MOTHER_BIRTHPLACE_ADDRESS_STATE_PLACE_PLACE_NAME	Mother Birthplace Address State	varchar	100		Adoption - Mother	Birthplace State	Y		N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_BIRTHPLACE_ADDRESS_STATE_PLACE_PLACE_NAME,'')) +
127	BIRTH_TASK_MOTHER_MAIDEN_NAME_FIRST_NAME	Mother Maiden's Name First Name	varchar	50		Adoption - Mother	First All Special Characters shall be stripped.	Y		Y	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(dt	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_MAIDEN_NAME_FIRST_NAME,'')) +
128	BIRTH_TASK_MOTHER_MAIDEN_NAME_LAST_NAME	Mother Maiden's Name Last Name	varchar	50		Adoption - Mother	Last All Special Characters shall be stripped.	Y		Y	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(dt	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_MAIDEN_NAME_LAST_NAME,'')) +
129	BIRTH_TASK_MOTHER_MAIDEN_NAME_MIDDLE_NAME	Mother Maiden's Name Middle Name	varchar	50		Adoption - Mother	Middle All Special Characters shall be stripped.	Y		Y	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(dt	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_MAIDEN_NAME_MIDDLE_NAME,'')) +
130	BIRTH_TASK_MOTHER_MAIDEN_NAME_NAME_SUFFIX	Mother Maiden's Name's Name Suffix	varchar	10		Adoption - Mother	Suffix All Special Characters shall be stripped.	Y		Y	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(dt	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_MAIDEN_NAME_NAME_SUFFIX,'')) +
131	BIRTH_TASK_MOTHER_NAME_FIRST_NAME	Mother's Name First Name	varchar	50		Adoption - Mother	First All Special Characters shall be stripped.	Y		Y	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(dt	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_NAME_FIRST_NAME,'')) +
132	BIRTH_TASK_MOTHER_NAME_LAST_NAME	Mother's Name Last Name	varchar	50		Adoption - Mother	Last All Special Characters shall be stripped.	Y		Y	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(dt	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_NAME_LAST_NAME,'')) +
133	BIRTH_TASK_MOTHER_NAME_MIDDLE_NAME	Mother's Name Middle Name	varchar	50		Adoption - Mother	Middle All Special Characters shall be stripped.	Y		Y	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(dt	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_NAME_MIDDLE_NAME,'')) +
134	BIRTH_TASK_MOTHER_NAME_NAME_SUFFIX	Mother's Name's Name Suffix	varchar	10		Adoption - Mother	Suffix All Special Characters shall be stripped.	Y		Y	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(dt	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_NAME_NAME_SUFFIX,'')) +
135	BIRTH_TASK_MOTHER_PERSON_AGE	Mother Person Age	varchar	10		Adoption - Mother	Age	Y		N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_PERSON_AGE,'')) +
136	BIRTH_TASK_MOTHER_PERSON_BIRTH_DATE_LONG	Mother's BIRTH_DATE	varchar	19				Y		N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_PERSON_BIRTH_DATE_LONG,'')) +
137	BIRTH_TASK_MOTHER_PERSON_SSN	Mother Person Ssn	varchar	9		Adoption - Mother	Social Security Number			N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_PERSON_SSN,'')) +
138	BIRTH_REGISTRATION_BIRTH_MOTHER_RESIDENCE_IS_MAILING	Birth Registration Birth Mother Residence Is Mailing	varchar	1		Adoption - Mother Address	Same As Residence Address	Y		Y	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_MOTHER_RESIDENCE_IS_MAILING,'')) +
139	BIRTH_TASK_MOTHER_ADDRESS_APARTMENT_NUM	Mother's Address Apartment Number	varchar	20		Adoption - Mother Address	Apt #, Suite #,etc.	Y		N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_ADDRESS_APARTMENT_NUM,'')) +
140	BIRTH_TASK_MOTHER_ADDRESS_CITY_LIMIT_CD_ID	Mother's Address City Limit	varchar	200	See Attachment S	Adoption - Mother Address	Inside City Limits	Y	29_BIRTH_TASK_MOTHER_ADDRESS_CITY_LIMIT_CD_ID	N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_ADDRESS_CITY_LIMIT_CD_ID,'')) +
141	BIRTH_TASK_MOTHER_ADDRESS_CITY_PLACE_PLACE_NAME	Mother Address City	varchar	100		Adoption - Mother Address	City or Town	Y		N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_ADDRESS_CITY_PLACE_PLACE_NAME,'')) +
142	BIRTH_TASK_MOTHER_ADDRESS_COUNTRY_PLACE_PLACE_NAME	Mother Address Country	varchar	100		Adoption - Mother Address	Country	Y		N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_ADDRESS_COUNTRY_PLACE_PLACE_NAME,'')) +
143	BIRTH_TASK_MOTHER_ADDRESS_COUNTY_PLACE_PLACE_NAME	Mother Address County	varchar	100		Adoption - Mother Address	County	Y		N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_ADDRESS_COUNTY_PLACE_PLACE_NAME,'')) +
144	BIRTH_TASK_MOTHER_ADDRESS_POST_DIRECT_CD_ID	Mother's Address Post Direct	varchar	200	See Attachment S	Adoption - Mother Address	Post Directional	Y	43_BIRTH_TASK_MOTHER_ADDRESS_POST_DIRECT_CD_ID	N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_ADDRESS_POST_DIRECT_CD_ID,'')) +
145	BIRTH_TASK_MOTHER_ADDRESS_POSTAL_CODE_PLACE_PLACE_NAME	Mother Address Zip Code	varchar	100		Adoption - Mother Address	Zip Code	Y		N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_ADDRESS_POSTAL_CODE_PLACE_PLACE_NAME,'')) +
146	BIRTH_TASK_MOTHER_ADDRESS_PRE_DIRECT_CD_ID	Mother's Address Pre Direct	varchar	200	See Attachment S	Adoption - Mother Address	Pre Directional	Y	42_BIRTH_TASK_MOTHER_ADDRESS_PRE_DIRECT_CD_ID	N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_ADDRESS_PRE_DIRECT_CD_ID,'')) +
147	BIRTH_TASK_MOTHER_ADDRESS_STATE_PLACE_PLACE_NAME	Mother Address State	varchar	100		Adoption - Mother Address	State	Y		N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_ADDRESS_STATE_PLACE_PLACE_NAME,'')) +
148	BIRTH_TASK_MOTHER_ADDRESS_STREET_DESIGNATOR	Mother's Address Street Designator	varchar	30	See Attachment S	Adoption - Mother Address	Street Designator	Y		N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_ADDRESS_STREET_DESIGNATOR,'')) +
149	BIRTH_TASK_MOTHER_ADDRESS_STREET_NAME	Mother's Address Street Name	varchar	60		Adoption - Mother Address	Street Name, Rural Route, etc.	Y		N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_ADDRESS_STREET_NAME,'')) +
150	BIRTH_TASK_MOTHER_ADDRESS_STREET_NUMBER	Mother's Address Street Number	varchar	15		Adoption - Mother Address	Street Number	Y		N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_ADDRESS_STREET_NUMBER,'')) +
151	BIRTH_TASK_MOTHER_MAILING_ADDRESS_APARTMENT_NUM	Mother Mailing's Address Apartment Number	varchar	20		Adoption - Mother Address	Apt #, Suite #,etc.	Y		N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_MAILING_ADDRESS_APARTMENT_NUM,'')) +
152	BIRTH_TASK_MOTHER_MAILING_ADDRESS_CITY_PLACE_PLACE_NAME	Mother Mailing Address City	varchar	100		Adoption - Mother Address	City or Town	Y		N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_MAILING_ADDRESS_CITY_PLACE_PLACE_NAME,'')) +
153	BIRTH_TASK_MOTHER_MAILING_ADDRESS_COUNTRY_PLACE_PLACE_NAME	Mother Mailing Address Country	varchar	100		Adoption - Mother Address	Country	Y		N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_MAILING_ADDRESS_COUNTRY_PLACE_PLACE_NAME,'')) +
154	BIRTH_TASK_MOTHER_MAILING_ADDRESS_POST_DIRECT_CD_ID	Mother Mailing's Address Post Direct	varchar	200	See Attachment S	Adoption - Mother Address	Post Directional	Y	43_BIRTH_TASK_MOTHER_MAILING_ADDRESS_POST_DIRECT_CD_ID	N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_MAILING_ADDRESS_POST_DIRECT_CD_ID,'')) +
155	BIRTH_TASK_MOTHER_MAILING_ADDRESS_POSTAL_CODE_PLACE_PLACE_NAME	Mother Mailing Address Zip Code	varchar	100		Adoption - Mother Address	Zip Code	Y		N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_MAILING_ADDRESS_POSTAL_CODE_PLACE_PLACE_NAME,'')) +
156	BIRTH_TASK_MOTHER_MAILING_ADDRESS_PRE_DIRECT_CD_ID	Mother Mailing's Address Pre Direct	varchar	200	See Attachment S	Adoption - Mother Address	Pre Directional	Y	42_BIRTH_TASK_MOTHER_MAILING_ADDRESS_PRE_DIRECT_CD_ID	N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_MAILING_ADDRESS_PRE_DIRECT_CD_ID,'')) +
157	BIRTH_TASK_MOTHER_MAILING_ADDRESS_STATE_PLACE_PLACE_NAME	Mother Mailing Address State	varchar	100		Adoption - Mother Address	State	Y		N	EVENT_TYPE	BIRTH	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_MAILING_ADDRESS_STATE_PLACE_PLACE_NAME,'')) +
158	BIRTH_TASK_MOTHER_MAILING_ADDRESS_STREET_DESIGNATOR	Mother Mailing's Address Street Designator	varchar	30	See Attachment S	Adoption - Mother Address	Street Designator	Y		N	EVENT_TYPE	BIRTH	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_MAILING_ADDRESS_STREET_DESIGNATOR,'')) +
159	BIRTH_TASK_MOTHER_MAILING_ADDRESS_STREET_NAME	Mother Mailing's Address Street Name	varchar	60		Adoption - Mother Address	Street Name, Rural Route, etc.	Y		N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_MAILING_ADDRESS_STREET_NAME,'')) +
160	BIRTH_TASK_MOTHER_MAILING_ADDRESS_STREET_NUMBER	Mother Mailing's Address Street Number	varchar	15		Adoption - Mother Address	Street Number	Y		N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_MAILING_ADDRESS_STREET_NUMBER,'')) +
161	BIRTH_TASK_MOTHER_PERSON_EDUCATION_LEVEL_CODE_ID	Mother Person Education Level Code Id	varchar	200	See Attachment S	Birth - Mother Attributes	Education		55_BIRTH_TASK_MOTHER_PERSON_EDUCATION_LEVEL_CODE_ID	N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_PERSON_EDUCATION_LEVEL_CODE_ID,'')) +
162	BIRTH_TASK_MOTHER_PERSON_EDUCATION_YEARS	Mother Person Education Years	varchar	10		Birth - Mother Attributes Pri	Education			N	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_T	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_PERSON_EDUCATION_YEARS,'')) +
163	BIRTH_REGISTRATION_BIRTH_MOTHER_ALCOHOL_DRINKS_PER_WEEK	Birth Registration Birth Mother Alcohol Drinks Per We	varchar	10		Birth - Mother Health	Average number of drinks per week			Y	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_MOTHER_ALCOHOL_DRINKS_PER_WEEK,'')) +

164	BIRTH_REGISTRATION_BIRTH_MOTHER_ALCOHOL_USE_CD_ID	Birth Registration Birth Mother Alcohol Use	varchar	200	See Attachment S	Birth - Mother Health	Alcohol use during this pregnancy		29_BIRTH_REGISTRATION_BIRTH_MOTHER_ALCOHOL_USE_CD_ID	Y
165	BIRTH_REGISTRATION_BIRTH_MOTHER_CHEW_SNUFF_USAGE_CD_ID	Birth Registration - BIRTH_MOTHER - CHEW_SNUFF	varchar	200	See Attachment S	Birth - Mother Health	Use of Chew or Snuff		29_BIRTH_REGISTRATION_BIRTH_MOTHER_CHEW_SNUFF_USAGE_CD_ID	Y
166	BIRTH_REGISTRATION_BIRTH_MOTHER_CIGS_PER_DAY_1	Birth Registration Birth Mother Cigs Per Day 1	varchar	10		Birth - Mother Health Prior 2	Number of cigarettes per day			Y
167	BIRTH_REGISTRATION_BIRTH_MOTHER_CIGS_PER_DAY_1_UNIT_CD_ID	Birth Registration Birth Mother Cigs Per Day 1 Unit	varchar	200	See Attachment S	Birth - Mother Health			195_BIRTH_REGISTRATION_BIRTH_MOTHER_CIGS_PER_DAY_1_UNIT_CD_I	Y
168	BIRTH_REGISTRATION_BIRTH_MOTHER_CIGS_PER_DAY_2	Birth Registration Birth Mother Cigs Per Day 2	varchar	10		Birth - Mother Health	First three months of pregnancy			Y
169	BIRTH_REGISTRATION_BIRTH_MOTHER_CIGS_PER_DAY_2_UNIT_CD_ID	Birth Registration Birth Mother Cigs Per Day 2	varchar	200		Birth - Mother Health	First three months of pregnancy		195_BIRTH_REGISTRATION_BIRTH_MOTHER_CIGS_PER_DAY_2_UNIT_CD_I	Y
170	BIRTH_REGISTRATION_BIRTH_MOTHER_CIGS_PER_DAY_3	Birth Registration Birth Mother Cigs Per Day 3	varchar	10		Birth - Mother Health	Second three months of pregnancy			Y
171	BIRTH_REGISTRATION_BIRTH_MOTHER_CIGS_PER_DAY_3_UNIT_CD_ID	Birth Registration Birth Mother Cigs Per Day 3	varchar	200		Birth - Mother Health	Second three months of pregnancy		195_BIRTH_REGISTRATION_BIRTH_MOTHER_CIGS_PER_DAY_3_UNIT_CD_I	Y
172	BIRTH_REGISTRATION_BIRTH_MOTHER_CIGS_PER_DAY_4	Birth Registration Birth Mother Cigs Per Day 4	varchar	10		Birth - Mother Health	Last Trimester of Pregnancy			Y
173	BIRTH_REGISTRATION_BIRTH_MOTHER_CIGS_PER_DAY_4_UNIT_CD_ID	Birth Registration Birth Mother Cigs Per Day 4 Unit	varchar	200	See Attachment S	Birth - Mother Health			195_BIRTH_REGISTRATION_BIRTH_MOTHER_CIGS_PER_DAY_4_UNIT_CD_I	Y
174	BIRTH_REGISTRATION_BIRTH_MOTHER_DELIVERY_WEIGHT	Birth Registration Birth Mother Delivery Weight	varchar	10		Birth - Mother Health	Mother Weight at Delivery (pounds)			Y
175	BIRTH_REGISTRATION_BIRTH_MOTHER_HEIGHT	Birth Registration Birth Mother Height	varchar	5	format in Feet.Inches with feet < 10 and and inches between 0 and 11 example 5'6" should be formatted in the load file as 5.06 or 6'2" as 6.02	Birth - Mother Health	Height(feet/inches)			Y
176	BIRTH_REGISTRATION_BIRTH_MOTHER_PRE_PREGNANCY_WEIGHT	Birth Registration Birth Mother Pre Pregnancy Weight	varchar	10		Birth - Mother Health	Mother Pre-pregnancy Weight (pounds)			Y
177	BIRTH_REGISTRATION_BIRTH_MOTHER_WIC_FOOD_CD_ID	Birth Registration Birth Mother Wick Food	varchar	200	See Attachment S	Birth - Mother Health	Did Mother get WIC food for herself during this pregnancy?		29_BIRTH_REGISTRATION_BIRTH_MOTHER_WIC_FOOD_CD_ID	Y
178	BIRTH_REGISTRATION_BIRTH_MOTHER_TOBACCO_USE_CD_ID	Birth Registration Birth Mother Tobacco Use	varchar	200	See Attachment S	Birth - Mother Health Prior 2	Tobacco use during this pregnancy		29_BIRTH_REGISTRATION_BIRTH_MOTHER_TOBACCO_USE_CD_ID	Y
179	BIRTH_REGISTRATION_BIRTH_MOTHER_WEIGHT_GAINED	Birth Registration Birth Mother Weight Gained	varchar	10		Birth - Mother Health Prior 2	Weight gained during pregnancy			Y
180	BIRTH_REGISTRATION_BIRTH_DELIVERY_BIRTH_ORDER_CD_ID	Birth Registration - BIRTH_DELIVERY - BIRTH_ORDE	varchar	200					158	Y
181	BIRTH_REGISTRATION_BIRTH_DELIVERY_ESTIMATED_WEEKS_GESTATION	Birth Registration Birth Delivery Estimated Weeks Ges	varchar	10		Birth - Newborn	Obstetric Estimate of Gestation(weeks)			Y
182	BIRTH_REGISTRATION_BIRTH_DELIVERY_NUMBER_BORN_ALIVE	Birth Registration Birth Delivery Number Born Alive	varchar	10		Birth - Newborn	If not single birth, number of infants in this delivery born alive			Y
183	BIRTH_REGISTRATION_BIRTH_DELIVERY_PLURALITY_CD_ID	Birth Registration Birth Delivery Plurality	varchar	200	See Attachment S	Birth - Newborn	Plurality		157	Y
184	BIRTH_REGISTRATION_CHILD_APGAR_1_MINUTE	Birth Registration Child Apgar 1 Minute	varchar	5		Birth - Newborn	1 Minute			N
185	BIRTH_REGISTRATION_CHILD_APGAR_10_MINUTE	Birth Registration Child Apgar 10 Minute	varchar	5		Birth - Newborn	10 Minutes			N
186	BIRTH_REGISTRATION_CHILD_APGAR_5_MINUTE	Birth Registration Child Apgar 5 Minute	varchar	5		Birth - Newborn	5 Minutes			N
187	BIRTH_REGISTRATION_CHILD_CHILD_MEDICAL_RECORD_NUMBER	Birth Registration Child Child Medical Record Number	varchar	100		Birth - Newborn	Medical Record Number			N
188	BIRTH_REGISTRATION_CHILD_WEIGHT_GRAMS	Birth Registration Child Weight Grams	varchar	9		Birth - Newborn	Grams			N
189	BIRTH_REGISTRATION_CHILD_WEIGHT_OZ	Birth Registration Child Weight Oz	varchar	5		Birth - Newborn	Pounds / Ounces			N
190	BIRTH_TASK_INFANT_TRANSFER_FACILITY_BUSINESS_UNIT_NAME_BUSINESS_UNIT_NAME	Infant Transfer Facility Business Unit Name Business U	varchar	200		Birth - Delivery	Transfer Facility			N
191	BIRTH_TASK_MOTHER_TRANSFER_FACILITY_BUSINESS_UNIT_NAME_BUSINESS_UNIT_NAME	Mother Transfer Facility Business Unit Name Business	varchar	200		Birth - Delivery	Transfer Facility			N
192	BIRTH_REGISTRATION_BIRTH_BIRTHPLACE_TYPE_CD_ID	Birth Registration Birth Birthplace Type	varchar	200	See Attachment S	Birth - Place of Birth	Type of Place of Birth	Y	146	Y
193	BIRTH_REGISTRATION_BIRTH_BIRTHPLACE_TYPE_OTHER	Birth Registration Birth Birthplace Type Other	varchar	50		Birth - Place of Birth	Other Specify	Y		Y
194	BIRTH_TASK_PLACE_OF_BIRTH_ADDRESS_APARTMENT_NUM	Place Of Birth's Address Apartment Number	varchar	20		Adoption - Child	Apt #, Suite #,etc.	Y		Y
195	BIRTH_TASK_PLACE_OF_BIRTH_ADDRESS_CITY_LIMIT_CD_ID	Place of Birth - ADDRESS - CITY_LIMIT	varchar	200	See Attachment S	Adoption - Child	Inside City Limits	Y	29_BIRTH_TASK_PLACE_OF_BIRTH_ADDRESS_CITY_LIMIT_CD_ID	Y
196	BIRTH_TASK_PLACE_OF_BIRTH_ADDRESS_CITY_PLACE_PLACE_NAME	Place of Birth Address City	varchar	100		Foreign Birth - Child	City	Y		Y
197	BIRTH_TASK_PLACE_OF_BIRTH_ADDRESS_COUNTRY_PLACE_PLACE_NAME	Place of Birth Address Country	varchar	100		Adoption - Child	Country	Y		Y
198	BIRTH_TASK_PLACE_OF_BIRTH_ADDRESS_COUNTY_PLACE_PLACE_NAME	Place of Birth Address County	varchar	100		Adoption - Child	County	Y		Y
199	BIRTH_TASK_PLACE_OF_BIRTH_ADDRESS_POST_DIRECT_CD_ID	Place Of Birth's Address Post Direct	varchar	200	See Attachment S	Adoption - Child	Post Directional	Y	43_BIRTH_TASK_PLACE_OF_BIRTH_ADDRESS_POST_DIRECT_CD_ID	Y
200	BIRTH_TASK_PLACE_OF_BIRTH_ADDRESS_POSTAL_CODE_PLACE_PLACE_NAME	Place of Birth Address Zip Code	varchar	100		Adoption - Child	Zip Code	Y		Y
201	BIRTH_TASK_PLACE_OF_BIRTH_ADDRESS_PRE_DIRECT_CD_ID	Place Of Birth's Address Pre Direct	varchar	200	See Attachment S	Adoption - Child	Pre Directional	Y	42_BIRTH_TASK_PLACE_OF_BIRTH_ADDRESS_PRE_DIRECT_CD_ID	Y
202	BIRTH_TASK_PLACE_OF_BIRTH_ADDRESS_STATE_PLACE_PLACE_NAME	Place of Birth Address State	varchar	100		Adoption - Child	State	Y		Y
203	BIRTH_TASK_PLACE_OF_BIRTH_ADDRESS_STREET_DESIGNATOR	Place Of Birth's Address Street Designator	varchar	200	See Attachment S	Adoption - Child	Street Designator	Y	44_BIRTH_TASK_PLACE_OF_BIRTH_ADDRESS_STREET_DESIGNATOR_CD	Y
204	BIRTH_TASK_PLACE_OF_BIRTH_ADDRESS_STREET_DESIGNATOR_CD_ID	Place Of Birth's Address Street Designator	varchar	200	See Attachment S	Adoption - Child	Street Designator	Y	44_BIRTH_TASK_PLACE_OF_BIRTH_ADDRESS_STREET_DESIGNATOR_CD	N
205	BIRTH_TASK_PLACE_OF_BIRTH_ADDRESS_STREET_NAME	Place Of Birth's Address Street Name	varchar	60		Adoption - Child	Street Name or PO Box, Rural Route, etc.	Y		Y
206	BIRTH_TASK_PLACE_OF_BIRTH_ADDRESS_STREET_NUMBER	Place Of Birth's Address Street Number	varchar	15		Adoption - Child	Street Number	Y		Y
207	BIRTH_TASK_PLACE_OF_BIRTH_BUSINESS_UNIT_NAME_BUSINESS_UNIT_NAME	Place Of Birth Business Unit Name Business Unit Nam	varchar	200		Birth - Place of Birth	Facility Name	Y		N
208	BIRTH_TASK_PLACE_OF_BIRTH_PARTY_LICENSE_LICENSE_NUMBER	Place Of Birth's License License Number	varchar	30		Adoption - Child	Facility NPI			N
209	BIRTH_REGISTRATION_BIRTH_SYPHILLIS_TEST_REQUIRED_CD_ID	Birth Registration - BIRTH - SYPHILLIS_TEST_REQUI	varchar	200	See Attachment S	Birth - Pregnancy Factors	Required test for Syphilis?		29_BIRTH_REGISTRATION_BIRTH_SYPHILLIS_TEST_REQUIRED_CD_ID	Y
210	BIRTH_REGISTRATION_BIRTH_MOTHER_FIRST_PRENATAL_DATE	Birth Registration Birth Mother First Prenatal Date	varchar	12		Birth - Prenatal	Date of First Visit			Y
211	BIRTH_REGISTRATION_BIRTH_MOTHER_LAST_LIVE_BIRTH_DATE_LONG	Birth Registration - BIRTH_MOTHER - LAST_LIVE_BI	varchar	19						Y
212	BIRTH_REGISTRATION_BIRTH_MOTHER_LAST_MENSES_DATE	Birth Registration Birth Mother Last Menses Date	varchar	12		Birth - Prenatal	Date of Last Menses			Y
213	BIRTH_REGISTRATION_BIRTH_MOTHER_LAST_OTHER_OUTCOME_DATE_LONG	Birth Registration - BIRTH_MOTHER - LAST_OTHER	varchar	19						Y
214	BIRTH_REGISTRATION_BIRTH_MOTHER_LAST_PRENATAL_DATE	Birth Registration Birth Mother Last Prenatal Date	varchar	12		Birth - Prenatal	Date of Last Visit			Y
215	BIRTH_REGISTRATION_BIRTH_MOTHER_LIVE_BIRTHS_DEAD_CD_ID	Birth Registration - BIRTH_MOTHER - LIVE_BIRTHS I	varchar	200					173_BIRTH_REGISTRATION_BIRTH_MOTHER_LIVE_BIRTHS_DEAD_CD_ID	Y
216	BIRTH_REGISTRATION_BIRTH_MOTHER_LIVE_BIRTHS_LIVING_CD_ID	Birth Registration - BIRTH_MOTHER - LIVE_BIRTHS I	varchar	200					173_BIRTH_REGISTRATION_BIRTH_MOTHER_LIVE_BIRTHS_LIVING_CD_ID	Y
217	BIRTH_REGISTRATION_BIRTH_MOTHER_MEDICAID_NUMBER	Birth Registration Birth Mother Medicaid Number	varchar	50		Birth - Prenatal	Mother Medicaid #			Y
218	BIRTH_REGISTRATION_BIRTH_MOTHER_MEDICAL_RECORD_NUMBER	Birth Registration Birth Mother Medical Record Numbe	varchar	100		Birth - Prenatal	Mother Medical Record #			Y
219	BIRTH_REGISTRATION_BIRTH_MOTHER_NO_PRENATAL_CARE	Birth Registration Birth Mother No Prenatal Care	varchar	1		Birth - Prenatal	No Prenatal Care			Y
220	BIRTH_REGISTRATION_BIRTH_MOTHER_NUMBER_PRENATAL_VISITS	Birth Registration Birth Mother Number Prenatal Visits	varchar	10		Birth - Prenatal	Total Number of Prenatal Visits			Y
221	BIRTH_REGISTRATION_BIRTH_MOTHER_OTHER_PREGNANCY_OUTCOMES_CD_ID	Birth Registration - BIRTH_MOTHER - OTHER_PREG	varchar	200					173_BIRTH_REGISTRATION_BIRTH_MOTHER_OTHER_PREGNANCY_OUTCO	Y
222	BIRTH_REGISTRATION_BIRTH_PAYMENT_SOURCE_CD_ID	Birth Registration Birth Payment Source	varchar	200	See Attachment S	Birth - Prenatal	Principal Source of payment for this delivery		147	Y
223	BIRTH_REGISTRATION_BIRTH_PAYMENT_SOURCE_OTHER	Birth Registration Birth Payment Source Other	varchar	50		Birth - Prenatal	Other Specify			Y
224	BIRTH_REGISTRATION_BIRTH_MOTHER_MONTH_PRENATAL_CARE_BEGAN_CD_ID	Birth Registration - BIRTH_MOTHER - MONTH_PREN	varchar	200					193	Y
225	BIRTH_REGISTRATION_BIRTH_MOTHER_NAMED_MONTH_PRENATAL_CARE_CD_ID	Birth Registration - BIRTH_MOTHER - NAMED_MONT	varchar	10	See Attachment S	Birth - Prenatal Prior 2003	Named Month Pregnancy Prenatal Care Began		77	Y
226	BIRTH_REGISTRATION_BIRTH_FOREIGN_BORN_COURT_DATE_LONG	Birth Registration Birth Foreign Born Court Date Long	varchar	19		Foreign Birth - Court	Court Date			Y
227	BIRTH_REGISTRATION_BIRTH_FOREIGN_BORN_COURT_DOCKET_NUMBER	Birth Registration Birth Foreign Born Court Docket Nu	varchar	50						Y
228	BIRTH_REGISTRATION_BIRTH_FOREIGN_BORN_SUPERIOR_COURT_DISTRICT	Birth Registration Birth Foreign Born Superior Court D	varchar	50						Y
229	BIRTH_TASK_COURT_BUSINESS_UNIT_NAME_BUSINESS_UNIT_NAME	Foreign Birth Court - BUSINESS_UNIT_NAME - BUSIN	varchar	200		Foreign Birth - Court	Court Name			N
230	BIRTH_TASK_COURT_COUNTY_PLACE_PLACE_NAME	Foreign Birth Court County	varchar	100		Foreign Birth - Court	County			N
231	BIRTH_TASK_COURT_STATE_PLACE_PLACE_NAME	Foreign Birth Court State	varchar	100		Foreign Birth - Court	State			N
232	BIRTH_LEGAL_DATA_QUALITY_STATUS	Edit Legal Status	varchar	50	If blank, system will insert Legal Valid					Y
233	BIRTH_MEDICAL_DATA_QUALITY_STATUS	Edit Medical Status	varchar	50	If blank, system will insert Medical Valid					Y
234	REGISTRATION_STATUS	Registration status	varchar	50	Assume registered If blank, system will insert Registered					Y
235	CERTIFIED_WORKFLOW_STATUS	Certification Status	varchar	50	If blank, system will insert NA					Y
236	REGISTRATION_WORK_QUEUE_STATUS_1	Work Queue Status 1	varchar	50						N
237	REGISTRATION_WORK_QUEUE_STATUS_2	Work Queue Status 2	varchar	50						N
238	REGISTRATION_WORK_QUEUE_STATUS_3	Work Queue Status 3	varchar	50						N
239	REGISTRATION_WORK_QUEUE_STATUS_4	Work Queue Status 4	varchar	50						N
240	REGISTRATION_WORK_QUEUE_STATUS_5	Work Queue Status 5	varchar	50						N
241	REGISTRATION_SPECIAL_STATUS_STATUS_1	Special Status 1 - (OBSOLETE - DO NOT USE)	varchar	50	- (OBSOLETE - DO NOT USE)					Y
242	REGISTRATION_SPECIAL_STATUS_STATUS_2	Special Status 2 - (OBSOLETE - DO NOT USE)	varchar	50	- (OBSOLETE - DO NOT USE)					Y
243	LOCAL_IDENTIFIER_1	Local Identifier 1	varchar	200						N
244	LOCAL_IDENTIFIER_2	Local Identifier 2	varchar	200						N
245	LOCAL_IDENTIFIER_3	Local Identifier 3	varchar	200						N
246	LOCAL_IDENTIFIER_4	Local Identifier 4	varchar	200						N
247	LOCAL_IDENTIFIER_5	Local Identifier 5	varchar	200						N
248	LOCAL_IDENTIFIER_6	Local Identifier 6	varchar	200						N
249	DELIVERY_MATERNAL_MORBIDITY_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_1	Delivery Maternal Morbidity	varchar	200	See Attachment S	Birth - Delivery			156	N
250	DELIVERY_MATERNAL_MORBIDITY_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_2	Delivery Maternal Morbidity	varchar	200	See Attachment S	Birth - Delivery			156	N
251	DELIVERY_MATERNAL_MORBIDITY_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_3	Delivery Maternal Morbidity	varchar	200	See Attachment S	Birth - Delivery			156	N
252	DELIVERY_MATERNAL_MORBIDITY_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_4	Delivery Maternal Morbidity	varchar	200	See Attachment S	Birth - Delivery			156	N
253	DELIVERY_MATERNAL_MORBIDITY_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_5	Delivery Maternal Morbidity	varchar	200	See Attachment S	Birth - Delivery			156	N
254	DELIVERY_MATERNAL_MORBIDITY_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_6	Delivery Maternal Morbidity	varchar	200	See Attachment S	Birth - Delivery			156	N
255	DELIVERY_MATERNAL_MORBIDITY_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_7	Delivery Maternal Morbidity	varchar	200	See Attachment S	Birth - Delivery			156	N
256	DELIVERY_MATERNAL_MORBIDITY_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_8	Delivery Maternal Morbidity	varchar	200	See Attachment S	Birth - Delivery			156	N
257	DELIVERY_MATERNAL_MORBIDITY_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER	Delivery Maternal Morbidity	varchar	200	See Attachment S - Value with other specify	Birth - Delivery			156	N
258	DELIVERY_MATERNAL_MORBIDITY_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE	Delivery Maternal Morbidity	varchar	500	Specified Value for DELIVERY_MATERNAL_MORBIDITY_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER	Birth - Delivery				N
259	DELIVERY_METHOD_OF_DELIVERY_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_1	Method Of Delivery	varchar	200	See Attachment S	Birth - Delivery Prior 2003			155	N
260	DELIVERY_METHOD_OF_DELIVERY_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_2	Method Of Delivery	varchar	200	See Attachment S	Birth - Delivery Prior 2003			155	N
261	DELIVERY_METHOD_OF_DELIVERY_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_3	Method Of Delivery	varchar	200	See Attachment S	Birth - Delivery Prior 2003			155	N
262	DELIVERY_METHOD_OF_DELIVERY_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_4	Method Of Delivery	varchar	200	See Attachment S	Birth - Delivery Prior 2003			155	N
263	DELIVERY_METHOD_OF_DELIVERY_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_5	Method Of Delivery	varchar	200	See Attachment S	Birth - Delivery Prior 2003			155	N
264	DELIVERY_METHOD_OF_DELIVERY_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER	Method Of Delivery	varchar	200	See Attachment S - Value with other specify	Birth - Delivery Prior 2003			155	N
265	DELIVERY_METHOD_OF_DELIVERY_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE	Method Of Delivery	varchar	500	Specified Value for DELIVERY_METHOD_OF_DELIVERY_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER	Birth - Delivery Prior 2003				N
266	BIRTH_TASK_FATHER_HISPANIC_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_1	Father Hispanic	varchar	200	See Attachment S	Birth - Father Attributes			BIRTH_TASK_FATHER_52	N
267	BIRTH_TASK_FATHER_HISPANIC_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_2	Father Hispanic	varchar	200	See Attachment S	Birth - Father Attributes			BIRTH_TASK_FATHER_52	N
268	BIRTH_TASK_FATHER_HISPANIC_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_3	Father Hispanic	varchar	200	See Attachment S	Birth - Father Attributes			BIRTH_TASK_FATHER_52	N
269	BIRTH_TASK_FATHER_HISPANIC_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_4	Father Hispanic	varchar	200	See Attachment S	Birth - Father Attributes			BIRTH_TASK_FATHER_52	N
270	BIRTH_TASK_FATHER_HISPANIC_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_5	Father Hispanic	varchar	200	See Attachment S	Birth - Father Attributes			BIRTH_TASK_FATHER_52	N
271	BIRTH_TASK_FATHER_HISPANIC_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_6	Father Hispanic	varchar	200	See Attachment S	Birth - Father Attributes			BIRTH_TASK_FATHER_52	N
272	BIRTH_TASK_FATHER_HISPANIC_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_7	Father Hispanic	varchar	200	See Attachment S	Birth - Father Attributes			BIRTH_TASK_FATHER_52	N
273	BIRTH_TASK_FATHER_HISPANIC_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_8	Father Hispanic	varchar	200	See Attachment S	Birth - Father Attributes			BIRTH_TASK_FATHER_52	N
274	BIRTH_TASK_FATHER_HISPANIC_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER	Father Hispanic	varchar	200	See Attachment S	Birth - Father Attributes			BIRTH_TASK_FATHER_52	N
275	BIRTH_TASK_FATHER_HISPANIC_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE	Father Hispanic Object Property Other Property Value	varchar	500	Specified Value for BIRTH_TASK_FATHER_HISPANIC_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER	Birth - Father Attributes Pri	If Other, Specify			N
276	BIRTH_TASK_FATHER_HISPANIC_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID	Father Hispanic	varchar	200	See Attachment S	Birth - Father Attributes			BIRTH_TASK_FATHER_52	N
277	BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_1	Father Race	varchar	200	See Attachment S	Birth - Father Attributes			BIRTH_TASK_FATHER_51	N
278	BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_2	Father Race	varchar	200	See Attachment S	Birth - Father Attributes			BIRTH_TASK_FATHER_51	N
279	BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_3	Father Race	varchar	200	See Attachment S	Birth - Father Attributes			BIRTH_TASK_FATHER_51	N
280	BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_4	Father Race	varchar	200	See Attachment S	Birth - Father Attributes			BIRTH_TASK_FATHER_51	N
281	BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_5	Father Race	varchar	200	See Attachment S	Birth - Father Attributes			BIRTH_TASK_FATHER_51	N
282	BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_6	Father Race	varchar	200	See Attachment S	Birth - Father Attributes			BIRTH_TASK_FATHER_51	N
283	BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_7	Father Race	varchar	200	See Attachment S	Birth - Father Attributes			BIRTH_TASK_FATHER_51	N
284	BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_8	Father Race	varchar	200	See Attachment S	Birth - Father Attributes			BIRTH_TASK_FATHER_51	N
285	BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_9	Father Race	varchar	200	See Attachment S	Birth - Father Attributes			BIRTH_TASK_FATHER_51	N
286	BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_10	Father Race	varchar	200	See Attachment S	Birth - Father Attributes			BIRTH_TASK_FATHER_51	N
287	BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_11	Father Race	varchar	200	See Attachment S	Birth - Father Attributes			BIRTH_TASK_FATHER_51	N
288	BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_12	Father Race	varchar	200	See Attachment S	Birth - Father Attributes			BIRTH_TASK_FATHER_51	N
289	BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_13	Father Race	varchar	200	See Attachment S	Birth - Father Attributes			BIRTH_TASK_FATHER_51	N
290	BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_14	Father Race	varchar	200	See Attachment S	Birth - Father Attributes			BIRTH_TASK_FATHER_51	N
291	BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_15	Father Race	varchar	200	See Attachment S	Birth - Father Attributes			BIRTH_TASK_FATHER_51	N
292	BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_16	Father Race	varchar	200	See Attachment S	Birth - Father Attributes			BIRTH_TASK_FATHER_51	N
293	BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER_RACE	Father Race	varchar	200	See Attachment S - Value with other specify	Birth - Father Attributes			BIRTH_TASK_FATHER_51	N
294	BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE_A1	Father Race	varchar	500	Specified Value for BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER_RACE_A	Birth - Father Attributes				N
295	BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE_A2	Father Race	varchar	500	Specified Value for BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER_RACE_A	Birth - Father Attributes				N
296	BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER_RACE	Father Race	varchar	200	See Attachment S - Value with other specify	Birth - Father Attributes			BIRTH_TASK_FATHER_51	N
297	BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE_B1	Father Race	varchar	500	Specified Value for BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER_RACE_B	Birth - Father Attributes				N
298	BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE_B2	Father Race	varchar	500	Specified Value for BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER_RACE_B	Birth - Father Attributes				N
299	BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER_RACE	Father Race	varchar	200	See Attachment S - Value with other specify	Birth - Father Attributes			BIRTH_TASK_FATHER_51	N
300	BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE_C1	Father Race	varchar	500	Specified Value for BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER_RACE_C	Birth - Father Attributes				N
301	BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE_C2	Father Race	varchar	500	Specified Value for BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER_RACE_C	Birth - Father Attributes				N
302	BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER_RACE	Father Race	varchar	200	See Attachment S - Value with other specify	Birth - Father Attributes			BIRTH_TASK_FATHER_51	N
303	BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE_D1	Father Race	varchar	500	Specified Value for BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER_RACE_D	Birth - Father Attributes				N
304	BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE_D2	Father Race	varchar	500	Specified Value for BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER_RACE_D	Birth - Father Attributes				N
305	BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER_RACE	Father Race	varchar	200	See Attachment S - Value with other specify	Birth - Father Attributes			BIRTH_TASK_FATHER_51	N
306	BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE_E1	Father Race	varchar	500	Specified Value for BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER_RACE_E	Birth - Father Attributes				N
307	BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE_E2	Father Race	varchar	500	Specified Value for BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER_RACE_E	Birth - Father Attributes				N
308	BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID	Father Race	varchar	200	See Attachment S	Birth - Father Attributes			BIRTH_TASK_FATHER_51	N
309	LABOR_CHARACTERISTICS_OF_LABOR_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_1	Labor Characteristics Of Labor	varchar	200	See Attachment S	Birth - Labor			152	N
310	LABOR_CHARACTERISTICS_OF_LABOR_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_10	Labor Characteristics Of Labor	varchar	200	See Attachment S	Birth - Labor			152	N
311	LABOR_CHARACTERISTICS_OF_LABOR_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_11	Labor Characteristics Of Labor	varchar	200	See Attachment S	Birth - Labor			152	N
312	LABOR_CHARACTERISTICS_OF_LABOR_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_2	Labor Characteristics Of Labor	varchar	200	See Attachment S	Birth - Labor			152	N
313	LABOR_CHARACTERISTICS_OF_LABOR_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_3	Labor Characteristics Of Labor	varchar	200	See Attachment S	Birth - Labor			152	N
314	LABOR_CHARACTERISTICS_OF_LABOR_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_4	Labor Characteristics Of Labor	varchar	200	See Attachment S	Birth - Labor			152	N
315	LABOR_CHARACTERISTICS_OF_LABOR_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_5	Labor Characteristics Of Labor	varchar	200	See Attachment S	Birth - Labor			152	N
316	LABOR_CHARACTERISTICS_OF_LABOR_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_6	Labor Characteristics Of Labor	varchar	200	See Attachment S	Birth - Labor			152	N
317	LABOR_CHARACTERISTICS_OF_LABOR_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_7	Labor Characteristics Of Labor	varchar	200	See Attachment S	Birth - Labor			152	N
318	LABOR_CHARACTERISTICS_OF_LABOR_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_8	Labor Characteristics Of Labor	varchar	200	See Attachment S	Birth - Labor			152	N
319	LABOR_CHARACTERISTICS_OF_LABOR_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_9	Labor Characteristics Of Labor	varchar	200	See Attachment S	Birth - Labor			152	N
320	LABOR_ONSET_OF_LABOR_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_1	Labor Onset Of Labor	varchar	200	See Attachment S	Birth - Labor			151	N
321	LABOR_ONSET_OF_LABOR_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_2	Labor Onset Of Labor	varchar	200	See Attachment S	Birth - Labor			151	N

164	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_MOTHER_ALCOHOL_USE_CD_ID,'')) +
165	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_MOTHER_CHEW_SNUFF_USAGE_CD_ID,'')) +
166	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_MOTHER_CIGS_PER_DAY_1,'')) +
167	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_MOTHER_CIGS_PER_DAY_1_UNIT_CD_ID,'')) +
168	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_MOTHER_CIGS_PER_DAY_2,'')) +
169	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_MOTHER_CIGS_PER_DAY_2_UNIT_CD_ID,'')) +
170	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_MOTHER_CIGS_PER_DAY_3,'')) +
171	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_MOTHER_CIGS_PER_DAY_3_UNIT_CD_ID,'')) +
172	EVENT_TYPE_BIRTH		BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_MOTHER_CIGS_PER_DAY_4,'')) +
173	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_MOTHER_CIGS_PER_DAY_4_UNIT_CD_ID,'')) +
174	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_MOTHER_DELIVERY_WEIGHT,'')) +
175	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_MOTHER_HEIGHT,'')) +
176	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_MOTHER_PRE_PREGNANCY_WEIGHT,'')) +
177	EVENT_TYPE_BIRTH		BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_MOTHER_WIC_FOOD_CD_ID,'')) +
178	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_MOTHER_TOBACCO_USE_CD_ID,'')) +
179	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_MOTHER_WEIGHT_GAINED,'')) +
180	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_DELIVERY_BIRTH_ORDER_CD_ID,'')) +
181	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_DELIVERY_ESTIMATED_WEEKS_GESTATION,'')) +
182	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_DELIVERY_NUMBER_BORN_ALIVE,'')) +
183	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_DELIVERY_PLURALITY_CD_ID,'')) +
184	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_CHILD_APGAR_1_MINUTE,'')) +
185	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_CHILD_APGAR_10_MINUTE,'')) +
186	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_CHILD_APGAR_5_MINUTE,'')) +
187	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_CHILD_CHILD_MEDICAL_RECORD_NUMBER,'')) +
188	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_CHILD_WEIGHT_GRAMS,'')) +
189	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_CHILD_WEIGHT_OZ,'')) +
190	EVENT_TYPE_BIRTH		BIRTH_T	BIRTH_T	BIRTH_TA	BIRTH_TA	@BIRTH	+isnull(dt	if @parse	rtrim(ISNULL(@BIRTH_TASK_INFANT_TRANSFER_FACILITY_BUSINESS_UNIT_NAME_BUSINESS_UNIT_NAME,'')) +
191	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_TA	BIRTH_TA	@BIRTH	+isnull(dt	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_TRANSFER_FACILITY_BUSINESS_UNIT_NAME_BUSINESS_UNIT_NAME,'')) +
192	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_BIRTHPLACE_TYPE_CD_ID,'')) +
193	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_BIRTHPLACE_TYPE_OTHER,'')) +
194	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_TA	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_PLACE_OF_BIRTH_ADDRESS_APARTMENT_NUM,'')) +
195	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_TA	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_PLACE_OF_BIRTH_ADDRESS_CITY_LIMIT_CD_ID,'')) +
196	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_TA	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_PLACE_OF_BIRTH_ADDRESS_CITY_PLACE_PLACE_NAME,'')) +
197	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_TA	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_PLACE_OF_BIRTH_ADDRESS_COUNTRY_PLACE_PLACE_NAME,'')) +
198	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_TA	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_PLACE_OF_BIRTH_ADDRESS_COUNTY_PLACE_PLACE_NAME,'')) +
199	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_TA	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_PLACE_OF_BIRTH_ADDRESS_POST_DIRECT_CD_ID,'')) +
200	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_TA	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_PLACE_OF_BIRTH_ADDRESS_POSTAL_CODE_PLACE_PLACE_NAME,'')) +
201	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_TA	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_PLACE_OF_BIRTH_ADDRESS_PRE_DIRECT_CD_ID,'')) +
202	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_TA	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_PLACE_OF_BIRTH_ADDRESS_STATE_PLACE_PLACE_NAME,'')) +
203	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_TA	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_PLACE_OF_BIRTH_ADDRESS_STREET_DESIGNATOR,'')) +
204	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_TA	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_PLACE_OF_BIRTH_ADDRESS_STREET_DESIGNATOR_CD_ID,'')) +
205	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_TA	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_PLACE_OF_BIRTH_ADDRESS_STREET_NAME,'')) +
206	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_TA	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_PLACE_OF_BIRTH_ADDRESS_STREET_NUMBER,'')) +
207	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_TA	BIRTH_TA	@BIRTH	+isnull(dt	if @parse	rtrim(ISNULL(@BIRTH_TASK_PLACE_OF_BIRTH_BUSINESS_UNIT_NAME_BUSINESS_UNIT_NAME,'')) +
208	EVENT_TYPE_BIRTH		BIRTH_T	BIRTH_T	BIRTH_TA	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_PLACE_OF_BIRTH_PARTY_LICENSE_LICENSE_NUMBER,'')) +
209	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_SYPHILLIS_TEST_REQUIRED_CD_ID,'')) +
210	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_MOTHER_FIRST_PRENATAL_DATE,'')) +
211	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_MOTHER_LAST_LIVE_BIRTH_DATE_LONG,'')) +
212	EVENT_TYPE_BIRTH		BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_MOTHER_LAST_MENSES_DATE,'')) +
213	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_MOTHER_LAST_OTHER_OUTCOME_DATE_LONG,'')) +
214	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_MOTHER_LAST_PRENATAL_DATE,'')) +
215	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_MOTHER_LIVE_BIRTHS_DEAD_CD_ID,'')) +
216	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_MOTHER_LIVE_BIRTHS_LIVING_CD_ID,'')) +
217	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_MOTHER_MEDICAID_NUMBER,'')) +
218	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_MOTHER_MEDICAL_RECORD_NUMBER,'')) +
219	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_MOTHER_NO_PRENATAL_CARE,'')) +
220	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_MOTHER_NUMBER_PRENATAL_VISITS,'')) +
221	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_MOTHER_OTHER_PREGNANCY_OUTCOMES_CD_ID,'')) +
222	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_PAYMENT_SOURCE_CD_ID,'')) +
223	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_PAYMENT_SOURCE_OTHER,'')) +
224	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_MOTHER_MONTH_PRENATAL_CARE_BEGAN_CD_ID,'')) +
225	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_MOTHER_NAMED_MONTH_PRENATAL_CARE_CD_ID,'')) +
226	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_FOREIGN_BORN_COURT_DATE_LONG,'')) +
227	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_FOREIGN_BORN_COURT_DOCKET_NUMBER,'')) +
228	EVENT_T	1	BIRTH_R	BIRTH_R	BIRTH_R	BIRTH_RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_FOREIGN_BORN_SUPERIOR_COURT_DISTRICT,'')) +
229	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_TA	BIRTH_TA	@BIRTH	+isnull(dt	if @parse	rtrim(ISNULL(@BIRTH_TASK_COURT_BUSINESS_UNIT_NAME_BUSINESS_UNIT_NAME,'')) +
230	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_TA	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_COURT_COUNTY_PLACE_PLACE_NAME,'')) +
231	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_TA	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_COURT_STATE_PLACE_PLACE_NAME,'')) +
232	EVENT_T	1	BIRTH_L	BIRTH_L	BIRTH_LE	BIRTH_LE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_LEGAL_DATA_QUALITY_STATUS,'')) +
233	EVENT_T	1	BIRTH_M	BIRTH_M	BIRTH_ME	BIRTH_ME	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_MEDICAL_DATA_QUALITY_STATUS,'')) +
234	EVENT_T	1	REGISTR	REGISTR	REGISTR	REGISTRA	@REGIST	+isnull(RE	if @parse	rtrim(ISNULL(@REGISTRATION_STATUS,'')) +
235	EVENT_T	1	CERTIFI	CERTIFI	CERTIFIE	CERTIFIEI	@CERTIF	+isnull(CE	if @parse	rtrim(ISNULL(@CERTIFIED_WORKFLOW_STATUS,'')) +
236	EVENT_T	1	REGISTR	REGISTR	REGISTR	REGISTRA	@REGIST	+isnull(RE	if @parse	rtrim(ISNULL(@REGISTRATION_WORK_QUEUE_STATUS_1,'')) +
237	EVENT_T	1	REGISTR	REGISTR	REGISTR	REGISTRA	@REGIST	+isnull(RE	if @parse	rtrim(ISNULL(@REGISTRATION_WORK_QUEUE_STATUS_2,'')) +
238	EVENT_T	1	REGISTR	REGISTR	REGISTR	REGISTRA	@REGIST	+isnull(RE	if @parse	rtrim(ISNULL(@REGISTRATION_WORK_QUEUE_STATUS_3,'')) +
239	EVENT_T	1	REGISTR	REGISTR	REGISTR	REGISTRA	@REGIST	+isnull(RE	if @parse	rtrim(ISNULL(@REGISTRATION_WORK_QUEUE_STATUS_4,'')) +
240	EVENT_T	1	REGISTR	REGISTR	REGISTR	REGISTRA	@REGIST	+isnull(RE	if @parse	rtrim(ISNULL(@REGISTRATION_WORK_QUEUE_STATUS_5,'')) +
241	EVENT_T	1	REGISTR	REGISTR	REGISTR	REGISTRA	@REGIST	+isnull(RE	if @parse	rtrim(ISNULL(@REGISTRATION_SPECIAL_STATUS_STATUS_1,'')) +
242	EVENT_T	1	REGISTR	REGISTR	REGISTR	REGISTRA	@REGIST	+isnull(RE	if @parse	rtrim(ISNULL(@REGISTRATION_SPECIAL_STATUS_STATUS_2,'')) +
243	EVENT_T	1	LOCAL	LOCAL	LOCAL_II	LOCAL_ID	@LOCAL	+isnull(LO	if @parse	rtrim(ISNULL(@LOCAL_IDENTIFIER_1,'')) +
244	EVENT_T	1	LOCAL	LOCAL	LOCAL_II	LOCAL_ID	@LOCAL	+isnull(LO	if @parse	rtrim(ISNULL(@LOCAL_IDENTIFIER_2,'')) +
245	EVENT_T	1	LOCAL	LOCAL	LOCAL_II	LOCAL_ID	@LOCAL	+isnull(LO	if @parse	rtrim(ISNULL(@LOCAL_IDENTIFIER_3,'')) +
246	EVENT_T	1	LOCAL	LOCAL	LOCAL_II	LOCAL_ID	@LOCAL	+isnull(LO	if @parse	rtrim(ISNULL(@LOCAL_IDENTIFIER_4,'')) +
247	EVENT_T	1	LOCAL	LOCAL	LOCAL_II	LOCAL_ID	@LOCAL	+isnull(LO	if @parse	rtrim(ISNULL(@LOCAL_IDENTIFIER_5,'')) +
248	EVENT_T	1	LOCAL	LOCAL	LOCAL_II	LOCAL_ID	@LOCAL	+isnull(LO	if @parse	rtrim(ISNULL(@LOCAL_IDENTIFIER_6,'')) +
249	EVENT_T	1	DELIVER	DELIVER	DELIVERY	DELIVERY	@DELIVE	+isnull(DE	if @parse	rtrim(ISNULL(@DELIVERY_MATERNAL_MORBIDITY_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_1,'')) +
250	EVENT_T	1	DELIVER	DELIVER	DELIVERY	DELIVERY	@DELIVE	+isnull(DE	if @parse	rtrim(ISNULL(@DELIVERY_MATERNAL_MORBIDITY_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_2,'')) +
251	EVENT_T	1	DELIVER	DELIVER	DELIVERY	DELIVERY	@DELIVE	+isnull(DE	if @parse	rtrim(ISNULL(@DELIVERY_MATERNAL_MORBIDITY_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_3,'')) +
252	EVENT_T	1	DELIVER	DELIVER	DELIVERY	DELIVERY	@DELIVE	+isnull(DE	if @parse	rtrim(ISNULL(@DELIVERY_MATERNAL_MORBIDITY_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_4,'')) +
253	EVENT_T	1	DELIVER	DELIVER	DELIVERY	DELIVERY	@DELIVE	+isnull(DE	if @parse	rtrim(ISNULL(@DELIVERY_MATERNAL_MORBIDITY_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_5,'')) +
254	EVENT_T	1	DELIVER	DELIVER	DELIVERY	DELIVERY	@DELIVE	+isnull(DE	if @parse	rtrim(ISNULL(@DELIVERY_MATERNAL_MORBIDITY_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_6,'')) +
255	EVENT_T	1	DELIVER	DELIVER	DELIVERY	DELIVERY	@DELIVE	+isnull(DE	if @parse	rtrim(ISNULL(@DELIVERY_MATERNAL_MORBIDITY_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_7,'')) +
256	EVENT_T	1	DELIVER	DELIVER	DELIVERY	DELIVERY	@DELIVE	+isnull(DE	if @parse	rtrim(ISNULL(@DELIVERY_MATERNAL_MORBIDITY_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_8,'')) +
257	EVENT_T	1	DELIVER	DELIVER	DELIVERY	DELIVERY	@DELIVE	+isnull(DE	if @parse	rtrim(ISNULL(@DELIVERY_MATERNAL_MORBIDITY_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER,'')) +
258	EVENT_T	1	DELIVER	DELIVER	DELIVERY	DELIVERY	@DELIVE	+isnull(DE	if @parse	rtrim(ISNULL(@DELIVERY_MATERNAL_MORBIDITY_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE,'')) +
259	EVENT_T	1	DELIVER	DELIVER	DELIVERY	DELIVERY	@DELIVE	+isnull(DE	if @parse	rtrim(ISNULL(@DELIVERY_METHOD_OF_DELIVERY_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_1,'')) +
260	EVENT_T	1	DELIVER	DELIVER	DELIVERY	DELIVERY	@DELIVE	+isnull(DE	if @parse	rtrim(ISNULL(@DELIVERY_METHOD_OF_DELIVERY_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_2,'')) +
261	EVENT_T	1	DELIVER	DELIVER	DELIVERY	DELIVERY	@DELIVE	+isnull(DE	if @parse	rtrim(ISNULL(@DELIVERY_METHOD_OF_DELIVERY_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_3,'')) +
262	EVENT_T	1	DELIVER	DELIVER	DELIVERY	DELIVERY	@DELIVE	+isnull(DE	if @parse	rtrim(ISNULL(@DELIVERY_METHOD_OF_DELIVERY_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_4,'')) +
263	EVENT_T	1	DELIVER	DELIVER	DELIVERY	DELIVERY	@DELIVE	+isnull(DE	if @parse	rtrim(ISNULL(@DELIVERY_METHOD_OF_DELIVERY_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_5,'')) +
264	EVENT_T	1	DELIVER	DELIVER	DELIVERY	DELIVERY	@DELIVE	+isnull(DE	if @parse	rtrim(ISNULL(@DELIVERY_METHOD_OF_DELIVERY_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER,'')) +
265	EVENT_T	1	DELIVER	DELIVER	DELIVERY	DELIVERY	@DELIVE	+isnull(DE	if @parse	rtrim(ISNULL(@DELIVERY_METHOD_OF_DELIVERY_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE,'')) +
266	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_TA	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_FATHER_HISPANIC_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_1,'')) +
267	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_TA	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_FATHER_HISPANIC_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_2,'')) +
268	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_TA	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_FATHER_HISPANIC_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_3,'')) +
269	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_TA	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_FATHER_HISPANIC_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_4,'')) +
270	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_TA	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_FATHER_HISPANIC_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_5,'')) +
271	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_TA	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_FATHER_HISPANIC_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_6,'')) +
272	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_TA	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_FATHER_HISPANIC_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_7,'')) +
273	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_TA	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_FATHER_HISPANIC_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_8,'')) +
274	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_TA	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_FATHER_HISPANIC_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER,'')) +
275	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_TA	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_FATHER_HISPANIC_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE,'')) +
276	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_TA	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_FATHER_HISPANIC_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID,'')) +
277	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_TA	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_1,'')) +
278	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_TA	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_2,'')) +
279	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_TA	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_3,'')) +
280	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_TA	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_4,'')) +
281	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_TA	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_5,'')) +
282	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_TA	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_6,'')) +
283	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_TA	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_7,'')) +
284	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_TA	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_8,'')) +
285	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_TA	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_9,'')) +
286	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_TA	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_10,'')) +
287	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_TA	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_11,'')) +
288	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_TA	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_12,'')) +
289	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_TA	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_13,'')) +
290	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_TA	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_14,'')) +
291	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_TA	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_15,'')) +
292	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_TA	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_16,'')) +
293	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_TA	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER_RACE_A,'')) +
294	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_TA	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE_A1,'')) +
295	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_TA	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE_A2,'')) +
296	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_TA	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER_RACE_B,'')) +
297	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_TA	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE_B1,'')) +
298	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_TA	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE_B2,'')) +
299	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_TA	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER_RACE_C,'')) +
300	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_TA	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE_C1,'')) +
301	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_TA	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE_C2,'')) +
302	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_TA	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER_RACE_D,'')) +
303	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_TA	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE_D1,'')) +
304	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_TA	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE_D2,'')) +
305	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_TA	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER_RACE_E,'')) +
306	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_TA	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE_E1,'')) +
307	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_TA	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE_E2,'')) +
308	EVENT_T	1	BIRTH_T	BIRTH_T	BIRTH_TA	BIRTH_TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_FATHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID,'')) +
309	EVENT_T	1	LABOR	LABOR	LABOR_C	LABOR_C	@LABOR	+isnull(LA	if @parse	rtrim(ISNULL(@LABOR_CHARACTERISTICS_OF_LABOR_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_1,'')) +
310	EVENT_T	1	LABOR	LABOR	LABOR_C	LABOR_C	@LABOR	+isnull(LA	if @parse	rtrim(ISNULL(@LABOR_CHARACTERISTICS_OF_LABOR_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_10,'')) +
311	EVENT_T	1	LABOR	LABOR	LABOR_C	LABOR_C	@LABOR	+isnull(LA	if @parse	rtrim(ISNULL(@LABOR_CHARACTERISTICS_OF_LABOR_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_11,'')) +
312	EVENT_T	1	LABOR	LABOR	LABOR_C	LABOR_C	@LABOR	+isnull(LA	if @parse	rtrim(ISNULL(@LABOR_CHARACTERISTICS_OF_LABOR_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_2,'')) +
313	EVENT_T	1	LABOR	LABOR	LABOR_C	LABOR_C	@LABOR	+isnull(LA	if @parse	rtrim(ISNULL(@LABOR_CHARACTERISTICS_OF_LABOR_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_3,'')) +
314	EVENT_T	1	LABOR	LABOR	LABOR_C	LABOR_C	@LABOR	+isnull(LA	if @parse	rtrim(ISNULL(@LABOR_CHARACTERISTICS_OF_LABOR_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_4,'')) +
315	EVENT_T	1	LABOR	LABOR	LABOR_C	LABOR_C	@LABOR	+isnull(LA	if @parse	rtrim(ISNULL(@LABOR_CHARACTERISTICS_OF_LABOR_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_5,'')) +
316	EVENT_T	1	LABOR	LABOR	LABOR_C	LABOR_C	@LABOR	+isnull(LA	if @parse	rtrim(ISNULL(@LABOR_CHARACTERISTICS_OF_LABOR_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_6,'')) +
317	EVENT_T	1	LABOR	LABOR	LABOR_C	LABOR_C	@LABOR	+isnull(LA	if @parse	rtrim(ISNULL(@LABOR_CHARACTERISTICS_OF_LABOR_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_7,'')) +
318	EVENT_T	1	LABOR	LABOR	LABOR_C	LABOR_C	@LABOR	+isnull(LA	if @parse	rtrim(ISNULL(@LABOR_CHARACTERISTICS_OF_LABOR_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_8,'')) +
319	EVENT_T	1	LABOR	LABOR	LABOR_C	LABOR_C	@LABOR	+isnull(LA	if @parse	rtrim(ISNULL(@LABOR_CHARACTERISTICS_OF_LABOR_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_9,'')) +
320	EVENT_T	1	LABOR	LABOR	LABOR_O	LABOR_O	@LABOR	+isnull(LA	if @parse	rtrim(ISNULL(@LABOR_ONSET_OF_LABOR_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_1,'')) +
321	EVENT_T	1	LABOR	LABOR	LABOR_O	LABOR_O	@LABOR	+isnull(LA	if @parse	rtrim(ISNULL(@LABOR_ONSET_OF_LABOR_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_2,'')) +

322	LABOR_ONSET_OF_LABOR_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_3	Labor Onset Of Labor	varchar	200	See Attachment S	Birth - Labor		151	N	EVENT T	1	LABOR	LABOR	. LABOR C	. LABOR C	. @LABOR	+ isnull(LA	if @parse	rtrim(ISNULL(@LABOR_ONSET_OF_LABOR_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_3,'')) +
323	LABOR_ONSET_OF_LABOR_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_4	Labor Onset Of Labor	varchar	200	See Attachment S	Birth - Labor		151	N	EVENT T	1	LABOR	LABOR	. LABOR C	. LABOR C	. @LABOR	+ isnull(LA	if @parse	rtrim(ISNULL(@LABOR_ONSET_OF_LABOR_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_4,'')) +
324	LABOR_ONSET_OF_LABOR_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_5	Labor Onset Of Labor	varchar	200	See Attachment S	Birth - Labor		151	N	EVENT T	1	LABOR	LABOR	. LABOR C	. LABOR C	. @LABOR	+ isnull(LA	if @parse	rtrim(ISNULL(@LABOR_ONSET_OF_LABOR_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_5,'')) +
325	LABOR_COMPLICATIONS_OF_LABOR_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_1	Labor Complications Of Labor	varchar	200	See Attachment S	Birth - Labor Prior 2003		153	N	EVENT T	1	LABOR	LABOR	. LABOR C	. LABOR C	. @LABOR	+ isnull(LA	if @parse	rtrim(ISNULL(@LABOR_COMPLICATIONS_OF_LABOR_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_1,'')) +
326	LABOR_COMPLICATIONS_OF_LABOR_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_2	Labor Complications Of Labor	varchar	200	See Attachment S	Birth - Labor Prior 2003		153	N	EVENT T	1	LABOR	LABOR	. LABOR C	. LABOR C	. @LABOR	+ isnull(LA	if @parse	rtrim(ISNULL(@LABOR_COMPLICATIONS_OF_LABOR_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_2,'')) +
327	LABOR_COMPLICATIONS_OF_LABOR_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_3	Labor Complications Of Labor	varchar	200	See Attachment S	Birth - Labor Prior 2003		153	N	EVENT T	1	LABOR	LABOR	. LABOR C	. LABOR C	. @LABOR	+ isnull(LA	if @parse	rtrim(ISNULL(@LABOR_COMPLICATIONS_OF_LABOR_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_3,'')) +
328	LABOR_COMPLICATIONS_OF_LABOR_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_4	Labor Complications Of Labor	varchar	200	See Attachment S	Birth - Labor Prior 2003		153	N	EVENT T	1	LABOR	LABOR	. LABOR C	. LABOR C	. @LABOR	+ isnull(LA	if @parse	rtrim(ISNULL(@LABOR_COMPLICATIONS_OF_LABOR_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_4,'')) +
329	LABOR_COMPLICATIONS_OF_LABOR_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_5	Labor Complications Of Labor	varchar	200	See Attachment S	Birth - Labor Prior 2003		153	N	EVENT T	1	LABOR	LABOR	. LABOR C	. LABOR C	. @LABOR	+ isnull(LA	if @parse	rtrim(ISNULL(@LABOR_COMPLICATIONS_OF_LABOR_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_5,'')) +
330	LABOR_COMPLICATIONS_OF_LABOR_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_6	Labor Complications Of Labor	varchar	200	See Attachment S	Birth - Labor Prior 2003		153	N	EVENT T	1	LABOR	LABOR	. LABOR C	. LABOR C	. @LABOR	+ isnull(LA	if @parse	rtrim(ISNULL(@LABOR_COMPLICATIONS_OF_LABOR_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_6,'')) +
331	LABOR_COMPLICATIONS_OF_LABOR_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_7	Labor Complications Of Labor	varchar	200	See Attachment S	Birth - Labor Prior 2003		153	N	EVENT T	1	LABOR	LABOR	. LABOR C	. LABOR C	. @LABOR	+ isnull(LA	if @parse	rtrim(ISNULL(@LABOR_COMPLICATIONS_OF_LABOR_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_7,'')) +
332	LABOR_COMPLICATIONS_OF_LABOR_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_8	Labor Complications Of Labor	varchar	200	See Attachment S	Birth - Labor Prior 2003		153	N	EVENT T	1	LABOR	LABOR	. LABOR C	. LABOR C	. @LABOR	+ isnull(LA	if @parse	rtrim(ISNULL(@LABOR_COMPLICATIONS_OF_LABOR_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_8,'')) +
333	LABOR_COMPLICATIONS_OF_LABOR_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_9	Labor Complications Of Labor	varchar	200	See Attachment S	Birth - Labor Prior 2003		153	N	EVENT T	1	LABOR	LABOR	. LABOR C	. LABOR C	. @LABOR	+ isnull(LA	if @parse	rtrim(ISNULL(@LABOR_COMPLICATIONS_OF_LABOR_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_9,'')) +
334	LABOR_COMPLICATIONS_OF_LABOR_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_10	Labor Complications Of Labor	varchar	200	See Attachment S	Birth - Labor Prior 2003		153	N	EVENT T	1	LABOR	LABOR	. LABOR C	. LABOR C	. @LABOR	+ isnull(LA	if @parse	rtrim(ISNULL(@LABOR_COMPLICATIONS_OF_LABOR_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_10,'')) +
335	LABOR_COMPLICATIONS_OF_LABOR_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_11	Labor Complications Of Labor	varchar	200	See Attachment S	Birth - Labor Prior 2003		153	N	EVENT T	1	LABOR	LABOR	. LABOR C	. LABOR C	. @LABOR	+ isnull(LA	if @parse	rtrim(ISNULL(@LABOR_COMPLICATIONS_OF_LABOR_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_11,'')) +
336	LABOR_COMPLICATIONS_OF_LABOR_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER	Labor Complications Of Labor	varchar	200	See Attachment S - Value with other specify	Birth - Labor Prior 2003		153	N	EVENT T	1	LABOR	LABOR	. LABOR C	. LABOR C	. @LABOR	+ isnull(LA	if @parse	rtrim(ISNULL(@LABOR_COMPLICATIONS_OF_LABOR_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER,'')) +
337	LABOR_COMPLICATIONS_OF_LABOR_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE_1	Labor Complications Of Labor	varchar	500	Specified Value for LABOR_COMPLICATIONS_OF_LABOR_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID OTHER	Birth - Labor Prior 2003			N	EVENT T	1	LABOR	LABOR	. LABOR C	. LABOR C	. @LABOR	+ isnull(LA	if @parse	rtrim(ISNULL(@LABOR_COMPLICATIONS_OF_LABOR_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE_1,'')) +
338	LABOR_COMPLICATIONS_OF_LABOR_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE_2	Labor Complications Of Labor	varchar	500	Specified Value for LABOR_COMPLICATIONS_OF_LABOR_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID OTHER	Birth - Labor Prior 2003			N	EVENT T	1	LABOR	LABOR	. LABOR C	. LABOR C	. @LABOR	+ isnull(LA	if @parse	rtrim(ISNULL(@LABOR_COMPLICATIONS_OF_LABOR_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE_2,'')) +
339	BIRTH_TASK_MOTHER_HISPANIC_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_1	Mother Hispanic	varchar	200	See Attachment S	Birth - Mother Attributes Pri	Hispanic Origin	BIRTH_TASK_MOTHER_52	N	EVENT T	1	BIRTH T	BIRTH T	. BIRTH T	. BIRTH TA	. @BIRTH	+ isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_HISPANIC_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_1,'')) +
340	BIRTH_TASK_MOTHER_HISPANIC_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_2	Mother Hispanic	varchar	200	See Attachment S	Birth - Mother Attributes Pri	Hispanic Origin	BIRTH_TASK_MOTHER_52	N	EVENT T	1	BIRTH T	BIRTH T	. BIRTH T	. BIRTH TA	. @BIRTH	+ isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_HISPANIC_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_2,'')) +
341	BIRTH_TASK_MOTHER_HISPANIC_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_3	Mother Hispanic	varchar	200	See Attachment S	Birth - Mother Attributes Pri	Hispanic Origin	BIRTH_TASK_MOTHER_52	N	EVENT T	1	BIRTH T	BIRTH T	. BIRTH T	. BIRTH TA	. @BIRTH	+ isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_HISPANIC_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_3,'')) +
342	BIRTH_TASK_MOTHER_HISPANIC_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_4	Mother Hispanic	varchar	200	See Attachment S	Birth - Mother Attributes Pri	Hispanic Origin	BIRTH_TASK_MOTHER_52	N	EVENT T	1	BIRTH T	BIRTH T	. BIRTH T	. BIRTH TA	. @BIRTH	+ isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_HISPANIC_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_4,'')) +
343	BIRTH_TASK_MOTHER_HISPANIC_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_5	Mother Hispanic	varchar	200	See Attachment S	Birth - Mother Attributes Pri	Hispanic Origin	BIRTH_TASK_MOTHER_52	N	EVENT T	1	BIRTH T	BIRTH T	. BIRTH T	. BIRTH TA	. @BIRTH	+ isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_HISPANIC_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_5,'')) +
344	BIRTH_TASK_MOTHER_HISPANIC_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_6	Mother Hispanic	varchar	200	See Attachment S	Birth - Mother Attributes Pri	Hispanic Origin	BIRTH_TASK_MOTHER_52	N	EVENT T	1	BIRTH T	BIRTH T	. BIRTH T	. BIRTH TA	. @BIRTH	+ isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_HISPANIC_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_6,'')) +
345	BIRTH_TASK_MOTHER_HISPANIC_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_7	Mother Hispanic	varchar	200	See Attachment S	Birth - Mother Attributes Pri	Hispanic Origin	BIRTH_TASK_MOTHER_52	N	EVENT T	1	BIRTH T	BIRTH T	. BIRTH T	. BIRTH TA	. @BIRTH	+ isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_HISPANIC_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_7,'')) +
346	BIRTH_TASK_MOTHER_HISPANIC_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_8	Mother Hispanic	varchar	200	See Attachment S	Birth - Mother Attributes Pri	Hispanic Origin	BIRTH_TASK_MOTHER_52	N	EVENT T	1	BIRTH T	BIRTH T	. BIRTH T	. BIRTH TA	. @BIRTH	+ isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_HISPANIC_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_8,'')) +
347	BIRTH_TASK_MOTHER_HISPANIC_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER	Mother Hispanic	varchar	200	See Attachment S	Birth - Mother Attributes Pri	Hispanic Origin	BIRTH_TASK_MOTHER_52	N	EVENT T	1	BIRTH T	BIRTH T	. BIRTH T	. BIRTH TA	. @BIRTH	+ isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_HISPANIC_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER,'')) +
348	BIRTH_TASK_MOTHER_HISPANIC_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE	Mother Hispanic Object Property Other Property Value	varchar	500	Specified Value for BIRTH_TASK_MOTHER_HISPANIC_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER	Birth - Mother Attributes Pri	If Other, Specify		N	EVENT T	1	BIRTH T	BIRTH T	. BIRTH T	. BIRTH TA	. @BIRTH	+ isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_HISPANIC_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE,'')) +
349	BIRTH_TASK_MOTHER_HISPANIC_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID	Mother Hispanic	varchar	200	See Attachment S	Birth - Mother Attributes Pri	Hispanic Origin	BIRTH_TASK_MOTHER_52	N	EVENT T	1	BIRTH T	BIRTH T	. BIRTH T	. BIRTH TA	. @BIRTH	+ isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_HISPANIC_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID,'')) +
350	BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_1	Mother Race	varchar	200	See Attachment S	Birth - Mother Attributes		BIRTH_TASK_MOTHER_51	N	EVENT T	1	BIRTH T	BIRTH T	. BIRTH T	. BIRTH TA	. @BIRTH	+ isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_1,'')) +
351	BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_10	Mother Race	varchar	200	See Attachment S	Birth - Mother Attributes		BIRTH_TASK_MOTHER_51	N	EVENT T	1	BIRTH T	BIRTH T	. BIRTH T	. BIRTH TA	. @BIRTH	+ isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_10,'')) +
352	BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_11	Mother Race	varchar	200	See Attachment S	Birth - Mother Attributes		BIRTH_TASK_MOTHER_51	N	EVENT T	1	BIRTH T	BIRTH T	. BIRTH T	. BIRTH TA	. @BIRTH	+ isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_11,'')) +
353	BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_12	Mother Race	varchar	200	See Attachment S	Birth - Mother Attributes		BIRTH_TASK_MOTHER_51	N	EVENT T	1	BIRTH T	BIRTH T	. BIRTH T	. BIRTH TA	. @BIRTH	+ isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_12,'')) +
354	BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_13	Mother Race	varchar	200	See Attachment S	Birth - Mother Attributes		BIRTH_TASK_MOTHER_51	N	EVENT T	1	BIRTH T	BIRTH T	. BIRTH T	. BIRTH TA	. @BIRTH	+ isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_13,'')) +
355	BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_14	Mother Race	varchar	200	See Attachment S	Birth - Mother Attributes		BIRTH_TASK_MOTHER_51	N	EVENT T	1	BIRTH T	BIRTH T	. BIRTH T	. BIRTH TA	. @BIRTH	+ isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_14,'')) +
356	BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_15	Mother Race	varchar	200	See Attachment S	Birth - Mother Attributes		BIRTH_TASK_MOTHER_51	N	EVENT T	1	BIRTH T	BIRTH T	. BIRTH T	. BIRTH TA	. @BIRTH	+ isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_15,'')) +
357	BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_16	Mother Race	varchar	200	See Attachment S	Birth - Mother Attributes		BIRTH_TASK_MOTHER_51	N	EVENT T	1	BIRTH T	BIRTH T	. BIRTH T	. BIRTH TA	. @BIRTH	+ isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_16,'')) +
358	BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_2	Mother Race	varchar	200	See Attachment S	Birth - Mother Attributes		BIRTH_TASK_MOTHER_51	N	EVENT T	1	BIRTH T	BIRTH T	. BIRTH T	. BIRTH TA	. @BIRTH	+ isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_2,'')) +
359	BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_3	Mother Race	varchar	200	See Attachment S	Birth - Mother Attributes		BIRTH_TASK_MOTHER_51	N	EVENT T	1	BIRTH T	BIRTH T	. BIRTH T	. BIRTH TA	. @BIRTH	+ isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_3,'')) +
360	BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_4	Mother Race	varchar	200	See Attachment S	Birth - Mother Attributes		BIRTH_TASK_MOTHER_51	N	EVENT T	1	BIRTH T	BIRTH T	. BIRTH T	. BIRTH TA	. @BIRTH	+ isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_4,'')) +
361	BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_5	Mother Race	varchar	200	See Attachment S	Birth - Mother Attributes		BIRTH_TASK_MOTHER_51	N	EVENT T	1	BIRTH T	BIRTH T	. BIRTH T	. BIRTH TA	. @BIRTH	+ isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_5,'')) +
362	BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_6	Mother Race	varchar	200	See Attachment S	Birth - Mother Attributes		BIRTH_TASK_MOTHER_51	N	EVENT T	1	BIRTH T	BIRTH T	. BIRTH T	. BIRTH TA	. @BIRTH	+ isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_6,'')) +
363	BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_7	Mother Race	varchar	200	See Attachment S	Birth - Mother Attributes		BIRTH_TASK_MOTHER_51	N	EVENT T	1	BIRTH T	BIRTH T	. BIRTH T	. BIRTH TA	. @BIRTH	+ isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_7,'')) +
364	BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_8	Mother Race	varchar	200	See Attachment S	Birth - Mother Attributes		BIRTH_TASK_MOTHER_51	N	EVENT T	1	BIRTH T	BIRTH T	. BIRTH T	. BIRTH TA	. @BIRTH	+ isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_8,'')) +
365	BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_9	Mother Race	varchar	200	See Attachment S	Birth - Mother Attributes		BIRTH_TASK_MOTHER_51	N	EVENT T	1	BIRTH T	BIRTH T	. BIRTH T	. BIRTH TA	. @BIRTH	+ isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_9,'')) +
366	BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER_RACE	Mother Race	varchar	200	See Attachment S - Value with other specify	Birth - Mother Attributes		BIRTH_TASK_MOTHER_51	N	EVENT T	1	BIRTH T	BIRTH T	. BIRTH T	. BIRTH TA	. @BIRTH	+ isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER_RACE_A,'')) +
367	BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE_A1	Mother Race	varchar	500	Specified Value for BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER_RACE A	Birth - Mother Attributes			N	EVENT T	1	BIRTH T	BIRTH T	. BIRTH T	. BIRTH TA	. @BIRTH	+ isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE_A1,'')) +
368	BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE_A2	Mother Race	varchar	500	Specified Value for BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER_RACE A	Birth - Mother Attributes			N	EVENT T	1	BIRTH T	BIRTH T	. BIRTH T	. BIRTH TA	. @BIRTH	+ isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE_A2,'')) +
369	BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER_RACE	Mother Race	varchar	200	See Attachment S - Value with other specify	Birth - Mother Attributes		BIRTH_TASK_MOTHER_51	N	EVENT T	1	BIRTH T	BIRTH T	. BIRTH T	. BIRTH TA	. @BIRTH	+ isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER_RACE_B,'')) +
370	BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE_B1	Mother Race	varchar	500	Specified Value for BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER_RACE B	Birth - Mother Attributes			N	EVENT T	1	BIRTH T	BIRTH T	. BIRTH T	. BIRTH TA	. @BIRTH	+ isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE_B1,'')) +
371	BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE_B2	Mother Race	varchar	500	Specified Value for BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER_RACE B	Birth - Mother Attributes			N	EVENT T	1	BIRTH T	BIRTH T	. BIRTH T	. BIRTH TA	. @BIRTH	+ isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE_B2,'')) +
372	BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER_RACE	Mother Race	varchar	200	See Attachment S - Value with other specify	Birth - Mother Attributes		BIRTH_TASK_MOTHER_51	N	EVENT T	1	BIRTH T	BIRTH T	. BIRTH T	. BIRTH TA	. @BIRTH	+ isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER_RACE_C,'')) +
373	BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE_C1	Mother Race	varchar	500	Specified Value for BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER_RACE C	Birth - Mother Attributes			N	EVENT T	1	BIRTH T	BIRTH T	. BIRTH T	. BIRTH TA	. @BIRTH	+ isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE_C1,'')) +
374	BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE_C2	Mother Race	varchar	500	Specified Value for BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER_RACE C	Birth - Mother Attributes			N	EVENT T	1	BIRTH T	BIRTH T	. BIRTH T	. BIRTH TA	. @BIRTH	+ isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE_C2,'')) +
375	BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER_RACE	Mother Race	varchar	200	See Attachment S - Value with other specify	Birth - Mother Attributes		BIRTH_TASK_MOTHER_51	N	EVENT T	1	BIRTH T	BIRTH T	. BIRTH T	. BIRTH TA	. @BIRTH	+ isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER_RACE_D,'')) +
376	BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE_D1	Mother Race	varchar	500	Specified Value for BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER_RACE D	Birth - Mother Attributes			N	EVENT T	1	BIRTH T	BIRTH T	. BIRTH T	. BIRTH TA	. @BIRTH	+ isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE_D1,'')) +
377	BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE_D2	Mother Race	varchar	500	Specified Value for BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER_RACE D	Birth - Mother Attributes			N	EVENT T	1	BIRTH T	BIRTH T	. BIRTH T	. BIRTH TA	. @BIRTH	+ isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE_D2,'')) +
378	BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER_RACE	Mother Race	varchar	200	See Attachment S - Value with other specify	Birth - Mother Attributes		BIRTH_TASK_MOTHER_51	N	EVENT T	1	BIRTH T	BIRTH T	. BIRTH T	. BIRTH TA	. @BIRTH	+ isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER_RACE_E,'')) +
379	BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE_E1	Mother Race	varchar	500	Specified Value for BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER_RACE E	Birth - Mother Attributes			N	EVENT T	1	BIRTH T	BIRTH T	. BIRTH T	. BIRTH TA	. @BIRTH	+ isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE_E1,'')) +
380	BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE_E2	Mother Race	varchar	500	Specified Value for BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER_RACE E	Birth - Mother Attributes			N	EVENT T	1	BIRTH T	BIRTH T	. BIRTH T	. BIRTH TA	. @BIRTH	+ isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE_E2,'')) +
381	BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID	Mother Race	varchar	200	See Attachment S	Birth - Mother Attributes		BIRTH_TASK_MOTHER_51	N	EVENT T	1	BIRTH T	BIRTH T	. BIRTH T	. BIRTH TA	. @BIRTH	+ isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_RACE_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID,'')) +
382	NEWBORN_FACTORS_ABNORMAL_CONDITIONS_OBJECT_PROPERTY_PROPERTY_TYPE_CD	Newborn Factors Abnormal Conditions	varchar	200	See Attachment S	Birth - Newborn Factors		159	N	EVENT T	1	NEWBOR	NEWBOR	. NEWBOI	. NEWBOR	. @NEWB	+ isnull(NE	if @parse	rtrim(ISNULL(@NEWBORN_FACTORS_ABNORMAL_CONDITIONS_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_1,'')) +
383	NEWBORN_FACTORS_ABNORMAL_CONDITIONS_OBJECT_PROPERTY_PROPERTY_TYPE_CD	Newborn Factors Abnormal Conditions	varchar	200	See Attachment S	Birth - Newborn Factors		159	N	EVENT T	1	NEWBOR	NEWBOR	. NEWBOI	. NEWBOR	. @NEWB	+ isnull(NE	if @parse	rtrim(ISNULL(@NEWBORN_FACTORS_ABNORMAL_CONDITIONS_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_2,'')) +
384	NEWBORN_FACTORS_ABNORMAL_CONDITIONS_OBJECT_PROPERTY_PROPERTY_TYPE_CD	Newborn Factors Abnormal Conditions	varchar	200	See Attachment S	Birth - Newborn Factors		159	N	EVENT T	1	NEWBOR	NEWBOR	. NEWBOI	. NEWBOR	. @NEWB	+ isnull(NE	if @parse	rtrim(ISNULL(@NEWBORN_FACTORS_ABNORMAL_CONDITIONS_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_3,'')) +
385	NEWBORN_FACTORS_ABNORMAL_CONDITIONS_OBJECT_PROPERTY_PROPERTY_TYPE_CD	Newborn Factors Abnormal Conditions	varchar	200	See Attachment S	Birth - Newborn Factors		159	N	EVENT T	1	NEWBOR	NEWBOR	. NEWBOI	. NEWBOR	. @NEWB	+ isnull(NE	if @parse	rtrim(ISNULL(@NEWBORN_FACTORS_ABNORMAL_CONDITIONS_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_4,'')) +
386	NEWBORN_FACTORS_ABNORMAL_CONDITIONS_OBJECT_PROPERTY_PROPERTY_TYPE_CD	Newborn Factors Abnormal Conditions	varchar	200	See Attachment S	Birth - Newborn Factors		159	N	EVENT T	1	NEWBOR	NEWBOR	. NEWBOI	. NEWBOR	. @NEWB	+ isnull(NE	if @parse	rtrim(ISNULL(@NEWBORN_FACTORS_ABNORMAL_CONDITIONS_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_5,'')) +
387	NEWBORN_FACTORS_ABNORMAL_CONDITIONS_OBJECT_PROPERTY_PROPERTY_TYPE_CD	Newborn Factors Abnormal Conditions	varchar	200	See Attachment S	Birth - Newborn Factors		159	N	EVENT T	1	NEWBOR	NEWBOR	. NEWBOI	. NEWBOR	. @NEWB	+ isnull(NE	if @parse	rtrim(ISNULL(@NEWBORN_FACTORS_ABNORMAL_CONDITIONS_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_6,'')) +
388	NEWBORN_FACTORS_ABNORMAL_CONDITIONS_OBJECT_PROPERTY_PROPERTY_TYPE_CD	Newborn Factors Abnormal Conditions	varchar	200	See Attachment S	Birth - Newborn Factors		159	N	EVENT T	1	NEWBOR	NEWBOR	. NEWBOI	. NEWBOR	. @NEWB	+ isnull(NE	if @parse	rtrim(ISNULL(@NEWBORN_FACTORS_ABNORMAL_CONDITIONS_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_7,'')) +
389	NEWBORN_FACTORS_ABNORMAL_CONDITIONS_OBJECT_PROPERTY_PROPERTY_TYPE_CD	Newborn Factors Abnormal Conditions	varchar	200	See Attachment S	Birth - Newborn Factors		159	N	EVENT T	1	NEWBOR	NEWBOR	. NEWBOI	. NEWBOR	. @NEWB	+ isnull(NE	if @parse	rtrim(ISNULL(@NEWBORN_FACTORS_ABNORMAL_CONDITIONS_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_8,'')) +
390	NEWBORN_FACTORS_ABNORMAL_CONDITIONS_OBJECT_PROPERTY_PROPERTY_TYPE_CD	Newborn Factors Abnormal Conditions	varchar	200	See Attachment S	Birth - Newborn Factors		159	N	EVENT T	1	NEWBOR	NEWBOR	. NEWBOI	. NEWBOR	. @NEWB	+ isnull(NE	if @parse	rtrim(ISNULL(@NEWBORN_FACTORS_ABNORMAL_CONDITIONS_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_9,'')) +
391	NEWBORN_FACTORS_ABNORMAL_CONDITIONS_OBJECT_PROPERTY_PROPERTY_TYPE_CD	Newborn Factors Abnormal Conditions	varchar	200	See Attachment S	Birth - Newborn Factors		159	N	EVENT T	1	NEWBOR	NEWBOR	. NEWBOI	. NEWBOR	. @NEWB	+ isnull(NE	if @parse	rtrim(ISNULL(@NEWBORN_FACTORS_ABNORMAL_CONDITIONS_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_10,'')) +
392	NEWBORN_FACTORS_ABNORMAL_CONDITIONS_OBJECT_PROPERTY_PROPERTY_TYPE_CD	Newborn Factors Abnormal Conditions	varchar	200	See Attachment S - Value with other specify	Birth - Newborn Factors			N	EVENT T	1	NEWBOR	NEWBOR	. NEWBOI	. NEWBOR	. @NEWB	+ isnull(NE	if @parse	rtrim(ISNULL(@NEWBORN_FACTORS_ABNORMAL_CONDITIONS_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER,'')) +
393	NEWBORN_FACTORS_ABNORMAL_CONDITIONS_OBJECT_PROPERTY_OTHER_PROPERTY_V	Newborn Factors Abnormal Conditions	varchar	500	Specified Value for NEWBORN_FACTORS_ABNORMAL_CONDITIONS_OBJECT_PROPERTY_PROPERTY_TYPE CD ID OTHER	Birth - Newborn Factors			N	EVENT T	1	NEWBOR	NEWBOR	. NEWBOI	. NEWBOR	. @NEWB	+ isnull(NE	if @parse	rtrim(ISNULL(@NEWBORN_FACTORS_ABNORMAL_CONDITIONS_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE_1,'')) +
394	NEWBORN_FACTORS_ABNORMAL_CONDITIONS_OBJECT_PROPERTY_OTHER_PROPERTY_V	Newborn Factors Abnormal Conditions	varchar	500	Specified Value for NEWBORN_FACTORS_ABNORMAL_CONDITIONS_OBJECT_PROPERTY_PROPERTY_TYPE CD ID OTHER	Birth - Newborn Factors			N	EVENT T	1	NEWBOR	NEWBOR	. NEWBOI	. NEWBOR	. @NEWB	+ isnull(NE	if @parse	rtrim(ISNULL(@NEWBORN_FACTORS_ABNORMAL_CONDITIONS_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE_2,'')) +
395	NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_PROPERTY_TYPE_CD	Newborn Factors Congenital Anomalies	varchar	200	See Attachment S	Birth - Newborn Factors		160	N	EVENT T	1	NEWBOR	NEWBOR	. NEWBOI	. NEWBOR	. @NEWB	+ isnull(NE	if @parse	rtrim(ISNULL(@NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_1,'')) +
396	NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_PROPERTY_TYPE_CD	Newborn Factors Congenital Anomalies	varchar	200	See Attachment S	Birth - Newborn Factors		160	N	EVENT T	1	NEWBOR	NEWBOR	. NEWBOI	. NEWBOR	. @NEWB	+ isnull(NE	if @parse	rtrim(ISNULL(@NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_2,'')) +
397	NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_PROPERTY_TYPE_CD	Newborn Factors Congenital Anomalies	varchar	200	See Attachment S	Birth - Newborn Factors		160	N	EVENT T	1	NEWBOR	NEWBOR	. NEWBOI	. NEWBOR	. @NEWB	+ isnull(NE	if @parse	rtrim(ISNULL(@NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_3,'')) +
398	NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_PROPERTY_TYPE_CD	Newborn Factors Congenital Anomalies	varchar	200	See Attachment S	Birth - Newborn Factors		160	N	EVENT T	1	NEWBOR	NEWBOR	. NEWBOI	. NEWBOR	. @NEWB	+ isnull(NE	if @parse	rtrim(ISNULL(@NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_4,'')) +
399	NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_PROPERTY_TYPE_CD	Newborn Factors Congenital Anomalies	varchar	200	See Attachment S	Birth - Newborn Factors		160	N	EVENT T	1	NEWBOR	NEWBOR	. NEWBOI	. NEWBOR	. @NEWB	+ isnull(NE	if @parse	rtrim(ISNULL(@NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_5,'')) +
400	NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_PROPERTY_TYPE_CD	Newborn Factors Congenital Anomalies	varchar	200	See Attachment S	Birth - Newborn Factors		160	N	EVENT T	1	NEWBOR	NEWBOR	. NEWBOI	. NEWBOR	. @NEWB	+ isnull(NE	if @parse	rtrim(ISNULL(@NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_6,'')) +
401	NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_PROPERTY_TYPE_CD	Newborn Factors Congenital Anomalies	varchar	200	See Attachment S	Birth - Newborn Factors		160	N	EVENT T	1	NEWBOR	NEWBOR	. NEWBOI	. NEWBOR	. @NEWB	+ isnull(NE	if @parse	rtrim(ISNULL(@NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_7,'')) +
402	NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_PROPERTY_TYPE_CD	Newborn Factors Congenital Anomalies	varchar	200	See Attachment S	Birth - Newborn Factors		160	N	EVENT T	1	NEWBOR	NEWBOR	. NEWBOI	. NEWBOR	. @NEWB	+ isnull(NE	if @parse	rtrim(ISNULL(@NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_8,'')) +
403	NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_PROPERTY_TYPE_CD	Newborn Factors Congenital Anomalies	varchar	200	See Attachment S	Birth - Newborn Factors		160	N	EVENT T	1	NEWBOR	NEWBOR	. NEWBOI	. NEWBOR	. @NEWB	+ isnull(NE	if @parse	rtrim(ISNULL(@NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_9,'')) +
404	NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_PROPERTY_TYPE_CD	Newborn Factors Congenital Anomalies	varchar	200	See Attachment S	Birth - Newborn Factors		160	N	EVENT T	1	NEWBOR	NEWBOR	. NEWBOI	. NEWBOR	. @NEWB	+ isnull(NE	if @parse	rtrim(ISNULL(@NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_10,'')) +
405	NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_PROPERTY_TYPE_CD	Newborn Factors Congenital Anomalies	varchar	200	See Attachment S	Birth - Newborn Factors		160	N	EVENT T	1	NEWBOR	NEWBOR	. NEWBOI	. NEWBOR	. @NEWB	+ isnull(NE	if @parse	rtrim(ISNULL(@NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_11,'')) +
406	NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_PROPERTY_TYPE_CD	Newborn Factors Congenital Anomalies	varchar	200	See Attachment S	Birth - Newborn Factors		160	N	EVENT T	1	NEWBOR	NEWBOR	. NEWBOI	. NEWBOR	. @NEWB	+ isnull(NE	if @parse	rtrim(ISNULL(@NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_12,'')) +
407	NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_PROPERTY_TYPE_CD	Newborn Factors Congenital Anomalies	varchar	200	See Attachment S	Birth - Newborn Factors		160	N	EVENT T	1	NEWBOR	NEWBOR	. NEWBOI	. NEWBOR	. @NEWB	+ isnull(NE	if @parse	rtrim(ISNULL(@NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_13,'')) +
408	NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_PROPERTY_TYPE_CD	Newborn Factors Congenital Anomalies	varchar	200	See Attachment S	Birth - Newborn Factors		160	N	EVENT T	1	NEWBOR	NEWBOR	. NEWBOI	. NEWBOR	. @NEWB	+ isnull(NE	if @parse	rtrim(ISNULL(@NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_14,'')) +
409	NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_PROPERTY_TYPE_CD	Newborn Factors Congenital Anomalies	varchar	200	See Attachment S	Birth - Newborn Factors		160	N	EVENT T	1	NEWBOR	NEWBOR	. NEWBOI	. NEWBOR	. @NEWB	+ isnull(NE	if @parse	rtrim(ISNULL(@NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_15,'')) +
410	NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_PROPERTY_TYPE_CD	Newborn Factors Congenital Anomalies	varchar	200	See Attachment S	Birth - Newborn Factors		160	N	EVENT T	1	NEWBOR	NEWBOR	. NEWBOI	. NEWBOR	. @NEWB	+ isnull(NE	if @parse	rtrim(ISNULL(@NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_16,'')) +
411	NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_PROPERTY_TYPE_CD	Newborn Factors Congenital Anomalies	varchar	200	See Attachment S	Birth - Newborn Factors		160	N	EVENT T	1	NEWBOR	NEWBOR	. NEWBOI	. NEWBOR	. @NEWB	+ isnull(NE	if @parse	rtrim(ISNULL(@NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_17,'')) +
412	NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_PROPERTY_TYPE_CD	Newborn Factors Congenital Anomalies	varchar	200	See Attachment S	Birth - Newborn Factors		160	N	EVENT T	1	NEWBOR	NEWBOR	. NEWBOI	. NEWBOR	. @NEWB	+ isnull(NE	if @parse	rtrim(ISNULL(@NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_18,'')) +
413	NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_PROPERTY_TYPE_CD	Newborn Factors Congenital Anomalies	varchar	200	See Attachment S	Birth - Newborn Factors		160	N	EVENT T	1	NEWBOR	NEWBOR	. NEWBOI	. NEWBOR	. @NEWB	+ isnull(NE	if @parse	rtrim(ISNULL(@NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_19,'')) +
414	NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_PROPERTY_TYPE_CD	Newborn Factors Congenital Anomalies	varchar	200	See Attachment S	Birth - Newborn Factors		160	N	EVENT T	1	NEWBOR	NEWBOR	. NEWBOI	. NEWBOR	. @NEWB	+ isnull(NE	if @parse	rtrim(ISNULL(@NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_20,'')) +
415	NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_PROPERTY_TYPE_CD	Newborn Factors Congenital Anomalies	varchar	200	See Attachment S - Value with other specify	Birth - Newborn Factors		160	N	EVENT T	1	NEWBOR	NEWBOR	. NEWBOI	. NEWBOR	. @NEWB	+ isnull(NE	if @parse	rtrim(ISNULL(@NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER_A,'')) +
416	NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_OTHER_PROPERTY_V	Newborn Factors Congenital Anomalies	varchar	500	Specified Value for NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER A	Birth - Newborn Factors			N	EVENT T	1	NEWBOR	NEWBOR	. NEWBOI	. NEWBOR	. @NEWB	+ isnull(NE	if @parse	rtrim(ISNULL(@NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE_A1,'')) +
417	NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_OTHER_PROPERTY_V	Newborn Factors Congenital Anomalies	varchar	500	Specified Value for NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER A	Birth - Newborn Factors			N	EVENT T	1	NEWBOR	NEWBOR	. NEWBOI	. NEWBOR	. @NEWB	+ isnull(NE	if @parse	rtrim(ISNULL(@NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE_A2,'')) +
418	NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_PROPERTY_TYPE_CD	Newborn Factors Congenital Anomalies	varchar	200	See Attachment S - Value with other specify	Birth - Newborn Factors		160	N	EVENT T	1	NEWBOR	NEWBOR	. NEWBOI	. NEWBOR	. @NEWB	+ isnull(NE	if @parse	rtrim(ISNULL(@NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER_B,'')) +
419	NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_OTHER_PROPERTY_V	Newborn Factors Congenital Anomalies	varchar	500	Specified Value for NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER B	Birth - Newborn Factors			N	EVENT T	1	NEWBOR	NEWBOR	. NEWBOI	. NEWBOR	. @NEWB	+ isnull(NE	if @parse	rtrim(ISNULL(@NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE_B1,'')) +
420	NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_OTHER_PROPERTY_V	Newborn Factors Congenital Anomalies	varchar	500	Specified Value for NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER B	Birth - Newborn Factors			N	EVENT T	1	NEWBOR	NEWBOR	. NEWBOI	. NEWBOR	. @NEWB	+ isnull(NE	if @parse	rtrim(ISNULL(@NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE_B2,'')) +
421	NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_PROPERTY_TYPE_CD	Newborn Factors Congenital Anomalies	varchar	200	See Attachment S - Value with other specify	Birth - Newborn Factors		160	N	EVENT T	1	NEWBOR	NEWBOR	. NEWBOI	. NEWBOR	. @NEWB	+ isnull(NE	if @parse	rtrim(ISNULL(@NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER_C,'')) +
422	NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_OTHER_PROPERTY_V	Newborn Factors Congenital Anomalies	varchar	500	Specified Value for NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER C	Birth - Newborn Factors			N	EVENT T	1	NEWBOR	NEWBOR	. NEWBOI	. NEWBOR	. @NEWB	+ isnull(NE	if @parse	rtrim(ISNULL(@NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE_C1,'')) +
423	NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_OTHER_PROPERTY_V	Newborn Factors Congenital Anomalies	varchar	500	Specified Value for NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER C	Birth - Newborn Factors			N	EVENT T	1	NEWBOR	NEWBOR	. NEWBOI	. NEWBOR	. @NEWB	+ isnull(NE	if @parse	rtrim(ISNULL(@NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE_C2,'')) +
424	NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_PROPERTY_TYPE_CD	Newborn Factors Congenital Anomalies	varchar	200	See Attachment S - Value with other specify	Birth - Newborn Factors		160	N	EVENT T	1	NEWBOR	NEWBOR	. NEWBOI	. NEWBOR	. @NEWB	+ isnull(NE	if @parse	rtrim(ISNULL(@NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER_D,'')) +
425	NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_OTHER_PROPERTY_V	Newborn Factors Congenital Anomalies	varchar	500	Specified Value for NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER D	Birth - Newborn Factors			N	EVENT T	1	NEWBOR	NEWBOR	. NEWBOI	. NEWBOR	. @NEWB	+ isnull(NE	if @parse	rtrim(ISNULL(@NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE_D1,'')) +
426	NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_OTHER_PROPERTY_V	Newborn Factors Congenital Anomalies	varchar	500	Specified Value for NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER D	Birth - Newborn Factors			N	EVENT T	1	NEWBOR	NEWBOR	. NEWBOI	. NEWBOR	. @NEWB	+ isnull(NE	if @parse	rtrim(ISNULL(@NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE_D2,'')) +
427	NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_PROPERTY_TYPE_CD	Newborn Factors Congenital Anomalies	varchar	200	See Attachment S - Value with other specify	Birth - Newborn Factors		160	N	EVENT T	1	NEWBOR	NEWBOR	. NEWBOI	. NEWBOR	. @NEWB	+ isnull(NE	if @parse	rtrim(ISNULL(@NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER_E,'')) +
428	NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_OTHER_PROPERTY_V	Newborn Factors Congenital Anomalies	varchar	500	Specified Value for NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER E	Birth - Newborn Factors			N	EVENT T	1	NEWBOR	NEWBOR	. NEWBOI	. NEWBOR	. @NEWB	+ isnull(NE	if @parse	rtrim(ISNULL(@NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE_E1,'')) +
429	NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_OTHER_PROPERTY_V	Newborn Factors Congenital Anomalies	varchar	500	Specified Value for NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER E	Birth - Newborn Factors			N	EVENT T	1	NEWBOR	NEWBOR	. NEWBOI	. NEWBOR	. @NEWB	+ isnull(NE	if @parse	rtrim(ISNULL(@NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE_E2,'')) +
430	NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_PROPERTY_TYPE_CD	Newborn Factors Congenital Anomalies	varchar	200	See Attachment S - Value with other specify	Birth - Newborn Factors		160	N	EVENT T	1	NEWBOR	NEWBOR	. NEWBOI	. NEWBOR	. @NEWB	+ isnull(NE	if @parse	rtrim(ISNULL(@NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER_F,'')) +

431	NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_OTHER_PROPERTY_\	Newborn Factors Congenital Anomalies	varchar	500	Specified Value for NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER F	Birth - Newborn Factors			N		EVENT T	1	NEWBOI	NEWBOI	NEWBOI	NEWBOR	@NEWB(	+isnull(NI	if @parse	rtrim(ISNULL(@NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE_F1,'')) +
432	NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_OTHER_PROPERTY_\	Newborn Factors Congenital Anomalies	varchar	500	Specified Value for NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER F	Birth - Newborn Factors			N		EVENT T	1	NEWBOI	NEWBOI	NEWBOI	NEWBOR	@NEWB(	+isnull(NI	if @parse	rtrim(ISNULL(@NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE_F2,'')) +
433	NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_PROPERTY_TYPE_CD	Newborn Factors Congenital Anomalies	varchar	200	See Attachment S - Value with other specify	Birth - Newborn Factors		160	N		EVENT T	1	NEWBOI	NEWBOI	NEWBOI	NEWBOR	@NEWB(	+isnull(NI	if @parse	rtrim(ISNULL(@NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER_G,'')) +
434	NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_OTHER_PROPERTY_\	Newborn Factors Congenital Anomalies	varchar	500	Specified Value for NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER G	Birth - Newborn Factors			N		EVENT T	1	NEWBOI	NEWBOI	NEWBOI	NEWBOR	@NEWB(	+isnull(NI	if @parse	rtrim(ISNULL(@NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE_G1,'')) +
435	NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_OTHER_PROPERTY_\	Newborn Factors Congenital Anomalies	varchar	500	Specified Value for NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER G	Birth - Newborn Factors			N		EVENT T	1	NEWBOI	NEWBOI	NEWBOI	NEWBOR	@NEWB(	+isnull(NI	if @parse	rtrim(ISNULL(@NEWBORN_FACTORS_CONGENITAL_ANOMALIES_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE_G2,'')) +
436	PREGNANCY_FACTORS_INFECTIONS_PRESENT_OBJECT_PROPERTY_PROPERTY_TYPE_CD	Pregnancy Factors Infections Present	varchar	200	See Attachment S	Birth - Pregnancy Factors		149	N		EVENT T	1	PREGNA	PREGNA	PREGNA	PREGNAI	@PREGN	+isnull(PF	if @parse	rtrim(ISNULL(@PREGNANCY_FACTORS_INFECTIONS_PRESENT_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_1,'')) +
437	PREGNANCY_FACTORS_INFECTIONS_PRESENT_OBJECT_PROPERTY_PROPERTY_TYPE_CD	Pregnancy Factors Infections Present	varchar	200	See Attachment S	Birth - Pregnancy Factors		149	N		EVENT T	1	PREGNA	PREGNA	PREGNA	PREGNAI	@PREGN	+isnull(PF	if @parse	rtrim(ISNULL(@PREGNANCY_FACTORS_INFECTIONS_PRESENT_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_2,'')) +
438	PREGNANCY_FACTORS_INFECTIONS_PRESENT_OBJECT_PROPERTY_PROPERTY_TYPE_CD	Pregnancy Factors Infections Present	varchar	200	See Attachment S	Birth - Pregnancy Factors		149	N		EVENT T	1	PREGNA	PREGNA	PREGNA	PREGNAI	@PREGN	+isnull(PF	if @parse	rtrim(ISNULL(@PREGNANCY_FACTORS_INFECTIONS_PRESENT_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_3,'')) +
439	PREGNANCY_FACTORS_INFECTIONS_PRESENT_OBJECT_PROPERTY_PROPERTY_TYPE_CD	Pregnancy Factors Infections Present	varchar	200	See Attachment S	Birth - Pregnancy Factors		149	N		EVENT T	1	PREGNA	PREGNA	PREGNA	PREGNAI	@PREGN	+isnull(PF	if @parse	rtrim(ISNULL(@PREGNANCY_FACTORS_INFECTIONS_PRESENT_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_4,'')) +
440	PREGNANCY_FACTORS_INFECTIONS_PRESENT_OBJECT_PROPERTY_PROPERTY_TYPE_CD	Pregnancy Factors Infections Present	varchar	200	See Attachment S	Birth - Pregnancy Factors		149	N		EVENT T	1	PREGNA	PREGNA	PREGNA	PREGNAI	@PREGN	+isnull(PF	if @parse	rtrim(ISNULL(@PREGNANCY_FACTORS_INFECTIONS_PRESENT_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_5,'')) +
441	PREGNANCY_FACTORS_INFECTIONS_PRESENT_OBJECT_PROPERTY_PROPERTY_TYPE_CD	Pregnancy Factors Infections Present	varchar	200	See Attachment S	Birth - Pregnancy Factors		149	N		EVENT T	1	PREGNA	PREGNA	PREGNA	PREGNAI	@PREGN	+isnull(PF	if @parse	rtrim(ISNULL(@PREGNANCY_FACTORS_INFECTIONS_PRESENT_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_6,'')) +
442	PREGNANCY_FACTORS_INFECTIONS_PRESENT_OBJECT_PROPERTY_PROPERTY_TYPE_CD	Pregnancy Factors Infections Present	varchar	200	See Attachment S	Birth - Pregnancy Factors		149	N		EVENT T	1	PREGNA	PREGNA	PREGNA	PREGNAI	@PREGN	+isnull(PF	if @parse	rtrim(ISNULL(@PREGNANCY_FACTORS_INFECTIONS_PRESENT_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_7,'')) +
443	PREGNANCY_FACTORS_INFECTIONS_PRESENT_OBJECT_PROPERTY_PROPERTY_TYPE_CD	Pregnancy Factors Infections Present	varchar	200	See Attachment S	Birth - Pregnancy Factors		149	N		EVENT T	1	PREGNA	PREGNA	PREGNA	PREGNAI	@PREGN	+isnull(PF	if @parse	rtrim(ISNULL(@PREGNANCY_FACTORS_INFECTIONS_PRESENT_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_8,'')) +
444	PREGNANCY_FACTORS_INFECTIONS_PRESENT_OBJECT_PROPERTY_PROPERTY_TYPE_CD	Pregnancy Factors Infections Present	varchar	200	See Attachment S - Value with other specify	Birth - Pregnancy Factors		149	N		EVENT T	1	PREGNA	PREGNA	PREGNA	PREGNAI	@PREGN	+isnull(PF	if @parse	rtrim(ISNULL(@PREGNANCY_FACTORS_INFECTIONS_PRESENT_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER,'')) +
445	PREGNANCY_FACTORS_INFECTIONS_PRESENT_OBJECT_PROPERTY_OTHER_PROPERTY_V	Pregnancy Factors Infections Present	varchar	500	Specified Value for PREGNANCY_FACTORS_INFECTIONS_PRESENT_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER	Birth - Pregnancy Factors			N		EVENT T	1	PREGNA	PREGNA	PREGNA	PREGNAI	@PREGN	+isnull(PF	if @parse	rtrim(ISNULL(@PREGNANCY_FACTORS_INFECTIONS_PRESENT_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE,'')) +
446	PREGNANCY_FACTORS_OBSTETRIC_PROCEDURES_OBJECT_PROPERTY_PROPERTY_TYPE	Pregnancy Factors Obstetric Procedures	varchar	200	See Attachment S	Birth - Pregnancy Factors		150	N		EVENT T	1	PREGNA	PREGNA	PREGNA	PREGNAI	@PREGN	+isnull(PF	if @parse	rtrim(ISNULL(@PREGNANCY_FACTORS_OBSTETRIC_PROCEDURES_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_1,'')) +
447	PREGNANCY_FACTORS_OBSTETRIC_PROCEDURES_OBJECT_PROPERTY_PROPERTY_TYPE	Pregnancy Factors Obstetric Procedures	varchar	200	See Attachment S	Birth - Pregnancy Factors		150	N		EVENT T	1	PREGNA	PREGNA	PREGNA	PREGNAI	@PREGN	+isnull(PF	if @parse	rtrim(ISNULL(@PREGNANCY_FACTORS_OBSTETRIC_PROCEDURES_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_2,'')) +
448	PREGNANCY_FACTORS_OBSTETRIC_PROCEDURES_OBJECT_PROPERTY_PROPERTY_TYPE	Pregnancy Factors Obstetric Procedures	varchar	200	See Attachment S	Birth - Pregnancy Factors		150	N		EVENT T	1	PREGNA	PREGNA	PREGNA	PREGNAI	@PREGN	+isnull(PF	if @parse	rtrim(ISNULL(@PREGNANCY_FACTORS_OBSTETRIC_PROCEDURES_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_3,'')) +
449	PREGNANCY_FACTORS_OBSTETRIC_PROCEDURES_OBJECT_PROPERTY_PROPERTY_TYPE	Pregnancy Factors Obstetric Procedures	varchar	200	See Attachment S	Birth - Pregnancy Factors		150	N		EVENT T	1	PREGNA	PREGNA	PREGNA	PREGNAI	@PREGN	+isnull(PF	if @parse	rtrim(ISNULL(@PREGNANCY_FACTORS_OBSTETRIC_PROCEDURES_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_4,'')) +
450	PREGNANCY_FACTORS_OBSTETRIC_PROCEDURES_OBJECT_PROPERTY_PROPERTY_TYPE	Pregnancy Factors Obstetric Procedures	varchar	200	See Attachment S	Birth - Pregnancy Factors		150	N		EVENT T	1	PREGNA	PREGNA	PREGNA	PREGNAI	@PREGN	+isnull(PF	if @parse	rtrim(ISNULL(@PREGNANCY_FACTORS_OBSTETRIC_PROCEDURES_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_5,'')) +
451	PREGNANCY_FACTORS_OBSTETRIC_PROCEDURES_OBJECT_PROPERTY_PROPERTY_TYPE	Pregnancy Factors Obstetric Procedures	varchar	200	See Attachment S	Birth - Pregnancy Factors		150	N		EVENT T	1	PREGNA	PREGNA	PREGNA	PREGNAI	@PREGN	+isnull(PF	if @parse	rtrim(ISNULL(@PREGNANCY_FACTORS_OBSTETRIC_PROCEDURES_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_6,'')) +
452	PREGNANCY_FACTORS_OBSTETRIC_PROCEDURES_OBJECT_PROPERTY_PROPERTY_TYPE	Pregnancy Factors Obstetric Procedures	varchar	200	See Attachment S - Value with other specify	Birth - Pregnancy Factors		150	N		EVENT T	1	PREGNA	PREGNA	PREGNA	PREGNAI	@PREGN	+isnull(PF	if @parse	rtrim(ISNULL(@PREGNANCY_FACTORS_OBSTETRIC_PROCEDURES_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER,'')) +
453	PREGNANCY_FACTORS_OBSTETRIC_PROCEDURES_OBJECT_PROPERTY_OTHER_PROPERT	Pregnancy Factors Obstetric Procedures - OBJECT_F	varchar	500	Specified Value for PREGNANCY_FACTORS_OBSTETRIC_PROCEDURES_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_OTHER	Birth - Pregnancy Factors			N		EVENT T	1	PREGNA	PREGNA	PREGNA	PREGNAI	@PREGN	+isnull(PF	if @parse	rtrim(ISNULL(@PREGNANCY_FACTORS_OBSTETRIC_PROCEDURES_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE_1,'')) +
454	PREGNANCY_FACTORS_RISK_FACTORS_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_1	Pregnancy Factors Risk Factors	varchar	200	See Attachment S	Birth - Pregnancy Factors		148	N		EVENT T	1	PREGNA	PREGNA	PREGNA	PREGNAI	@PREGN	+isnull(PF	if @parse	rtrim(ISNULL(@PREGNANCY_FACTORS_RISK_FACTORS_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_1,'')) +
455	PREGNANCY_FACTORS_RISK_FACTORS_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_2	Pregnancy Factors Risk Factors	varchar	200	See Attachment S	Birth - Pregnancy Factors		148	N		EVENT T	1	PREGNA	PREGNA	PREGNA	PREGNAI	@PREGN	+isnull(PF	if @parse	rtrim(ISNULL(@PREGNANCY_FACTORS_RISK_FACTORS_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_2,'')) +
456	PREGNANCY_FACTORS_RISK_FACTORS_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_3	Pregnancy Factors Risk Factors	varchar	200	See Attachment S	Birth - Pregnancy Factors		148	N		EVENT T	1	PREGNA	PREGNA	PREGNA	PREGNAI	@PREGN	+isnull(PF	if @parse	rtrim(ISNULL(@PREGNANCY_FACTORS_RISK_FACTORS_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_3,'')) +
457	PREGNANCY_FACTORS_RISK_FACTORS_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_4	Pregnancy Factors Risk Factors	varchar	200	See Attachment S	Birth - Pregnancy Factors		148	N		EVENT T	1	PREGNA	PREGNA	PREGNA	PREGNAI	@PREGN	+isnull(PF	if @parse	rtrim(ISNULL(@PREGNANCY_FACTORS_RISK_FACTORS_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_4,'')) +
458	PREGNANCY_FACTORS_RISK_FACTORS_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_5	Pregnancy Factors Risk Factors	varchar	200	See Attachment S	Birth - Pregnancy Factors		148	N		EVENT T	1	PREGNA	PREGNA	PREGNA	PREGNAI	@PREGN	+isnull(PF	if @parse	rtrim(ISNULL(@PREGNANCY_FACTORS_RISK_FACTORS_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_5,'')) +
459	PREGNANCY_FACTORS_RISK_FACTORS_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_6	Pregnancy Factors Risk Factors	varchar	200	See Attachment S	Birth - Pregnancy Factors		148	N		EVENT T	1	PREGNA	PREGNA	PREGNA	PREGNAI	@PREGN	+isnull(PF	if @parse	rtrim(ISNULL(@PREGNANCY_FACTORS_RISK_FACTORS_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_6,'')) +
460	PREGNANCY_FACTORS_RISK_FACTORS_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_7	Pregnancy Factors Risk Factors	varchar	200	See Attachment S	Birth - Pregnancy Factors		148	N		EVENT T	1	PREGNA	PREGNA	PREGNA	PREGNAI	@PREGN	+isnull(PF	if @parse	rtrim(ISNULL(@PREGNANCY_FACTORS_RISK_FACTORS_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_7,'')) +
461	PREGNANCY_FACTORS_RISK_FACTORS_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_8	Pregnancy Factors Risk Factors	varchar	200	See Attachment S	Birth - Pregnancy Factors		148	N		EVENT T	1	PREGNA	PREGNA	PREGNA	PREGNAI	@PREGN	+isnull(PF	if @parse	rtrim(ISNULL(@PREGNANCY_FACTORS_RISK_FACTORS_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_8,'')) +
462	PREGNANCY_FACTORS_RISK_FACTORS_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_9	Pregnancy Factors Risk Factors	varchar	200	See Attachment S	Birth - Pregnancy Factors		148	N		EVENT T	1	PREGNA	PREGNA	PREGNA	PREGNAI	@PREGN	+isnull(PF	if @parse	rtrim(ISNULL(@PREGNANCY_FACTORS_RISK_FACTORS_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_9,'')) +
463	PREGNANCY_FACTORS_RISK_FACTORS_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_10	Pregnancy Factors Risk Factors	varchar	200	See Attachment S	Birth - Pregnancy Factors		148	N		EVENT T	1	PREGNA	PREGNA	PREGNA	PREGNAI	@PREGN	+isnull(PF	if @parse	rtrim(ISNULL(@PREGNANCY_FACTORS_RISK_FACTORS_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_10,'')) +
464	PREGNANCY_FACTORS_RISK_FACTORS_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_11	Pregnancy Factors Risk Factors	varchar	200	See Attachment S	Birth - Pregnancy Factors		148	N		EVENT T	1	PREGNA	PREGNA	PREGNA	PREGNAI	@PREGN	+isnull(PF	if @parse	rtrim(ISNULL(@PREGNANCY_FACTORS_RISK_FACTORS_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_11,'')) +
465	PREGNANCY_FACTORS_RISK_FACTORS_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_12	Pregnancy Factors Risk Factors	varchar	200	See Attachment S	Birth - Pregnancy Factors		148	N		EVENT T	1	PREGNA	PREGNA	PREGNA	PREGNAI	@PREGN	+isnull(PF	if @parse	rtrim(ISNULL(@PREGNANCY_FACTORS_RISK_FACTORS_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_12,'')) +
466	PREGNANCY_FACTORS_RISK_FACTORS_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID	Pregnancy Factors Risk Factors	varchar	200	See Attachment S	Birth - Pregnancy Factors		148	N		EVENT T	1	PREGNA	PREGNA	PREGNA	PREGNAI	@PREGN	+isnull(PF	if @parse	rtrim(ISNULL(@PREGNANCY_FACTORS_RISK_FACTORS_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID,'')) +
467	PREGNANCY_FACTORS_RISK_FACTORS_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE_1	Pregnancy Factors Risk Factors - OBJECT_PROPER	varchar	500	Specified Value for PREGNANCY_FACTORS_RISK_FACTORS_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID	Birth - Pregnancy Factors			N		EVENT T	1	PREGNA	PREGNA	PREGNA	PREGNAI	@PREGN	+isnull(PF	if @parse	rtrim(ISNULL(@PREGNANCY_FACTORS_RISK_FACTORS_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE_1,'')) +
468	PREGNANCY_FACTORS_RISK_FACTORS_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_PR	Pregnancy Factors Risk Factors	varchar	200	See Attachment S	Birth - Pregnancy Factors		148	N		EVENT T	1	PREGNA	PREGNA	PREGNA	PREGNAI	@PREGN	+isnull(PF	if @parse	rtrim(ISNULL(@PREGNANCY_FACTORS_RISK_FACTORS_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_PREVIOUS_CESAREAN_DELIVERY,'')) +
469	PREGNANCY_FACTORS_RISK_FACTORS_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE_1	Pregnancy Factors Risk Factors - OBJECT_PROPER	varchar	500	Specified Value for PREGNANCY_FACTORS_RISK_FACTORS_OBJECT_PROPERTY_PROPERTY_TYPE_CD_ID_PREVIOUS_CESAREAN_DELIVERY	Birth - Pregnancy Factors			N		EVENT T	1	PREGNA	PREGNA	PREGNA	PREGNAI	@PREGN	+isnull(PF	if @parse	rtrim(ISNULL(@PREGNANCY_FACTORS_RISK_FACTORS_OBJECT_PROPERTY_OTHER_PROPERTY_VALUE_1_PREVIOUS_CESAREAN_DELIVERY,'')) +
470	BIRTH_REGISTRATION_REGISTRATION_CONVERSION_LOCATE_NUMBER	Conversion Locate Number	varchar	15		Birth - Identifiers			Y		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_REGISTRATION_CONVERSION_LOCATE_NUMBER,'')) +
471	BIRTH_REGISTRATION_REGISTRATION_RELOCATE_FILE_NUMBER	Relocate Number	varchar	11		Birth - Identifiers			Y		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_REGISTRATION_RELOCATE_FILE_NUMBER,'')) +
472	BIRTH_REGISTRATION_BIRTH_IS_FOREIGN	Is Foreign	varchar	1					Y		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_IS_FOREIGN,'')) +
473	BIRTH_REGISTRATION_BIRTH_IS_DELAYED	Is Delayed	boolean	1	Insert 1 for true, Insert 0 for false				Y		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_IS_DELAYED,'')) +
474	BIRTH_REGISTRATION_BIRTH_IS_FOREIGN_BIRTH_US_CITIZEN	Is US Citizen?	boolean	1	Insert 1 for true, Insert 0 for false				N		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_IS_FOREIGN_BIRTH_US_CITIZEN ,'')) +
475	BIRTH_REGISTRATION_BIRTH_IS_PROOF_OF_CITIZENSHIP_PROVIDED	Is proof of citizenship provided	boolean	1	Insert 1 for true, Insert 0 for false				N		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_IS_PROOF_OF_CITIZENSHIP_PROVIDED ,'')) +
476	BIRTH_REGISTRATION_REGISTRATION_STATUS_SPECIAL_STATUS1	Status1	varchar	200					N		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_REGISTRATION_STATUS_SPECIAL_STATUS1,'')) +
477	BIRTH_REGISTRATION_REGISTRATION_STATUS_SPECIAL_STATUS1_REASON	Reason1	varchar	200					N		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_REGISTRATION_STATUS_SPECIAL_STATUS1_REASON,'')) +
478	BIRTH_REGISTRATION_REGISTRATION_STATUS_SPECIAL_STATUS1_START_DATE	Date1	varchar	12					N		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_REGISTRATION_STATUS_SPECIAL_STATUS1_START_DATE,'')) +
479	BIRTH_REGISTRATION_REGISTRATION_STATUS_SPECIAL_STATUS2	Status2	varchar	200					N		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_REGISTRATION_STATUS_SPECIAL_STATUS2,'')) +
480	BIRTH_REGISTRATION_REGISTRATION_STATUS_SPECIAL_STATUS2_REASON	Reason2	varchar	200					N		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_REGISTRATION_STATUS_SPECIAL_STATUS2_REASON,'')) +
481	BIRTH_REGISTRATION_REGISTRATION_STATUS_SPECIAL_STATUS2_START_DATE	Date2	varchar	12					N		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_REGISTRATION_STATUS_SPECIAL_STATUS2_START_DATE,'')) +
482	BIRTH_REGISTRATION_REGISTRATION_STATUS_SPECIAL_STATUS3	Status3	varchar	200					N		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_REGISTRATION_STATUS_SPECIAL_STATUS3,'')) +
483	BIRTH_REGISTRATION_REGISTRATION_STATUS_SPECIAL_STATUS3_REASON	Reason3	varchar	200					N		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_REGISTRATION_STATUS_SPECIAL_STATUS3_REASON,'')) +
484	BIRTH_REGISTRATION_REGISTRATION_STATUS_SPECIAL_STATUS3_START_DATE	Date3	varchar	12					N		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_REGISTRATION_STATUS_SPECIAL_STATUS3_START_DATE,'')) +
485	BIRTH_REGISTRATION_REGISTRATION_STATUS_SPECIAL_STATUS4	Status4	varchar	200					N		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_REGISTRATION_STATUS_SPECIAL_STATUS4,'')) +
486	BIRTH_REGISTRATION_REGISTRATION_STATUS_SPECIAL_STATUS4_REASON	Reason4	varchar	200					N		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_REGISTRATION_STATUS_SPECIAL_STATUS4_REASON,'')) +
487	BIRTH_REGISTRATION_REGISTRATION_STATUS_SPECIAL_STATUS4_START_DATE	Date4	varchar	12					N		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_REGISTRATION_STATUS_SPECIAL_STATUS4_START_DATE,'')) +
488	BIRTH_REGISTRATION_REGISTRATION_STATUS_SPECIAL_STATUS5	Status5	varchar	200					N		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_REGISTRATION_STATUS_SPECIAL_STATUS5,'')) +
489	BIRTH_REGISTRATION_REGISTRATION_STATUS_SPECIAL_STATUS5_REASON	Reason5	varchar	200					N		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_REGISTRATION_STATUS_SPECIAL_STATUS5_REASON,'')) +
490	BIRTH_REGISTRATION_REGISTRATION_STATUS_SPECIAL_STATUS5_START_DATE	Date5	varchar	12					N		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_REGISTRATION_STATUS_SPECIAL_STATUS5_START_DATE,'')) +
491	BIRTH_REGISTRATION_REGISTRATION_STATUS_SPECIAL_STATUS6	Status6	varchar	200					N		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_REGISTRATION_STATUS_SPECIAL_STATUS6,'')) +
492	BIRTH_REGISTRATION_REGISTRATION_STATUS_SPECIAL_STATUS6_REASON	Reason6	varchar	200					N		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_REGISTRATION_STATUS_SPECIAL_STATUS6_REASON,'')) +
493	BIRTH_REGISTRATION_REGISTRATION_STATUS_SPECIAL_STATUS6_START_DATE	Date6	varchar	12					N		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_REGISTRATION_STATUS_SPECIAL_STATUS6_START_DATE,'')) +
494	BIRTH_REGISTRATION_REGISTRATION_STATUS_SPECIAL_STATUS7	Status7	varchar	200					N		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_REGISTRATION_STATUS_SPECIAL_STATUS7,'')) +
495	BIRTH_REGISTRATION_REGISTRATION_STATUS_SPECIAL_STATUS7_REASON	Reason7	varchar	200					N		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_REGISTRATION_STATUS_SPECIAL_STATUS7_REASON,'')) +
496	BIRTH_REGISTRATION_REGISTRATION_STATUS_SPECIAL_STATUS7_START_DATE	Date7	varchar	12					N		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_REGISTRATION_STATUS_SPECIAL_STATUS7_START_DATE,'')) +
497	BIRTH_REGISTRATION_REGISTRATION_STATUS_SPECIAL_STATUS8	Status8	varchar	200					N		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_REGISTRATION_STATUS_SPECIAL_STATUS8,'')) +
498	BIRTH_REGISTRATION_REGISTRATION_STATUS_SPECIAL_STATUS8_REASON	Reason8	varchar	200					N		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_REGISTRATION_STATUS_SPECIAL_STATUS8_REASON,'')) +
499	BIRTH_REGISTRATION_REGISTRATION_STATUS_SPECIAL_STATUS8_START_DATE	Date8	varchar	12					N		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_REGISTRATION_STATUS_SPECIAL_STATUS8_START_DATE,'')) +
500	BIRTH_REGISTRATION_REGISTRATION_STATUS_SPECIAL_STATUS9	Status9	varchar	200					N		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_REGISTRATION_STATUS_SPECIAL_STATUS9,'')) +
501	BIRTH_REGISTRATION_REGISTRATION_STATUS_SPECIAL_STATUS9_REASON	Reason9	varchar	200					N		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_REGISTRATION_STATUS_SPECIAL_STATUS9_REASON,'')) +
502	BIRTH_REGISTRATION_REGISTRATION_STATUS_SPECIAL_STATUS9_START_DATE	Date9	varchar	12					N		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_REGISTRATION_STATUS_SPECIAL_STATUS9_START_DATE,'')) +
503	BIRTH_REGISTRATION_REGISTRATION_STATUS_SPECIAL_STATUS10	Status10	varchar	200					N		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_REGISTRATION_STATUS_SPECIAL_STATUS10,'')) +
504	BIRTH_REGISTRATION_REGISTRATION_STATUS_SPECIAL_STATUS10_REASON	Reason10	varchar	200					N		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_REGISTRATION_STATUS_SPECIAL_STATUS10_REASON,'')) +
505	BIRTH_REGISTRATION_REGISTRATION_STATUS_SPECIAL_STATUS10_START_DATE	Date10	varchar	12					Y		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_REGISTRATION_STATUS_SPECIAL_STATUS10_START_DATE,'')) +
506	BIRTH_REGISTRATION_REGISTRATION_IS_LOADED	Converted	varchar	10					Y		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_REGISTRATION_IS_LOADED,'')) +
507	BIRTH_REGISTRATION_REGISTRATION_REGISTERED_OUT_OF_STATE	Out of State Indicator	varchar	1					Y		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_REGISTRATION_REGISTERED_OUT_OF_STATE,'')) +
508	BIRTH_REGISTRATION_REGISTRATION_IS_LEGACY	Is Legacy?	boolean	1	Insert 1 for true, Insert 0 for false				Y		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_REGISTRATION_IS_LEGACY,'')) +
509	BIRTH_TASK_CHILD_CHILD_FOUNDLING_CD_ID	Safe haven / Foundling Baby	varchar	200	See Attachment S	Birth - Child			Y		EVENT T	1	BIRTH T	BIRTH T	BIRTH T	BIRTH TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_CHILD_CHILD_FOUNDLING_CD_ID,'')) +
510	BIRTH_REGISTRATION_BIRTH_IMMUNIZATION_REGISTRY_CD_ID	Place child on the immunization Registry	varchar	200	See Attachment S	Birth - Child		BIRTH_CHILD_IMMUNIZATION_REGISTRY	Y		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_IMMUNIZATION_REGISTRY_CD_ID,'')) +
511	BIRTH_REGISTRATION_BIRTH_MOTHER_SYPHILLIS_TEST_DATE_LONG	Mother tested for syphilis date	varchar	12		Birth - Pregnancy Factors			Y		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_MOTHER_SYPHILLIS_TEST_DATE_LONG,'')) +
512	BIRTH_REGISTRATION_CHILD_PROPHYLAXIS_TYPE_CD_ID	Type prophylaxis used in eyes	varchar	200		Birth - Newborn		PROPHYLAXIS_TYPE	N		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_CHILD_PROPHYLAXIS_TYPE_CD_ID,'')) +
513	BIRTH_REGISTRATION_CHILD_PROPHYLAXIS_TYPE_OTHER	Type prophylaxis used in eyes Other specify	varchar	200		Birth - Newborn			N		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_CHILD_PROPHYLAXIS_TYPE_OTHER,'')) +
514	BIRTH_REGISTRATION_BIRTH_DEATH_STATE_PLACE_ID	Death State	varchar	50		Birth - Identifiers			N		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_DEATH_STATE_PLACE_ID,'')) +
515	BIRTH_REGISTRATION_BIRTH_DEATH_COUNTRY_PLACE_ID	Death Country	varchar	50		Birth - Identifiers			N		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_DEATH_COUNTRY_PLACE_ID,'')) +
516	BIRTH_REGISTRATION_BIRTH_NOTIFICATION_OF_BIRTH_PRINT_DATE	Birth Notification Print Date	varchar	12		Birth - Identifiers			Y		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_NOTIFICATION_OF_BIRTH_PRINT_DATE,'')) +
517	BIRTH_REGISTRATION_REGISTRATION_SIIS_EXTRACT_DATE	SIIS Extract Date	varchar	12		Birth - Identifiers			Y		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_REGISTRATION_SIIS_EXTRACT_DATE,'')) +
518	BIRTH_REGISTRATION_DOCUMENT_REGISTRATION_DOCUMENT_DOCUMENT_TYPE_CD_ID_1	Document Type 1	varchar	200		Birth - Delayed Birth		70	N		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_DOCUMENT_REGISTRATION_DOCUMENT_DOCUMENT_TYPE_CD_ID_1,'')) +
519	BIRTH_REGISTRATION_DOCUMENT_REGISTRATION_DOCUMENT_ISSUED_BY_1	Issued By 1	varchar	200		Birth - Delayed Birth			N		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_DOCUMENT_REGISTRATION_DOCUMENT_ISSUED_BY_1,'')) +
520	BIRTH_REGISTRATION_DOCUMENT_REGISTRATION_DOCUMENT_DATE_ISSUED_1	Date Issued 1	varchar	12		Birth - Delayed Birth			N		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_DOCUMENT_REGISTRATION_DOCUMENT_DATE_ISSUED_1,'')) +
521	BIRTH_REGISTRATION_DOCUMENT_REGISTRATION_DOCUMENT_FACTS_SUPPORTED_1	Facts Supported 1	varchar	500		Birth - Delayed Birth			N		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_DOCUMENT_REGISTRATION_DOCUMENT_FACTS_SUPPORTED_1,'')) +
522	BIRTH_REGISTRATION_DOCUMENT_REGISTRATION_DOCUMENT_DOCUMENT_TYPE_CD_ID_2	Document Type 2	varchar	200		Birth - Delayed Birth		70	N		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_DOCUMENT_REGISTRATION_DOCUMENT_DOCUMENT_TYPE_CD_ID_2,'')) +
523	BIRTH_REGISTRATION_DOCUMENT_REGISTRATION_DOCUMENT_ISSUED_BY_2	Issued By 2	varchar	200		Birth - Delayed Birth			N		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_DOCUMENT_REGISTRATION_DOCUMENT_ISSUED_BY_2,'')) +
524	BIRTH_REGISTRATION_DOCUMENT_REGISTRATION_DOCUMENT_DATE_ISSUED_2	Date Issued 2	varchar	12		Birth - Delayed Birth			N		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_DOCUMENT_REGISTRATION_DOCUMENT_DATE_ISSUED_2,'')) +
525	BIRTH_REGISTRATION_DOCUMENT_REGISTRATION_DOCUMENT_FACTS_SUPPORTED_2	Facts Supported 2	varchar	500		Birth - Delayed Birth			N		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_DOCUMENT_REGISTRATION_DOCUMENT_FACTS_SUPPORTED_2,'')) +
526	BIRTH_REGISTRATION_DOCUMENT_REGISTRATION_DOCUMENT_DOCUMENT_TYPE_CD_ID_3	Document Type 3	varchar	200		Birth - Delayed Birth		70	N		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_DOCUMENT_REGISTRATION_DOCUMENT_DOCUMENT_TYPE_CD_ID_3,'')) +
527	BIRTH_REGISTRATION_DOCUMENT_REGISTRATION_DOCUMENT_ISSUED_BY_3	Issued By 3	varchar	200		Birth - Delayed Birth			N		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_DOCUMENT_REGISTRATION_DOCUMENT_ISSUED_BY_3,'')) +
528	BIRTH_REGISTRATION_DOCUMENT_REGISTRATION_DOCUMENT_DATE_ISSUED_3	Date Issued 3	varchar	12		Birth - Delayed Birth			N		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_DOCUMENT_REGISTRATION_DOCUMENT_DATE_ISSUED_3,'')) +
529	BIRTH_REGISTRATION_DOCUMENT_REGISTRATION_DOCUMENT_FACTS_SUPPORTED_3	Facts Supported 3	varchar	500		Birth - Delayed Birth			N		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_DOCUMENT_REGISTRATION_DOCUMENT_FACTS_SUPPORTED_3,'')) +
530	BIRTH_REGISTRATION_DOCUMENT_REGISTRATION_DOCUMENT_DOCUMENT_TYPE_CD_ID_4	Document Type 4	varchar	200		Birth - Delayed Birth		70	N		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_DOCUMENT_REGISTRATION_DOCUMENT_DOCUMENT_TYPE_CD_ID_4,'')) +
531	BIRTH_REGISTRATION_DOCUMENT_REGISTRATION_DOCUMENT_ISSUED_BY_4	Issued By 4	varchar	200		Birth - Delayed Birth			N		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_DOCUMENT_REGISTRATION_DOCUMENT_ISSUED_BY_4,'')) +
532	BIRTH_REGISTRATION_DOCUMENT_REGISTRATION_DOCUMENT_DATE_ISSUED_4	Date Issued 4	varchar	12		Birth - Delayed Birth			N		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_DOCUMENT_REGISTRATION_DOCUMENT_DATE_ISSUED_4,'')) +
533	BIRTH_REGISTRATION_DOCUMENT_REGISTRATION_DOCUMENT_FACTS_SUPPORTED_4	Facts Supported 4	varchar	500		Birth - Delayed Birth			N		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_DOCUMENT_REGISTRATION_DOCUMENT_FACTS_SUPPORTED_4,'')) +
534	BIRTH_REGISTRATION_DOCUMENT_REGISTRATION_DOCUMENT_DOCUMENT_TYPE_CD_ID_5	Document Type 5	varchar	200		Birth - Delayed Birth		70	N		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_DOCUMENT_REGISTRATION_DOCUMENT_DOCUMENT_TYPE_CD_ID_5,'')) +
535	BIRTH_REGISTRATION_DOCUMENT_REGISTRATION_DOCUMENT_ISSUED_BY_5	Issued By 5	varchar	200		Birth - Delayed Birth			N		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_DOCUMENT_REGISTRATION_DOCUMENT_ISSUED_BY_5,'')) +
536	BIRTH_REGISTRATION_DOCUMENT_REGISTRATION_DOCUMENT_DATE_ISSUED_5	Date Issued 5	varchar	12		Birth - Delayed Birth			N		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_DOCUMENT_REGISTRATION_DOCUMENT_DATE_ISSUED_5,'')) +
537	BIRTH_REGISTRATION_DOCUMENT_REGISTRATION_DOCUMENT_FACTS_SUPPORTED_5	Facts Supported 5	varchar	500		Birth - Delayed Birth			N		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_DOCUMENT_REGISTRATION_DOCUMENT_FACTS_SUPPORTED_5,'')) +
538	BIRTH_REGISTRATION_DOCUMENT_REGISTRATION_DOCUMENT_OTHER_DOCUMENT_TYPE	Other (Specify) Document type literal 1	varchar	100		Birth - Delayed Birth			N		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_DOCUMENT_REGISTRATION_DOCUMENT_OTHER_DOCUMENT_TYPE_1,'')) +
539	BIRTH_REGISTRATION_DOCUMENT_REGISTRATION_DOCUMENT_OTHER_DOCUMENT_TYPE	Other (Specify) Document type literal 2	varchar	100		Birth - Delayed Birth			N		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_DOCUMENT_REGISTRATION_DOCUMENT_OTHER_DOCUMENT_TYPE_2,'')) +
540	BIRTH_REGISTRATION_DOCUMENT_REGISTRATION_DOCUMENT_OTHER_DOCUMENT_TYPE	Other (Specify) Document type literal 3	varchar	100		Birth - Delayed Birth			N		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_DOCUMENT_REGISTRATION_DOCUMENT_OTHER_DOCUMENT_TYPE_3,'')) +
541	BIRTH_REGISTRATION_DOCUMENT_REGISTRATION_DOCUMENT_OTHER_DOCUMENT_TYPE	Other (Specify) Document type literal 4	varchar	100		Birth - Delayed Birth			N		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_DOCUMENT_REGISTRATION_DOCUMENT_OTHER_DOCUMENT_TYPE_4,'')) +
542	BIRTH_REGISTRATION_DOCUMENT_REGISTRATION_DOCUMENT_OTHER_DOCUMENT_TYPE	Other (Specify) Document type literal 5	varchar	100		Birth - Delayed Birth			N		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_DOCUMENT_REGISTRATION_DOCUMENT_OTHER_DOCUMENT_TYPE_5,'')) +
543	BIRTH_TASK_MOTHER_ALTERNATE_FIPS_MCD_GEO_CODE_GEO_CODE_VALUE	Alternate FIPS MCD Code	varchar	20		Birth - Geocodes			N		EVENT T	1	BIRTH T	BIRTH T	BIRTH T	BIRTH TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_ALTERNATE_FIPS_MCD_GEO_CODE_GEO_CODE_VALUE,'')) +
544	BIRTH_TASK_PLACE_OF_BIRTH_ALTERNATE_FIPS_MCD_GEO_CODE_GEO_CODE_VALUE	Alternate FIPS MCD Code	varchar	20		Birth - Geocodes			Y		EVENT T	1	BIRTH T	BIRTH T	BIRTH T	BIRTH TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_PLACE_OF_BIRTH_ALTERNATE_FIPS_MCD_GEO_CODE_GEO_CODE_VALUE,'')) +
545	BIRTH_TASK_MOTHER_PERSON_GENDER_CD_ID	Mother sex	varchar	200		Birth - Mother			N		EVENT T	1	BIRTH T	BIRTH T	BIRTH T	BIRTH TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_PERSON_GENDER_CD_ID,'')) +
546	BIRTH_TASK_FATHER_PERSON_GENDER_CD_ID	Father sex	varchar	200		Birth - Father			N		EVENT T	1	BIRTH T	BIRTH T	BIRTH T	BIRTH TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_FATHER_PERSON_GENDER_CD_ID,'')) +
547	BIRTH_TASK_MOTHER_ADDRESS_GIS_VERIFIED_POSTAL_CODE	Mother Address SSN	varchar	200		Birth - Mother Address			N		EVENT T	1	BIRTH T	BIRTH T	BIRTH T	BIRTH TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_ADDRESS_GIS_VERIFIED_POSTAL_CODE,'')) +
548	BIRTH_TASK_FILING_REGISTRAR_NAME_FIRST_NAME	Local Filing Registrar First Name	varchar	200		Birth - Identifiers			N		EVENT T	1	BIRTH T	BIRTH T	BIRTH T	BIRTH TA	@BIRTH	+isnull(dt	if @parse	rtrim(ISNULL(@BIRTH_TASK_FILING_REGISTRAR_NAME_FIRST_NAME,'')) +
549	BIRTH_TASK_FILING_REGISTRAR_NAME_LAST_NAME	Local Filing Registrar Last Name	varchar	200		Birth - Identifiers			N		EVENT T	1	BIRTH T	BIRTH T	BIRTH T	BIRTH TA	@BIRTH	+isnull(dt	if @parse	rtrim(ISNULL(@BIRTH_TASK_FILING_REGISTRAR_NAME_LAST_NAME,'')) +
550	BIRTH_TASK_FILING_REGISTRAR_NAME_MIDDLE_NAME	Local Filing Registrar Middle Name	varchar	200		Birth - Identifiers			N		EVENT T	1	BIRTH T	BIRTH T	BIRTH T	BIRTH TA	@BIRTH	+isnull(dt	if @parse	rtrim(ISNULL(@BIRTH_TASK_FILING_REGISTRAR_NAME_MIDDLE_NAME,'')) +
551	BIRTH_TASK_FILING_REGISTRAR_NAME_NAME_PREFIX	Local Filing Registrar Name - Prefix	varchar	200		Birth - Identifiers			N		EVENT T	1	BIRTH T	BIRTH T	BIRTH T	BIRTH TA	@BIRTH	+isnull(dt	if @parse	rtrim(ISNULL(@BIRTH_TASK_FILING_REGISTRAR_NAME_NAME_PREFIX,'')) +
552	BIRTH_TASK_FILING_REGISTRAR_NAME_NAME_SUFFIX	Local Filing Registrar Name - Suffix	varchar	200		Birth - Identifiers			N		EVENT T	1	BIRTH T	BIRTH T	BIRTH T	BIRTH TA	@BIRTH	+isnull(dt	if @parse	rtrim(ISNULL(@BIRTH_TASK_FILING_REGISTRAR_NAME_NAME_SUFFIX ,'')) +
553	BIRTH_TASK_FILING_REGISTRAR_BUSINESS_UNIT_NAME_BUSINESS_UNIT_NAME	Local Filing Registrar Business Unit Name	varchar	200		Birth - Identifiers			N		EVENT T	1	BIRTH T	BIRTH T	BIRTH T	BIRTH TA	@BIRTH	+isnull(dt	if @parse	rtrim(ISNULL(@BIRTH_TASK_FILING_REGISTRAR_BUSINESS_UNIT_NAME_BUSINESS_UNIT_NAME,'')) +
554	BIRTH_TASK_MOTHER_ADDRESS_TOWNSHIP_LIMIT_CD_ID	Did Mother Live in a Township	varchar	200		Birth - Mother Address			N		EVENT T	1	BIRTH T	BIRTH T	BIRTH T	BIRTH TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_ADDRESS_TOWNSHIP_LIMIT_CD_ID,'')) +
555	Filler20	Filler	varchar	200					N		EVENT T	1	Filler20 \	Filler20 \	Filler20 :	, Filler20	@Filler2(	+isnull(Fil	if @parse	rtrim(ISNULL(@Filler20,'')) +
556	Filler21	Filler	varchar	200					N		EVENT T	1	Filler21 \	Filler21 \	Filler21 :	, Filler21	@Filler2	+isnull(Fil	if @parse	rtrim(ISNULL(@Filler21,'')) +
557	Filler22	Filler	varchar	200					N		EVENT T	1	Filler22 \	Filler22 \	Filler22 :	, Filler22	@Filler2	+isnull(Fil	if @parse	rtrim(ISNULL(@Filler22,'')) +
558	Filler23	Filler	varchar	200					N		EVENT T	1	Filler23 \	Filler23 \	Filler23 :	, Filler23	@Filler2	+isnull(Fil	if @parse	rtrim(ISNULL(@Filler23,'')) +
559	Filler24	Filler	varchar	200					N		EVENT T	1	Filler24 \	Filler24 \	Filler24 :	, Filler24	@Filler2	+isnull(Fil	if @parse	rtrim(ISNULL(@Filler24,'')) +
560	Filler25	Filler	varchar	200					N		EVENT T	1	Filler25 \	Filler25 \	Filler25 :	, Filler25	@Filler2	+isnull(Fil	if @parse	rtrim(ISNULL(@Filler25,'')) +
561	Filler26	Filler	varchar	200					N		EVENT T	1	Filler26 \	Filler26 \	Filler26 :	, Filler26	@Filler2	+isnull(Fil	if @parse	rtrim(ISNULL(@Filler26,'')) +
562	Filler27	Filler	varchar	200					N		EVENT T	1	Filler27 \	Filler27 \	Filler27 :	, Filler27	@Filler2	+isnull(Fil	if @parse	rtrim(ISNULL(@Filler27,'')) +
563	Filler28	Filler	varchar	200					N		EVENT T	1	Filler28 \	Filler28 \	Filler28 :	, Filler28	@Filler2	+isnull(Fil	if @parse	rtrim(ISNULL(@Filler28,'')) +
564	Filler29	Filler	varchar	200					N		EVENT T	1	Filler29 \	Filler29 \	Filler29 :	, Filler29	@Filler2	+isnull(Fil	if @parse	rtrim(ISNULL(@Filler29,'')) +
565	Filler30	Filler	varchar	200					N		EVENT T	1	Filler30 \	Filler30 \	Filler30 :	, Filler30	@Filler3(	+isnull(Fil	if @parse	rtrim(ISNULL(@Filler30,'')) +
566	Filler31	Filler	varchar	200					N		EVENT T	1	Filler31 \	Filler31 \	Filler31 :	, Filler31	@Filler3	+isnull(Fil	if @parse	rtrim(ISNULL(@Filler31,'')) +
567	Filler32	Filler	varchar	200					N		EVENT T	1	Filler32 \	Filler32 \	Filler32 :	, Filler32	@Filler3	+isnull(Fil	if @parse	rtrim(ISNULL(@Filler32,'')) +
568	Filler33	Filler	varchar	200					N		EVENT T	1	Filler33 \	Filler33 \	Filler33 :	, Filler33	@Filler3	+isnull(Fil	if @parse	rtrim(ISNULL(@Filler33,'')) +
569	Filler34	Filler	varchar	200					N		EVENT T	1	Filler34 \	Filler34 \	Filler34 :	, Filler34	@Filler3	+isnull(Fil	if @parse	rtrim(ISNULL(@Filler34,'')) +
570	Filler35	Filler	varchar	200					N		EVENT T	1	Filler35 \	Filler35 \	Filler35 :	, Filler35	@Filler3	+isnull(Fil	if @parse	rtrim(ISNULL(@Filler35,'')) +
571	Filler36	Filler	varchar	200					N		EVENT T	1	Filler36 \	Filler36 \	Filler36 :	, Filler36	@Filler3	+isnull(Fil	if @parse	rtrim(ISNULL(@Filler36,'')) +
572	Filler37	Filler	varchar	200					N		EVENT T	1	Filler37 \	Filler37 \	Filler37 :	, Filler37	@Filler3	+isnull(Fil	if @parse	rtrim(ISNULL(@Filler37,'')) +
573	Filler38	Filler	varchar	200					N		EVENT T	1	Filler38 \	Filler38 \	Filler38 :	, Filler38	@Filler3	+isnull(Fil	if @parse	rtrim(ISNULL(@Filler38,'')) +
574	Filler39	Filler	varchar	200					N		EVENT T	1	Filler39 \	Filler39 \	Filler39 :	, Filler39	@Filler3	+isnull(Fil	if @parse	rtrim(ISNULL(@Filler39,'')) +
575	Filler40	Filler	varchar	200					N		EVENT T	1	Filler40 \	Filler40 \	Filler40 :	, Filler40	@Filler4(	+isnull(Fil	if @parse	rtrim(ISNULL(@Filler40,'')) +
576	Filler41	Filler	varchar	200					N		EVENT T	1	Filler41 \	Filler41 \	Filler41 :	, Filler41	@Filler4	+isnull(Fil	if @parse	rtrim(ISNULL(@Filler41,'')) +
577	Filler42	Filler	varchar	200					N		EVENT T	1	Filler42 \	Filler42 \	Filler42 :	, Filler42	@Filler4	+isnull(Fil	if @parse	rtrim(ISNULL(@Filler42,'')) +
578	Filler43	Filler	varchar	200					N		EVENT T	1	Filler43 \	Filler43 \	Filler43 :	, Filler43	@Filler4	+isnull(Fil	if @parse	rtrim(ISNULL(@Filler43,'')) +
579	Filler44	Filler	varchar	200					N		EVENT T	1	Filler44 \	Filler44 \	Filler44 :	, Filler44	@Filler4	+isnull(Fil	if @parse	rtrim(ISNULL(@Filler44,'')) +
580	Filler45	Filler	varchar	200					N		EVENT T	1	Filler45 \	Filler45 \	Filler45 :	, Filler45	@Filler4	+isnull(Fil	if @parse	rtrim(ISNULL(@Filler45,'')) +
581	Filler46	Filler	varchar	200					N		EVENT T	1	Filler46 \	Filler46 \	Filler46 :	, Filler46	@Filler4	+isnull(Fil	if @parse	rtrim(ISNULL(@Filler46,'')) +
582	Filler47	Filler	varchar	200					N		EVENT T	1	Filler47 \	Filler47 \	Filler47 :	, Filler47	@Filler4	+isnull(Fil	if @parse	rtrim(ISNULL(@Filler47,'')) +
583	Filler48	Filler	varchar	200					N		EVENT T	1	Filler48 \	Filler48 \	Filler48 :	, Filler48	@Filler4	+isnull(Fil	if @parse	rtrim(ISNULL(@Filler48,'')) +
584	Filler49	Filler	varchar	200					N		EVENT T	1	Filler49 \	Filler49 \	Filler49 :	, Filler49	@Filler4	+isnull(Fil	if @parse	rtrim(ISNULL(@Filler49,'')) +
585	Filler50	Filler	varchar	200					N		EVENT T	1	Filler50 \	Filler50 \	Filler50 :	, Filler50	@Filler5(	+isnull(Fil	if @parse	rtrim(ISNULL(@Filler50,'')) +
586	Filler51	Filler	varchar	200					N		EVENT T	1	Filler51 \	Filler51 \	Filler51 :	, Filler51	@Filler5	+isnull(Fil	if @parse	rtrim(ISNULL(@Filler51,'')) +
587	Filler52	Filler	varchar	200					N		EVENT T	1	Filler52 \	Filler52 \	Filler52 :	, Filler52	@Filler5	+isnull(Fil	if @parse	rtrim(ISNULL(@Filler52,'')) +
588	REGISTRATION_CHANGE_LINKAGE_INDICATOR	1 = No Linkage 2 = Adoption 3 = Paternity 4 = Transgender 5 = Ignore	varchar	1					Y		EVENT T	1	REGISTI	REGISTI	REGISTR	REGISTRA	@REGIST	+isnull(RE	if @parse	rtrim(ISNULL(@REGISTRATION_CHANGE_LINKAGE_INDICATOR,'')) +
589	Action	Update or Insert Insert 1 for True, Insert 0 for False	boolean	1					N		EVENT T	1	Action br	Action br	Action =	, Action	, @Action	+isnull(Ac	if @parse	rtrim(ISNULL(@Action,'')) +
590	BIRTH_TASK_MOTHER_NAME_OTHER_MIDDLE_NAME	Mothers other middle name	varchar	200		Birth - Mother	Other Middle		Y		EVENT T	1	BIRTH T	BIRTH T	BIRTH T	BIRTH TA	@BIRTH	+isnull(dt	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_NAME_OTHER_MIDDLE_NAME,'')) +
591	BIRTH_TASK_MOTHER_MAIDEN_NAME_OTHER_MIDDLE_NAME	Mothers maiden other middle name	varchar	200		Birth - Mother	Other Middle		Y		EVENT T	1	BIRTH T	BIRTH T	BIRTH T	BIRTH TA	@BIRTH	+isnull(dt	if @parse	rtrim(ISNULL(@BIRTH_TASK_MOTHER_MAIDEN_NAME_OTHER_MIDDLE_NAME,'')) +
592	BIRTH_TASK_FATHER_NAME_OTHER_MIDDLE_NAME	Father other middle name	varchar	200		Birth - Father	Other Middle		Y		EVENT T	1	BIRTH T	BIRTH T	BIRTH T	BIRTH TA	@BIRTH	+isnull(dt	if @parse	rtrim(ISNULL(@BIRTH_TASK_FATHER_NAME_OTHER_MIDDLE_NAME,'')) +
593	BIRTH_REGISTRATION_REGISTRATION_REGISTRAR_NUMBER	Local Registrar Number	varchar	15					Y		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_REGISTRATION_REGISTRAR_NUMBER,'')) +
594	LOCAL_REGISTRATION_OFFICE	Local Registration Office	varchar	200					Y		EVENT T	1	LOCAL	LOCAL	LOCAL R	LOCAL R	@LOCAL	+isnull(LC	if @parse	rtrim(ISNULL(@LOCAL_REGISTRATION_OFFICE,'')) +
595	BIRTH_TASK_BIRTH_MOTHER_PERSON_SINGLE_RACE_CD_ID	Mother Single Race	varchar	200		Birth - Mother Attributes	Single Race Self Designation?		N		EVENT T	1	BIRTH T	BIRTH T	BIRTH T	BIRTH TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_BIRTH_MOTHER_PERSON_SINGLE_RACE_CD_ID,'')) +
596	BIRTH_TASK_BIRTH_MOTHER_PERSON_SINGLE_RACE_OTHER	Mother Single Race Other	varchar	200		Birth - Mother Attributes	Other (Specify)		N		EVENT T	1	BIRTH T	BIRTH T	BIRTH T	BIRTH TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_BIRTH_MOTHER_PERSON_SINGLE_RACE_OTHER,'')) +
597	BIRTH_TASK_BIRTH_FATHER_PERSON_SINGLE_RACE_CD_ID	Father Single Race	varchar	200		Birth - Father Attributes	Single Race Self Designation?		N		EVENT T	1	BIRTH T	BIRTH T	BIRTH T	BIRTH TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_BIRTH_FATHER_PERSON_SINGLE_RACE_CD_ID,'')) +
598	BIRTH_TASK_BIRTH_FATHER_PERSON_SINGLE_RACE_OTHER	Father Single Race Other	varchar	200		Birth - Father Attributes	Other (Specify)		N		EVENT T	1	BIRTH T	BIRTH T	BIRTH T	BIRTH TA	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_TASK_BIRTH_FATHER_PERSON_SINGLE_RACE_OTHER,'')) +
599	BIRTH_REGISTRATION_BIRTH_ADOPTION_PENDING_CD_ID	Child Adoption Pending	varchar	200		Birth - Child	Is Adoption Pending?	BIRTH_REGISTRATION_BIRTH_ADOPTION_PENDING_CD_ID	Y		EVENT T	1	BIRTH R	BIRTH R	BIRTH R	BIRTH RE	@BIRTH	+isnull(BI	if @parse	rtrim(ISNULL(@BIRTH_REGISTRATION_BIRTH_ADOPTION_PENDING_CD_ID,'')) +
600	MOTHER_EDITED_HISPANIC_ORIGIN_CODE	future release TBD	varchar	3		Mother MRE			N		EVENT T	1	MOTHE	MOTHE	MOTHEI	MOTHER	@ MOTH	+isnull(M	if @parse	rtrim(ISNULL(@ MOTHER_EDITED_HISPANIC_ORIGIN_CODE,'')) +
601	MOTHER_HISPANIC_CODE_FOR_LITERAL	future release TBD	varchar	3		Mother MRE			N		EVENT T	1	MOTHE	MOTHE	MOTHEI	MOTHER	@ MOTH	+isnull(M	if @parse	rtrim(ISNULL(@ MOTHER_HISPANIC_CODE_FOR_LITERAL,'')) +
602	MOTHER_FIRST_MRE_CODE	future release TBD	varchar	3		Mother MRE			N		EVENT T	1	MOTHE	MOTHE	MOTHEI	MOTHER	@ MOTH	+isnull(M	if @parse	rtrim(ISNULL(@ MOTHER_FIRST_MRE_CODE,'')) +
603	MOTHER_SECOND_MRE_CODE	future release TBD	varchar	3		Mother MRE			N		EVENT T	1	MOTHE	MOTHE	MOTHEI	MOTHER	@ MOTH	+isnull(M	if @parse	rtrim(ISNULL(@ MOTHER_SECOND_MRE_CODE,'')) +
604	MOTHER_THIRD_MRE_CODE	future release TBD	varchar	3		Mother MRE			N		EVENT T	1	MOTHE	MOTHE	MOTHEI	MOTHER	@ MOTH	+isnull(M	if @parse	rtrim(ISNULL(@ MOTHER_THIRD_MRE_CODE,'')) +
605	MOTHER_FOURTH_MRE_CODE	future release TBD	varchar	3		Mother MRE			N		EVENT T	1	MOTHE	MOTHE	MOTHEI	MOTHER	@ MOTH	+isnull(M	if @parse	rtrim(ISNULL(@ MOTHER_FOURTH_MRE_CODE,'')) +
606	MOTHER_FIFTH_MRE_CODE	future release TBD	varchar	3		Mother MRE			N		EVENT T	1	MOTHE	MOTHE	MOTHEI	MOTHER	@ MOTH	+isnull(M	if @parse	rtrim(ISNULL(@ MOTHER_FIFTH_MRE_CODE,'')) +
607	MOTHER_SIXTH_MRE_CODE	future release TBD	varchar	3		Mother MRE			N		EVENT T	1	MOTHE	MOTHE	MOTHEI	MOTHER	@ MOTH	+isnull(M	if @parse	rtrim(ISNULL(@ MOTHER_SIXTH_MRE_CODE,'')) +
608	MOTHER_SEVENTH_MRE_CODE	future release TBD	varchar	3		Mother MRE			N		EVENT T	1	MOTHE	MOTHE	MOTHEI	MOTHER	@ MOTH	+isnull(M	if @parse	rtrim(ISNULL(@ MOTHER_SEVENTH_MRE_CODE,'')) +
609	MOTHER_EIGHTH_MRE_CODE	future release TBD	varchar	3		Mother MRE			N		EVENT T	1	MOTHE	MOTHE	MOTHEI	MOTHER	@ MOTH	+isnull(M	if @parse	rtrim(ISNULL(@ MOTHER_EIGHTH_MRE_CODE,'')) +
610	MOTHER_FIRST_EDITED_CODE	future release TBD	varchar	3		Mother MRE			N		EVENT T	1	MOTHE	MOTHE	MOTHEI	MOTHER	@ MOTH	+isnull(M	if @parse	rtrim(ISNULL(@ MOTHER_FIRST_EDITED_CODE,'')) +
611	MOTHER_SECOND_EDITED_CODE	future release TBD	varchar	3		Mother MRE			N		EVENT T	1	MOTHE	MOTHE	MOTHEI	MOTHER	@ MOTH	+isnull(M	if @parse	rtrim(ISNULL(@ MOTHER_SECOND_EDITED_CODE,'')) +
612	MOTHER_THIRD_EDITED_CODE	future release TBD	varchar	3		Mother MRE			N		EVENT T	1	MOTHE	MOTHE	MOTHEI	MOTHER	@ MOTH	+isnull(M	if @parse	rtrim(ISNULL(@ MOTHER_THIRD_EDITED_CODE,'')) +
613	MOTHER_FOURTH_EDITED_CODE	future release TBD	varchar	3		Mother MRE			N		EVENT T	1	MOTHE	MOTHE	MOTHEI	MOTHER	@ MOTH	+isnull(M	if @parse	rtrim(ISNULL(@ MOTHER_FOURTH_EDITED_CODE,'')) +
614	MOTHER_FIFTH_EDITED_CODE	future release TBD	varchar	3		Mother MRE			N		EVENT T	1	MOTHE	MOTHE	MOTHEI	MOTHER	@ MOTH	+isnull(M	if @parse	rtrim(ISNULL(@ MOTHER_FIFTH_EDITED_CODE,'')) +
615	MOTHER_SIXTH_EDITED_CODE	future release TBD	varchar	3		Mother MRE			N		EVENT T	1	MOTHE	MOTHE	MOTHEI	MOTHER	@ MOTH	+isnull(M	if @parse	rtrim(ISNULL(@ MOTHER_SIXTH_EDITED_CODE,'')) +
616	MOTHER_SEVENTH_EDITED_CODE	future release TBD	varchar	3		Mother MRE			N		EVENT T	1	MOTHE	MOTHE	MOTHEI	MOTHER	@ MOTH	+isnull(M	if @parse	rtrim(ISNULL(@ MOTHER_SEVENTH_EDITED_CODE,'')) +
617	MOTHER_EIGHTH_EDITED_CODE	future release TBD	varchar	3		Mother MRE			N		EVENT T	1	MOTHE	MOTHE	MOTHEI	MOTHER	@ MOTH	+isnull(M	if @parse	rtrim(ISNULL(@ MOTHER_EIGHTH_EDITED_CODE,'')) +
618	MOTHER_BRIDGE_CODE	future release TBD	varchar	2		Mother MRE			N		EVENT T	1	MOTHE	MOTHE	MOTHEI	MOTHER	@ MOTH	+isnull(M	if @parse	rtrim(ISNULL(@ MOTHER_BRIDGE_CODE,'')) +
619	FATHER_EDITED_HISPANIC_ORIGIN_CODE	future release TBD	varchar	3		Father MRE			N		EVENT T	1	FATHEF	FATHEF	FATHER	FATHER	@ FATHE	+isnull(F/	if @parse	rtrim(ISNULL(@ FATHER_EDITED_HISPANIC_ORIGIN_CODE,'')) +
620	FATHER_HISPANIC_CODE_FOR_LITERAL	future release TBD	varchar	3		Father MRE			N		EVENT T	1	FATHEF	FATHEF	FATHER	FATHER	@ FATHE	+isnull(F/	if @parse	rtrim(ISNULL(@ FATHER_HISPANIC_CODE_FOR_LITERAL,'')) +
621	FATHER_FIRST_MRE_CODE	future release TBD	varchar	3		Father MRE			N		EVENT T	1	FATHEF	FATHEF	FATHER	FATHER	@ FATHE	+isnull(F/	if @parse	rtrim(ISNULL(@ FATHER_FIRST_MRE_CODE,'')) +
622	FATHER_SECOND_MRE_CODE	future release TBD	varchar	3		Father MRE			N		EVENT T	1	FATHEF	FATHEF	FATHER	FATHER	@ FATHE	+isnull(F/	if @parse	rtrim(ISNULL(@ FATHER_SECOND_MRE_CODE,'')) +
623	FATHER_THIRD_MRE_CODE	future release TBD	varchar	3		Father MRE			N		EVENT T	1	FATHEF	FATHEF	FATHER	FATHER	@ FATHE	+isnull(F/	if @parse	rtrim(ISNULL(@ FATHER_THIRD_MRE_CODE,'')) +
624	FATHER_FOURTH_MRE_CODE	future release TBD	varchar	3		Father MRE			N		EVENT T	1	FATHEF	FATHEF	FATHER	FATHER	@ FATHE	+isnull(F/	if @parse	rtrim(ISNULL(@ FATHER_FOURTH_MRE_CODE,'')) +
625	FATHER_FIFTH_MRE_CODE	future release TBD	varchar	3		Father MRE			N		EVENT T	1	FATHEF	FATHEF	FATHER	FATHER	@ FATHE	+isnull(F/	if @parse	rtrim(ISNULL(@ FATHER_FIFTH_MRE_CODE,'')) +
626	FATHER_SIXTH_MRE_CODE	future release TBD	varchar	3		Father MRE			N		EVENT T	1	FATHEF	FATHEF	FATHER	FATHER	@ FATHE	+isnull(F/	if @parse	rtrim(ISNULL(@ FATHER_SIXTH_MRE_CODE,'')) +
627	FATHER_SEVENTH_MRE_CODE	future release TBD	varchar	3		Father MRE			N		EVENT T	1	FATHEF	FATHEF	FATHER	FATHER	@ FATHE	+isnull(F/	if @parse	rtrim(ISNULL(@ FATHER_SEVENTH_MRE_CODE,'')) +
628	FATHER_EIGHTH_MRE_CODE	future release TBD	varchar	3		Father MRE			N		EVENT T	1	FATHEF	FATHEF	FATHER	FATHER	@ FATHE	+isnull(F/	if @parse	rtrim(ISNULL(@ FATHER_EIGHTH_MRE_CODE,'')) +
629	FATHER_FIRST_EDITED_CODE	future release TBD	varchar	3		Father MRE			N		EVENT T	1	FATHEF	FATHEF	FATHER	FATHER	@ FATHE	+isnull(F/	if @parse	rtrim(ISNULL(@ FATHER_FIRST_EDITED_CODE,'')) +
630	FATHER_SECOND_EDITED_CODE	future release TBD	varchar	3		Father MRE			N		EVENT T	1	FATHEF	FATHEF	FATHER	FATHER	@ FATHE	+isnull(F/	if @parse	rtrim(ISNULL(@ FATHER_SECOND_EDITED_CODE,'')) +
631	FATHER_THIRD_EDITED_CODE	future release TBD	varchar	3		Father MRE			N		EVENT T	1	FATHEF	FATHEF	FATHER	FATHER	@ FATHE	+isnull(F/	if @parse	rtrim(ISNULL(@ FATHER_THIRD_EDITED_CODE,'')) +
632	FATHER_FOURTH_EDITED_CODE	future release TBD	varchar	3		Father MRE			N		EVENT T	1	FATHEF	FATHEF	FATHER	FATHER	@ FATHE	+isnull(F/	if @parse	rtrim(ISNULL(@ FATHER_FOURTH_EDITED_CODE,'')) +
633	FATHER_FIFTH_EDITED_CODE	future release TBD	varchar	3		Father MRE			N		EVENT T	1	FATHEF	FATHEF	FATHER	FATHER	@ FATHE	+isnull(F/	if @parse	rtrim(ISNULL(@ FATHER_FIFTH_EDITED_CODE,'')) +
634	FATHER_SIXTH_EDITED_CODE	future release TBD	varchar	3		Father MRE			N		EVENT T	1	FATHEF	FATHEF	FATHER	FATHER	@ FATHE	+isnull(F/	if @parse	rtrim(ISNULL(@ FATHER_SIXTH_EDITED_CODE,'')) +
635	FATHER_SEVENTH_EDITED_CODE	future release TBD	varchar	3		Father MRE			N		EVENT T	1	FATHEF	FATHEF	FATHER	FATHER	@ FATHE	+isnull(F/	if @parse	rtrim(ISNULL(@ FATHER_SEVENTH_EDITED_CODE,'')) +
636	FATHER_EIGHTH_EDITED_CODE	future release TBD	varchar	3		Father MRE			N		EVENT T	1	FATHEF	FATHEF	FATHER	FATHER	@ FATHE	+isnull(F/	if @parse	rtrim(ISNULL(@ FATHER_EIGHTH_EDITED_CODE,'')) +
637	FATHER_BRIDGE_CODE	future release TBD	varchar	2		Father MRE			N		EVENT T	1	FATHEF	FATHEF	FATHER	FATHER	@ FATHE	+isnull(F/	if @parse	rtrim(ISNULL(@ FATHER_BRIDGE_CODE,'')) +
638	CHILD_DATE1	Child Page Date 1	varchar	12		Birth - Child	Child Page Date 1		N	datetime	EVENT T	1	CHILD D	CHILD D	CHILD D	CHILD D/	@CHILD	+isnull(ca	if @parse	rtrim(ISNULL(@CHILD_DATE1,'')) +
639	CHILD_DATE2	Child Page Date 2	varchar	12		Birth - Child	Child Page Date 2		N	datetime	EVENT T	1	CHILD D	CHILD D	CHILD D	CHILD D/	@CHILD	+isnull(ca	if @parse	rtrim(ISNULL(@CHILD_DATE2,'')) +
640	CHILD_DATE3	Child Page Date 3	varchar	12		Birth - Child	Child Page Date 3		N	datetime	EVENT T	1	CHILD D	CHILD D	CHILD D	CHILD D/	@CHILD	+isnull(ca	if @parse	rtrim(ISNULL(@CHILD_DATE3,'')) +
641	CHILD_DATE4	Child Page Date 4	varchar	12		Birth - Child	Child Page Date 4		N	datetime	EVENT T	1	CHILD D	CHILD D	CHILD D	CHILD D/	@CHILD	+isnull(ca	if @parse	rtrim(ISNULL(@CHILD_DATE4,'')) +
642	CHILD_DATE5	Child Page Date 5	varchar	12		Birth - Child	Child Page Date 5		N	datetime	EVENT T	1	CHILD D	CHILD D	CHILD D	CHILD D/	@CHILD	+isnull(ca	if @parse	rtrim(ISNULL(@CHILD_DATE5,'')) +
643	CHILD_TEXT1	Child Page Text 1	varchar	500		Birth - Child	Child Page Text 1		N	varchar	EVENT T	1	CHILD T	CHILD T	CHILD TI	CHILD TE	@CHILD	+isnull(CH	if @parse	rtrim(ISNULL(@CHILD_TEXT1,'')) +
644	CHILD_TEXT2	Child Page Text 2	varchar	500		Birth - Child	Child Page Text 2		N	varchar	EVENT T	1	CHILD T	CHILD T	CHILD TI	CHILD TE	@CHILD	+isnull(CH	if @parse	rtrim(ISNULL(@CHILD_TEXT2,'')) +
645	CHILD_TEXT3	Child Page Text 3	varchar	500		Birth - Child	Child Page Text 3		N	varchar	EVENT T	1	CHILD T	CHILD T	CHILD TI	CHILD TE	@CHILD	+isnull(CH	if @parse	rtrim(ISNULL(@CHILD_TEXT3,'')) +
646	CHILD_TEXT4	Child Page Text 4	varchar	500		Birth - Child	Child Page Text 4		N	varchar	EVENT T	1	CHILD T	CHILD T	CHILD TI	CHILD TE	@CHILD	+isnull(CH	if @parse	rtrim(ISNULL(@CHILD_TEXT4,'')) +
647	CHILD_TEXT5	Child Page Text 5	varchar	500		Birth - Child	Child Page Text 5		N	varchar	EVENT T	1	CHILD T	CHILD T	CHILD TI	CHILD TE	@CHILD	+isnull(CH	if @parse	rtrim(ISNULL(@CHILD_TEXT5,'')) +
648	CHILD_SYSTEM_CODE_ID1	Child Page System Code 1	varchar	200		Birth - Child	Child Page System Code 1		N	int	EVENT T	1	CHILD S	CHILD S	CHILD S'	CHILD SY	@CHILD	+isnull(dt	if @parse	rtrim(ISNULL(@CHILD_SYSTEM_CODE_ID1,'')) +
649	CHILD_SYSTEM_CODE_ID2	Child Page System Code 2	varchar	200		Birth - Child	Child Page System Code 2		N	int	EVENT T	1	CHILD S	CHILD S	CHILD S'	CHILD SY	@CHILD	+isnull(dt	if @parse	rtrim(ISNULL(@CHILD_SYSTEM_CODE_ID2,'')) +
650	CHILD_SYSTEM_CODE_ID3	Child Page System Code 3	varchar	200		Birth - Child	Child Page System Code 3		N	int	EVENT T	1	CHILD S	CHILD S	CHILD S'	CHILD SY	@CHILD	+isnull(dt	if @parse	rtrim(ISNULL(@CHILD_SYSTEM_CODE_ID3,'')) +
651	CHILD_SYSTEM_CODE_ID4	Child Page System Code 4	varchar	200		Birth - Child	Child Page System Code 4		N	int	EVENT T	1	CHILD S	CHILD S	CHILD S'	CHILD SY	@CHILD	+isnull(dt	if @parse	rtrim(ISNULL(@CHILD_SYSTEM_CODE_ID4,'')) +

652	CHILD_SYSTEM_CODE_ID5	Child Page System Code 5	varchar	200	Birth - Child	Child Page System Code 5			N	int	EVENT_T	1	CHILD_S	CHILD_S	CHILD_SY	CHILD_SY	@CHILD	+isnull(dt	if @parse	rtrim(ISNULL(@CHILD_SYSTEM_CODE_ID5,'')) +
653	MOTHER_DATE1	Mother Page Date 1	varchar	12	Birth - Mother	Mother Page Date 1			N	datetime	EVENT_T	1	MOTHEF	MOTHEF	MOTHER	MOTHER	@MOTHI	+isnull(ca	if @parse	rtrim(ISNULL(@MOTHER_DATE1,'')) +
654	MOTHER_DATE2	Mother Page Date 2	varchar	12	Birth - Mother	Mother Page Date 2			N	datetime	EVENT_T	1	MOTHEF	MOTHEF	MOTHER	MOTHER	@MOTHI	+isnull(ca	if @parse	rtrim(ISNULL(@MOTHER_DATE2,'')) +
655	MOTHER_DATE3	Mother Page Date 3	varchar	12	Birth - Mother	Mother Page Date 3			N	datetime	EVENT_T	1	MOTHEF	MOTHEF	MOTHER	MOTHER	@MOTHI	+isnull(ca	if @parse	rtrim(ISNULL(@MOTHER_DATE3,'')) +
656	MOTHER_DATE4	Mother Page Date 4	varchar	12	Birth - Mother	Mother Page Date 4			N	datetime	EVENT_T	1	MOTHEF	MOTHEF	MOTHER	MOTHER	@MOTHI	+isnull(ca	if @parse	rtrim(ISNULL(@MOTHER_DATE4,'')) +
657	MOTHER_DATE5	Mother Page Date 5	varchar	12	Birth - Mother	Mother Page Date 5			N	datetime	EVENT_T	1	MOTHEF	MOTHEF	MOTHER	MOTHER	@MOTHI	+isnull(ca	if @parse	rtrim(ISNULL(@MOTHER_DATE5,'')) +
658	MOTHER_TEXT1	Mother Page Text 1	varchar	500	Birth - Mother	Mother Page Text 1			N	varchar	EVENT_T	1	MOTHEF	MOTHEF	MOTHER	MOTHER	@MOTHI	+isnull(M	if @parse	rtrim(ISNULL(@MOTHER_TEXT1,'')) +
659	MOTHER_TEXT2	Mother Page Text 2	varchar	500	Birth - Mother	Mother Page Text 2			N	varchar	EVENT_T	1	MOTHEF	MOTHEF	MOTHER	MOTHER	@MOTHI	+isnull(M	if @parse	rtrim(ISNULL(@MOTHER_TEXT2,'')) +
660	MOTHER_TEXT3	Mother Page Text 3	varchar	500	Birth - Mother	Mother Page Text 3			N	varchar	EVENT_T	1	MOTHEF	MOTHEF	MOTHER	MOTHER	@MOTHI	+isnull(M	if @parse	rtrim(ISNULL(@MOTHER_TEXT3,'')) +
661	MOTHER_TEXT4	Mother Page Text 4	varchar	500	Birth - Mother	Mother Page Text 4			N	varchar	EVENT_T	1	MOTHEF	MOTHEF	MOTHER	MOTHER	@MOTHI	+isnull(M	if @parse	rtrim(ISNULL(@MOTHER_TEXT4,'')) +
662	MOTHER_TEXT5	Mother Page Text 5	varchar	500	Birth - Mother	Mother Page Text 5			N	varchar	EVENT_T	1	MOTHEF	MOTHEF	MOTHER	MOTHER	@MOTHI	+isnull(M	if @parse	rtrim(ISNULL(@MOTHER_TEXT5,'')) +
663	MOTHER_SYSTEM_CODE_ID1	Mother Page System Code 1	varchar	200	Birth - Mother	Mother Page System Code 1			N	int	EVENT_T	1	MOTHEF	MOTHEF	MOTHER	MOTHER	@MOTHI	+isnull(dt	if @parse	rtrim(ISNULL(@MOTHER_SYSTEM_CODE_ID1,'')) +
664	MOTHER_SYSTEM_CODE_ID2	Mother Page System Code 2	varchar	200	Birth - Mother	Mother Page System Code 2			N	int	EVENT_T	1	MOTHEF	MOTHEF	MOTHER	MOTHER	@MOTHI	+isnull(dt	if @parse	rtrim(ISNULL(@MOTHER_SYSTEM_CODE_ID2,'')) +
665	MOTHER_SYSTEM_CODE_ID3	Mother Page System Code 3	varchar	200	Birth - Mother	Mother Page System Code 3			N	int	EVENT_T	1	MOTHEF	MOTHEF	MOTHER	MOTHER	@MOTHI	+isnull(dt	if @parse	rtrim(ISNULL(@MOTHER_SYSTEM_CODE_ID3,'')) +
666	MOTHER_SYSTEM_CODE_ID4	Mother Page System Code 4	varchar	200	Birth - Mother	Mother Page System Code 4			N	int	EVENT_T	1	MOTHEF	MOTHEF	MOTHER	MOTHER	@MOTHI	+isnull(dt	if @parse	rtrim(ISNULL(@MOTHER_SYSTEM_CODE_ID4,'')) +
667	MOTHER_SYSTEM_CODE_ID5	Mother Page System Code 5	varchar	200	Birth - Mother	Mother Page System Code 5			N	int	EVENT_T	1	MOTHEF	MOTHEF	MOTHER	MOTHER	@MOTHI	+isnull(dt	if @parse	rtrim(ISNULL(@MOTHER_SYSTEM_CODE_ID5,'')) +
668	MOTHER_ADDRESS_DATE1	Mother Address Page Date 1	varchar	12	Birth - Mother Address	Mother Address Page Date 1			N	datetime	EVENT_T	1	MOTHEF	MOTHEF	MOTHER	MOTHER	@MOTHI	+isnull(ca	if @parse	rtrim(ISNULL(@MOTHER_ADDRESS_DATE1,'')) +
669	MOTHER_ADDRESS_DATE2	Mother Address Page Date 2	varchar	12	Birth - Mother Address	Mother Address Page Date 2			N	datetime	EVENT_T	1	MOTHEF	MOTHEF	MOTHER	MOTHER	@MOTHI	+isnull(ca	if @parse	rtrim(ISNULL(@MOTHER_ADDRESS_DATE2,'')) +
670	MOTHER_ADDRESS_DATE3	Mother Address Page Date 3	varchar	12	Birth - Mother Address	Mother Address Page Date 3			N	datetime	EVENT_T	1	MOTHEF	MOTHEF	MOTHER	MOTHER	@MOTHI	+isnull(ca	if @parse	rtrim(ISNULL(@MOTHER_ADDRESS_DATE3,'')) +
671	MOTHER_ADDRESS_DATE4	Mother Address Page Date 4	varchar	12	Birth - Mother Address	Mother Address Page Date 4			N	datetime	EVENT_T	1	MOTHEF	MOTHEF	MOTHER	MOTHER	@MOTHI	+isnull(ca	if @parse	rtrim(ISNULL(@MOTHER_ADDRESS_DATE4,'')) +
672	MOTHER_ADDRESS_DATE5	Mother Address Page Date 5	varchar	12	Birth - Mother Address	Mother Address Page Date 5			N	datetime	EVENT_T	1	MOTHEF	MOTHEF	MOTHER	MOTHER	@MOTHI	+isnull(ca	if @parse	rtrim(ISNULL(@MOTHER_ADDRESS_DATE5,'')) +
673	MOTHER_ADDRESS_TEXT1	Mother Address Page Text 1	varchar	500	Birth - Mother Address	Mother Address Page Text 1			N	varchar	EVENT_T	1	MOTHEF	MOTHEF	MOTHER	MOTHER	@MOTHI	+isnull(M	if @parse	rtrim(ISNULL(@MOTHER_ADDRESS_TEXT1,'')) +
674	MOTHER_ADDRESS_TEXT2	Mother Address Page Text 2	varchar	500	Birth - Mother Address	Mother Address Page Text 2			N	varchar	EVENT_T	1	MOTHEF	MOTHEF	MOTHER	MOTHER	@MOTHI	+isnull(M	if @parse	rtrim(ISNULL(@MOTHER_ADDRESS_TEXT2,'')) +
675	MOTHER_ADDRESS_TEXT3	Mother Address Page Text 3	varchar	500	Birth - Mother Address	Mother Address Page Text 3			N	varchar	EVENT_T	1	MOTHEF	MOTHEF	MOTHER	MOTHER	@MOTHI	+isnull(M	if @parse	rtrim(ISNULL(@MOTHER_ADDRESS_TEXT3,'')) +
676	MOTHER_ADDRESS_TEXT4	Mother Address Page Text 4	varchar	500	Birth - Mother Address	Mother Address Page Text 4			N	varchar	EVENT_T	1	MOTHEF	MOTHEF	MOTHER	MOTHER	@MOTHI	+isnull(M	if @parse	rtrim(ISNULL(@MOTHER_ADDRESS_TEXT4,'')) +
677	MOTHER_ADDRESS_TEXT5	Mother Address Page Text 5	varchar	500	Birth - Mother Address	Mother Address Page Text 5			N	varchar	EVENT_T	1	MOTHEF	MOTHEF	MOTHER	MOTHER	@MOTHI	+isnull(M	if @parse	rtrim(ISNULL(@MOTHER_ADDRESS_TEXT5,'')) +
678	MOTHER_ADDRESS_SYSTEM_CODE_ID1	Mother Address Page System Code 1	varchar	200	Birth - Mother Address	Mother Address Page System Code 1			N	int	EVENT_T	1	MOTHEF	MOTHEF	MOTHER	MOTHER	@MOTHI	+isnull(dt	if @parse	rtrim(ISNULL(@MOTHER_ADDRESS_SYSTEM_CODE_ID1,'')) +
679	MOTHER_ADDRESS_SYSTEM_CODE_ID2	Mother Address Page System Code 2	varchar	200	Birth - Mother Address	Mother Address Page System Code 2			N	int	EVENT_T	1	MOTHEF	MOTHEF	MOTHER	MOTHER	@MOTHI	+isnull(dt	if @parse	rtrim(ISNULL(@MOTHER_ADDRESS_SYSTEM_CODE_ID2,'')) +
680	MOTHER_ADDRESS_SYSTEM_CODE_ID3	Mother Address Page System Code 3	varchar	200	Birth - Mother Address	Mother Address Page System Code 3			N	int	EVENT_T	1	MOTHEF	MOTHEF	MOTHER	MOTHER	@MOTHI	+isnull(dt	if @parse	rtrim(ISNULL(@MOTHER_ADDRESS_SYSTEM_CODE_ID3,'')) +
681	MOTHER_ADDRESS_SYSTEM_CODE_ID4	Mother Address Page System Code 4	varchar	200	Birth - Mother Address	Mother Address Page System Code 4			N	int	EVENT_T	1	MOTHEF	MOTHEF	MOTHER	MOTHER	@MOTHI	+isnull(dt	if @parse	rtrim(ISNULL(@MOTHER_ADDRESS_SYSTEM_CODE_ID4,'')) +
682	MOTHER_ADDRESS_SYSTEM_CODE_ID5	Mother Address Page System Code 5	varchar	200	Birth - Mother Address	Mother Address Page System Code 5			N	int	EVENT_T	1	MOTHEF	MOTHEF	MOTHER	MOTHER	@MOTHI	+isnull(dt	if @parse	rtrim(ISNULL(@MOTHER_ADDRESS_SYSTEM_CODE_ID5,'')) +
683	MOTHER_ATTRIBUTES_DATE1	Mother Attributes Page Date 1	varchar	12	Birth - Mother Attributes	Mother Attributes Page Date 1			N	datetime	EVENT_T	1	MOTHEF	MOTHEF	MOTHER	MOTHER	@MOTHI	+isnull(ca	if @parse	rtrim(ISNULL(@MOTHER_ATTRIBUTES_DATE1,'')) +
684	MOTHER_ATTRIBUTES_DATE2	Mother Attributes Page Date 2	varchar	12	Birth - Mother Attributes	Mother Attributes Page Date 2			N	datetime	EVENT_T	1	MOTHEF	MOTHEF	MOTHER	MOTHER	@MOTHI	+isnull(ca	if @parse	rtrim(ISNULL(@MOTHER_ATTRIBUTES_DATE2,'')) +
685	MOTHER_ATTRIBUTES_DATE3	Mother Attributes Page Date 3	varchar	12	Birth - Mother Attributes	Mother Attributes Page Date 3			N	datetime	EVENT_T	1	MOTHEF	MOTHEF	MOTHER	MOTHER	@MOTHI	+isnull(ca	if @parse	rtrim(ISNULL(@MOTHER_ATTRIBUTES_DATE3,'')) +
686	MOTHER_ATTRIBUTES_DATE4	Mother Attributes Page Date 4	varchar	12	Birth - Mother Attributes	Mother Attributes Page Date 4			N	datetime	EVENT_T	1	MOTHEF	MOTHEF	MOTHER	MOTHER	@MOTHI	+isnull(ca	if @parse	rtrim(ISNULL(@MOTHER_ATTRIBUTES_DATE4,'')) +
687	MOTHER_ATTRIBUTES_DATE5	Mother Attributes Page Date 5	varchar	12	Birth - Mother Attributes	Mother Attributes Page Date 5			N	datetime	EVENT_T	1	MOTHEF	MOTHEF	MOTHER	MOTHER	@MOTHI	+isnull(ca	if @parse	rtrim(ISNULL(@MOTHER_ATTRIBUTES_DATE5,'')) +
688	MOTHER_ATTRIBUTES_TEXT1	Mother Attributes Page Text 1	varchar	500	Birth - Mother Attributes	Mother Attributes Page Text 1			N	varchar	EVENT_T	1	MOTHEF	MOTHEF	MOTHER	MOTHER	@MOTHI	+isnull(M	if @parse	rtrim(ISNULL(@MOTHER_ATTRIBUTES_TEXT1,'')) +
689	MOTHER_ATTRIBUTES_TEXT2	Mother Attributes Page Text 2	varchar	500	Birth - Mother Attributes	Mother Attributes Page Text 2			N	varchar	EVENT_T	1	MOTHEF	MOTHEF	MOTHER	MOTHER	@MOTHI	+isnull(M	if @parse	rtrim(ISNULL(@MOTHER_ATTRIBUTES_TEXT2,'')) +
690	MOTHER_ATTRIBUTES_TEXT3	Mother Attributes Page Text 3	varchar	500	Birth - Mother Attributes	Mother Attributes Page Text 3			N	varchar	EVENT_T	1	MOTHEF	MOTHEF	MOTHER	MOTHER	@MOTHI	+isnull(M	if @parse	rtrim(ISNULL(@MOTHER_ATTRIBUTES_TEXT3,'')) +
691	MOTHER_ATTRIBUTES_TEXT4	Mother Attributes Page Text 4	varchar	500	Birth - Mother Attributes	Mother Attributes Page Text 4			N	varchar	EVENT_T	1	MOTHEF	MOTHEF	MOTHER	MOTHER	@MOTHI	+isnull(M	if @parse	rtrim(ISNULL(@MOTHER_ATTRIBUTES_TEXT4,'')) +
692	MOTHER_ATTRIBUTES_TEXT5	Mother Attributes Page Text 5	varchar	500	Birth - Mother Attributes	Mother Attributes Page Text 5			N	varchar	EVENT_T	1	MOTHEF	MOTHEF	MOTHER	MOTHER	@MOTHI	+isnull(M	if @parse	rtrim(ISNULL(@MOTHER_ATTRIBUTES_TEXT5,'')) +
693	MOTHER_ATTRIBUTES_SYSTEM_CODE_ID1	Mother Attributes Page System Code 1	varchar	200	Birth - Mother Attributes	Mother Attributes Page System Code 1			N	int	EVENT_T	1	MOTHEF	MOTHEF	MOTHER	MOTHER	@MOTHI	+isnull(dt	if @parse	rtrim(ISNULL(@MOTHER_ATTRIBUTES_SYSTEM_CODE_ID1,'')) +
694	MOTHER_ATTRIBUTES_SYSTEM_CODE_ID2	Mother Attributes Page System Code 2	varchar	200	Birth - Mother Attributes	Mother Attributes Page System Code 2			N	int	EVENT_T	1	MOTHEF	MOTHEF	MOTHER	MOTHER	@MOTHI	+isnull(dt	if @parse	rtrim(ISNULL(@MOTHER_ATTRIBUTES_SYSTEM_CODE_ID2,'')) +
695	MOTHER_ATTRIBUTES_SYSTEM_CODE_ID3	Mother Attributes Page System Code 3	varchar	200	Birth - Mother Attributes	Mother Attributes Page System Code 3			N	int	EVENT_T	1	MOTHEF	MOTHEF	MOTHER	MOTHER	@MOTHI	+isnull(dt	if @parse	rtrim(ISNULL(@MOTHER_ATTRIBUTES_SYSTEM_CODE_ID3,'')) +
696	MOTHER_ATTRIBUTES_SYSTEM_CODE_ID4	Mother Attributes Page System Code 4	varchar	200	Birth - Mother Attributes	Mother Attributes Page System Code 4			N	int	EVENT_T	1	MOTHEF	MOTHEF	MOTHER	MOTHER	@MOTHI	+isnull(dt	if @parse	rtrim(ISNULL(@MOTHER_ATTRIBUTES_SYSTEM_CODE_ID4,'')) +
697	MOTHER_ATTRIBUTES_SYSTEM_CODE_ID5	Mother Attributes Page System Code 5	varchar	200	Birth - Mother Attributes	Mother Attributes Page System Code 5			N	int	EVENT_T	1	MOTHEF	MOTHEF	MOTHER	MOTHER	@MOTHI	+isnull(dt	if @parse	rtrim(ISNULL(@MOTHER_ATTRIBUTES_SYSTEM_CODE_ID5,'')) +
698	MOTHER_HEALTH_DATE1	Mother Health Page Date 1	varchar	12	Birth - Mother Health	Mother Health Page Date 1			N	datetime	EVENT_T	1	MOTHEF	MOTHEF	MOTHER	MOTHER	@MOTHI	+isnull(ca	if @parse	rtrim(ISNULL(@MOTHER_HEALTH_DATE1,'')) +
699	MOTHER_HEALTH_DATE2	Mother Health Page Date 2	varchar	12	Birth - Mother Health	Mother Health Page Date 2			N	datetime	EVENT_T	1	MOTHEF	MOTHEF	MOTHER	MOTHER	@MOTHI	+isnull(ca	if @parse	rtrim(ISNULL(@MOTHER_HEALTH_DATE2,'')) +
700	MOTHER_HEALTH_DATE3	Mother Health Page Date 3	varchar	12	Birth - Mother Health	Mother Health Page Date 3			N	datetime	EVENT_T	1	MOTHEF	MOTHEF	MOTHER	MOTHER	@MOTHI	+isnull(ca	if @parse	rtrim(ISNULL(@MOTHER_HEALTH_DATE3,'')) +
701	MOTHER_HEALTH_DATE4	Mother Health Page Date 4	varchar	12	Birth - Mother Health	Mother Health Page Date 4			N	datetime	EVENT_T	1	MOTHEF	MOTHEF	MOTHER	MOTHER	@MOTHI	+isnull(ca	if @parse	rtrim(ISNULL(@MOTHER_HEALTH_DATE4,'')) +
702	MOTHER_HEALTH_DATE5	Mother Health Page Date 5	varchar	12	Birth - Mother Health	Mother Health Page Date 5			N	datetime	EVENT_T	1	MOTHEF	MOTHEF	MOTHER	MOTHER	@MOTHI	+isnull(ca	if @parse	rtrim(ISNULL(@MOTHER_HEALTH_DATE5,'')) +
703	MOTHER_HEALTH_TEXT1	Mother Health Page Text 1	varchar	500	Birth - Mother Health	Mother Health Page Text 1			N	varchar	EVENT_T	1	MOTHEF	MOTHEF	MOTHER	MOTHER	@MOTHI	+isnull(M	if @parse	rtrim(ISNULL(@MOTHER_HEALTH_TEXT1,'')) +
704	MOTHER_HEALTH_TEXT2	Mother Health Page Text 2	varchar	500	Birth - Mother Health	Mother Health Page Text 2			N	varchar	EVENT_T	1	MOTHEF	MOTHEF	MOTHER	MOTHER	@MOTHI	+isnull(M	if @parse	rtrim(ISNULL(@MOTHER_HEALTH_TEXT2,'')) +
705	MOTHER_HEALTH_TEXT3	Mother Health Page Text 3	varchar	500	Birth - Mother Health	Mother Health Page Text 3			N	varchar	EVENT_T	1	MOTHEF	MOTHEF	MOTHER	MOTHER	@MOTHI	+isnull(M	if @parse	rtrim(ISNULL(@MOTHER_HEALTH_TEXT3,'')) +
706	MOTHER_HEALTH_TEXT4	Mother Health Page Text 4	varchar	500	Birth - Mother Health	Mother Health Page Text 4			N	varchar	EVENT_T	1	MOTHEF	MOTHEF	MOTHER	MOTHER	@MOTHI	+isnull(M	if @parse	rtrim(ISNULL(@MOTHER_HEALTH_TEXT4,'')) +
707	MOTHER_HEALTH_TEXT5	Mother Health Page Text 5	varchar	500	Birth - Mother Health	Mother Health Page Text 5			N	varchar	EVENT_T	1	MOTHEF	MOTHEF	MOTHER	MOTHER	@MOTHI	+isnull(M	if @parse	rtrim(ISNULL(@MOTHER_HEALTH_TEXT5,'')) +
708	MOTHER_HEALTH_SYSTEM_CODE_ID1	Mother Health Page System Code 1	varchar	200	Birth - Mother Health	Mother Health Page System Code 1			N	int	EVENT_T	1	MOTHEF	MOTHEF	MOTHER	MOTHER	@MOTHI	+isnull(dt	if @parse	rtrim(ISNULL(@MOTHER_HEALTH_SYSTEM_CODE_ID1,'')) +
709	MOTHER_HEALTH_SYSTEM_CODE_ID2	Mother Health Page System Code 2	varchar	200	Birth - Mother Health	Mother Health Page System Code 2			N	int	EVENT_T	1	MOTHEF	MOTHEF	MOTHER	MOTHER	@MOTHI	+isnull(dt	if @parse	rtrim(ISNULL(@MOTHER_HEALTH_SYSTEM_CODE_ID2,'')) +
710	MOTHER_HEALTH_SYSTEM_CODE_ID3	Mother Health Page System Code 3	varchar	200	Birth - Mother Health	Mother Health Page System Code 3			N	int	EVENT_T	1	MOTHEF	MOTHEF	MOTHER	MOTHER	@MOTHI	+isnull(dt	if @parse	rtrim(ISNULL(@MOTHER_HEALTH_SYSTEM_CODE_ID3,'')) +
711	MOTHER_HEALTH_SYSTEM_CODE_ID4	Mother Health Page System Code 4	varchar	200	Birth - Mother Health	Mother Health Page System Code 4			N	int	EVENT_T	1	MOTHEF	MOTHEF	MOTHER	MOTHER	@MOTHI	+isnull(dt	if @parse	rtrim(ISNULL(@MOTHER_HEALTH_SYSTEM_CODE_ID4,'')) +
712	MOTHER_HEALTH_SYSTEM_CODE_ID5	Mother Health Page System Code 5	varchar	200	Birth - Mother Health	Mother Health Page System Code 5			N	int	EVENT_T	1	MOTHEF	MOTHEF	MOTHER	MOTHER	@MOTHI	+isnull(dt	if @parse	rtrim(ISNULL(@MOTHER_HEALTH_SYSTEM_CODE_ID5,'')) +
713	MARITAL_STATUS_DATE1	Marital Status Page Date 1	varchar	12	Birth - Marital Status	Marital Status Page Date 1			N	datetime	EVENT_T	1	MARITAI	MARITAI	MARITAL	MARITAL	@MARIT	+isnull(ca	if @parse	rtrim(ISNULL(@MARITAL_STATUS_DATE1,'')) +
714	MARITAL_STATUS_DATE2	Marital Status Page Date 2	varchar	12	Birth - Marital Status	Marital Status Page Date 2			N	datetime	EVENT_T	1	MARITAI	MARITAI	MARITAL	MARITAL	@MARIT	+isnull(ca	if @parse	rtrim(ISNULL(@MARITAL_STATUS_DATE2,'')) +
715	MARITAL_STATUS_DATE3	Marital Status Page Date 3	varchar	12	Birth - Marital Status	Marital Status Page Date 3			N	datetime	EVENT_T	1	MARITAI	MARITAI	MARITAL	MARITAL	@MARIT	+isnull(ca	if @parse	rtrim(ISNULL(@MARITAL_STATUS_DATE3,'')) +
716	MARITAL_STATUS_DATE4	Marital Status Page Date 4	varchar	12	Birth - Marital Status	Marital Status Page Date 4			N	datetime	EVENT_T	1	MARITAI	MARITAI	MARITAL	MARITAL	@MARIT	+isnull(ca	if @parse	rtrim(ISNULL(@MARITAL_STATUS_DATE4,'')) +
717	MARITAL_STATUS_DATE5	Marital Status Page Date 5	varchar	12	Birth - Marital Status	Marital Status Page Date 5			N	datetime	EVENT_T	1	MARITAI	MARITAI	MARITAL	MARITAL	@MARIT	+isnull(ca	if @parse	rtrim(ISNULL(@MARITAL_STATUS_DATE5,'')) +
718	MARITAL_STATUS_TEXT1	Marital Status Page Text 1	varchar	500	Birth - Marital Status	Marital Status Page Text 1			N	varchar	EVENT_T	1	MARITAI	MARITAI	MARITAL	MARITAL	@MARIT	+isnull(M	if @parse	rtrim(ISNULL(@MARITAL_STATUS_TEXT1,'')) +
719	MARITAL_STATUS_TEXT2	Marital Status Page Text 2	varchar	500	Birth - Marital Status	Marital Status Page Text 2			N	varchar	EVENT_T	1	MARITAI	MARITAI	MARITAL	MARITAL	@MARIT	+isnull(M	if @parse	rtrim(ISNULL(@MARITAL_STATUS_TEXT2,'')) +
720	MARITAL_STATUS_TEXT3	Marital Status Page Text 3	varchar	500	Birth - Marital Status	Marital Status Page Text 3			N	varchar	EVENT_T	1	MARITAI	MARITAI	MARITAL	MARITAL	@MARIT	+isnull(M	if @parse	rtrim(ISNULL(@MARITAL_STATUS_TEXT3,'')) +
721	MARITAL_STATUS_TEXT4	Marital Status Page Text 4	varchar	500	Birth - Marital Status	Marital Status Page Text 4			N	varchar	EVENT_T	1	MARITAI	MARITAI	MARITAL	MARITAL	@MARIT	+isnull(M	if @parse	rtrim(ISNULL(@MARITAL_STATUS_TEXT4,'')) +
722	MARITAL_STATUS_TEXT5	Marital Status Page Text 5	varchar	500	Birth - Marital Status	Marital Status Page Text 5			N	varchar	EVENT_T	1	MARITAI	MARITAI	MARITAL	MARITAL	@MARIT	+isnull(M	if @parse	rtrim(ISNULL(@MARITAL_STATUS_TEXT5,'')) +
723	MARITAL_STATUS_SYSTEM_CODE_ID1	Marital Status Page System Code 1	varchar	200	Birth - Marital Status	Marital Status Page System Code 1			N	int	EVENT_T	1	MARITAI	MARITAI	MARITAL	MARITAL	@MARIT	+isnull(dt	if @parse	rtrim(ISNULL(@MARITAL_STATUS_SYSTEM_CODE_ID1,'')) +
724	MARITAL_STATUS_SYSTEM_CODE_ID2	Marital Status Page System Code 2	varchar	200	Birth - Marital Status	Marital Status Page System Code 2			N	int	EVENT_T	1	MARITAI	MARITAI	MARITAL	MARITAL	@MARIT	+isnull(dt	if @parse	rtrim(ISNULL(@MARITAL_STATUS_SYSTEM_CODE_ID2,'')) +
725	MARITAL_STATUS_SYSTEM_CODE_ID3	Marital Status Page System Code 3	varchar	200	Birth - Marital Status	Marital Status Page System Code 3			N	int	EVENT_T	1	MARITAI	MARITAI	MARITAL	MARITAL	@MARIT	+isnull(dt	if @parse	rtrim(ISNULL(@MARITAL_STATUS_SYSTEM_CODE_ID3,'')) +
726	MARITAL_STATUS_SYSTEM_CODE_ID4	Marital Status Page System Code 4	varchar	200	Birth - Marital Status	Marital Status Page System Code 4			N	int	EVENT_T	1	MARITAI	MARITAI	MARITAL	MARITAL	@MARIT	+isnull(dt	if @parse	rtrim(ISNULL(@MARITAL_STATUS_SYSTEM_CODE_ID4,'')) +
727	MARITAL_STATUS_SYSTEM_CODE_ID5	Marital Status Page System Code 5	varchar	200	Birth - Marital Status	Marital Status Page System Code 5			N	int	EVENT_T	1	MARITAI	MARITAI	MARITAL	MARITAL	@MARIT	+isnull(dt	if @parse	rtrim(ISNULL(@MARITAL_STATUS_SYSTEM_CODE_ID5,'')) +
728	FATHER_DATE1	Father Page Date 1	varchar	12	Birth - Father	Father Page Date 1			N	datetime	EVENT_T	1	FATHER	FATHER	FATHER	FATHER	@FATHEI	+isnull(ca	if @parse	rtrim(ISNULL(@FATHER_DATE1,'')) +
729	FATHER_DATE2	Father Page Date 2	varchar	12	Birth - Father	Father Page Date 2			N	datetime	EVENT_T	1	FATHER	FATHER	FATHER	FATHER	@FATHEI	+isnull(ca	if @parse	rtrim(ISNULL(@FATHER_DATE2,'')) +
730	FATHER_DATE3	Father Page Date 3	varchar	12	Birth - Father	Father Page Date 3			N	datetime	EVENT_T	1	FATHER	FATHER	FATHER	FATHER	@FATHEI	+isnull(ca	if @parse	rtrim(ISNULL(@FATHER_DATE3,'')) +
731	FATHER_DATE4	Father Page Date 4	varchar	12	Birth - Father	Father Page Date 4			N	datetime	EVENT_T	1	FATHER	FATHER	FATHER	FATHER	@FATHEI	+isnull(ca	if @parse	rtrim(ISNULL(@FATHER_DATE4,'')) +
732	FATHER_DATE5	Father Page Date 5	varchar	12	Birth - Father	Father Page Date 5			N	datetime	EVENT_T	1	FATHER	FATHER	FATHER	FATHER	@FATHEI	+isnull(ca	if @parse	rtrim(ISNULL(@FATHER_DATE5,'')) +
733	FATHER_TEXT1	Father Page Text 1	varchar	500	Birth - Father	Father Page Text 1			N	varchar	EVENT_T	1	FATHER	FATHER	FATHER	FATHER	@FATHEI	+isnull(FA	if @parse	rtrim(ISNULL(@FATHER_TEXT1,'')) +
734	FATHER_TEXT2	Father Page Text 2	varchar	500	Birth - Father	Father Page Text 2			N	varchar	EVENT_T	1	FATHER	FATHER	FATHER	FATHER	@FATHEI	+isnull(FA	if @parse	rtrim(ISNULL(@FATHER_TEXT2,'')) +
735	FATHER_TEXT3	Father Page Text 3	varchar	500	Birth - Father	Father Page Text 3			N	varchar	EVENT_T	1	FATHER	FATHER	FATHER	FATHER	@FATHEI	+isnull(FA	if @parse	rtrim(ISNULL(@FATHER_TEXT3,'')) +
736	FATHER_TEXT4	Father Page Text 4	varchar	500	Birth - Father	Father Page Text 4			N	varchar	EVENT_T	1	FATHER	FATHER	FATHER	FATHER	@FATHEI	+isnull(FA	if @parse	rtrim(ISNULL(@FATHER_TEXT4,'')) +
737	FATHER_TEXT5	Father Page Text 5	varchar	500	Birth - Father	Father Page Text 5			N	varchar	EVENT_T	1	FATHER	FATHER	FATHER	FATHER	@FATHEI	+isnull(FA	if @parse	rtrim(ISNULL(@FATHER_TEXT5,'')) +
738	FATHER_SYSTEM_CODE_ID1	Father Page System Code 1	varchar	200	Birth - Father	Father Page System Code 1			N	int	EVENT_T	1	FATHER	FATHER	FATHER	FATHER	@FATHEI	+isnull(dt	if @parse	rtrim(ISNULL(@FATHER_SYSTEM_CODE_ID1,'')) +
739	FATHER_SYSTEM_CODE_ID2	Father Page System Code 2	varchar	200	Birth - Father	Father Page System Code 2			N	int	EVENT_T	1	FATHER	FATHER	FATHER	FATHER	@FATHEI	+isnull(dt	if @parse	rtrim(ISNULL(@FATHER_SYSTEM_CODE_ID2,'')) +
740	FATHER_SYSTEM_CODE_ID3	Father Page System Code 3	varchar	200	Birth - Father	Father Page System Code 3			N	int	EVENT_T	1	FATHER	FATHER	FATHER	FATHER	@FATHEI	+isnull(dt	if @parse	rtrim(ISNULL(@FATHER_SYSTEM_CODE_ID3,'')) +
741	FATHER_SYSTEM_CODE_ID4	Father Page System Code 4	varchar	200	Birth - Father	Father Page System Code 4			N	int	EVENT_T	1	FATHER	FATHER	FATHER	FATHER	@FATHEI	+isnull(dt	if @parse	rtrim(ISNULL(@FATHER_SYSTEM_CODE_ID4,'')) +
742	FATHER_SYSTEM_CODE_ID5	Father Page System Code 5	varchar	200	Birth - Father	Father Page System Code 5			N	int	EVENT_T	1	FATHER	FATHER	FATHER	FATHER	@FATHEI	+isnull(dt	if @parse	rtrim(ISNULL(@FATHER_SYSTEM_CODE_ID5,'')) +
743	FATHER_ATTRIBUTES_DATE1	Father Attributes Page Date 1	varchar	12	Birth - Father Attributes	Father Attributes Page Date 1			N	datetime	EVENT_T	1	FATHER	FATHER	FATHER	FATHER	@FATHEI	+isnull(ca	if @parse	rtrim(ISNULL(@FATHER_ATTRIBUTES_DATE1,'')) +
744	FATHER_ATTRIBUTES_DATE2	Father Attributes Page Date 2	varchar	12	Birth - Father Attributes	Father Attributes Page Date 2			N	datetime	EVENT_T	1	FATHER	FATHER	FATHER	FATHER	@FATHEI	+isnull(ca	if @parse	rtrim(ISNULL(@FATHER_ATTRIBUTES_DATE2,'')) +
745	FATHER_ATTRIBUTES_DATE3	Father Attributes Page Date 3	varchar	12	Birth - Father Attributes	Father Attributes Page Date 3			N	datetime	EVENT_T	1	FATHER	FATHER	FATHER	FATHER	@FATHEI	+isnull(ca	if @parse	rtrim(ISNULL(@FATHER_ATTRIBUTES_DATE3,'')) +
746	FATHER_ATTRIBUTES_DATE4	Father Attributes Page Date 4	varchar	12	Birth - Father Attributes	Father Attributes Page Date 4			N	datetime	EVENT_T	1	FATHER	FATHER	FATHER	FATHER	@FATHEI	+isnull(ca	if @parse	rtrim(ISNULL(@FATHER_ATTRIBUTES_DATE4,'')) +
747	FATHER_ATTRIBUTES_DATE5	Father Attributes Page Date 5	varchar	12	Birth - Father Attributes	Father Attributes Page Date 5			N	datetime	EVENT_T	1	FATHER	FATHER	FATHER	FATHER	@FATHEI	+isnull(ca	if @parse	rtrim(ISNULL(@FATHER_ATTRIBUTES_DATE5,'')) +
748	FATHER_ATTRIBUTES_TEXT1	Father Attributes Page Text 1	varchar	500	Birth - Father Attributes	Father Attributes Page Text 1			N	varchar	EVENT_T	1	FATHER	FATHER	FATHER	FATHER	@FATHEI	+isnull(FA	if @parse	rtrim(ISNULL(@FATHER_ATTRIBUTES_TEXT1,'')) +
749	FATHER_ATTRIBUTES_TEXT2	Father Attributes Page Text 2	varchar	500	Birth - Father Attributes	Father Attributes Page Text 2			N	varchar	EVENT_T	1	FATHER	FATHER	FATHER	FATHER	@FATHEI	+isnull(FA	if @parse	rtrim(ISNULL(@FATHER_ATTRIBUTES_TEXT2,'')) +
750	FATHER_ATTRIBUTES_TEXT3	Father Attributes Page Text 3	varchar	500	Birth - Father Attributes	Father Attributes Page Text 3			N	varchar	EVENT_T	1	FATHER	FATHER	FATHER	FATHER	@FATHEI	+isnull(FA	if @parse	rtrim(ISNULL(@FATHER_ATTRIBUTES_TEXT3,'')) +
751	FATHER_ATTRIBUTES_TEXT4	Father Attributes Page Text 4	varchar	500	Birth - Father Attributes	Father Attributes Page Text 4			N	varchar	EVENT_T	1	FATHER	FATHER	FATHER	FATHER	@FATHEI	+isnull(FA	if @parse	rtrim(ISNULL(@FATHER_ATTRIBUTES_TEXT4,'')) +
752	FATHER_ATTRIBUTES_TEXT5	Father Attributes Page Text 5	varchar	500	Birth - Father Attributes	Father Attributes Page Text 5			N	varchar	EVENT_T	1	FATHER	FATHER	FATHER	FATHER	@FATHEI	+isnull(FA	if @parse	rtrim(ISNULL(@FATHER_ATTRIBUTES_TEXT5,'')) +
753	FATHER_ATTRIBUTES_SYSTEM_CODE_ID1	Father Attributes Page System Code 1	varchar	200	Birth - Father Attributes	Father Attributes Page System Code 1			N	int	EVENT_T	1	FATHER	FATHER	FATHER	FATHER	@FATHEI	+isnull(dt	if @parse	rtrim(ISNULL(@FATHER_ATTRIBUTES_SYSTEM_CODE_ID1,'')) +
754	FATHER_ATTRIBUTES_SYSTEM_CODE_ID2	Father Attributes Page System Code 2	varchar	200	Birth - Father Attributes	Father Attributes Page System Code 2			N	int	EVENT_T	1	FATHER	FATHER	FATHER	FATHER	@FATHEI	+isnull(dt	if @parse	rtrim(ISNULL(@FATHER_ATTRIBUTES_SYSTEM_CODE_ID2,'')) +
755	FATHER_ATTRIBUTES_SYSTEM_CODE_ID3	Father Attributes Page System Code 3	varchar	200	Birth - Father Attributes	Father Attributes Page System Code 3			N	int	EVENT_T	1	FATHER	FATHER	FATHER	FATHER	@FATHEI	+isnull(dt	if @parse	rtrim(ISNULL(@FATHER_ATTRIBUTES_SYSTEM_CODE_ID3,'')) +
756	FATHER_ATTRIBUTES_SYSTEM_CODE_ID4	Father Attributes Page System Code 4	varchar	200	Birth - Father Attributes	Father Attributes Page System Code 4			N	int	EVENT_T	1	FATHER	FATHER	FATHER	FATHER	@FATHEI	+isnull(dt	if @parse	rtrim(ISNULL(@FATHER_ATTRIBUTES_SYSTEM_CODE_ID4,'')) +
757	FATHER_ATTRIBUTES_SYSTEM_CODE_ID5	Father Attributes Page System Code 5	varchar	200	Birth - Father Attributes	Father Attributes Page System Code 5			N	int	EVENT_T	1	FATHER	FATHER	FATHER	FATHER	@FATHEI	+isnull(dt	if @parse	rtrim(ISNULL(@FATHER_ATTRIBUTES_SYSTEM_CODE_ID5,'')) +
758	INFORMANT_DATE1	Informant Page Date 1	varchar	12	Birth - Identifiers	Informant Page Date 1			N	datetime	EVENT_T	1	INFORM	INFORM	INFORM	INFORMA	@INFORI	+isnull(ca	if @parse	rtrim(ISNULL(@INFORMANT_DATE1,'')) +
759	INFORMANT_DATE2	Informant Page Date 2	varchar	12	Birth - Identifiers	Informant Page Date 2			N	datetime	EVENT_T	1	INFORM	INFORM	INFORM	INFORMA	@INFORI	+isnull(ca	if @parse	rtrim(ISNULL(@INFORMANT_DATE2,'')) +
760	INFORMANT_DATE3	Informant Page Date 3	varchar	12	Birth - Identifiers	Informant Page Date 3			N	datetime	EVENT_T	1	INFORM	INFORM	INFORM	INFORMA	@INFORI	+isnull(ca	if @parse	rtrim(ISNULL(@INFORMANT_DATE3,'')) +
761	INFORMANT_DATE4	Informant Page Date 4	varchar	12	Birth - Identifiers	Informant Page Date 4			N	datetime	EVENT_T	1	INFORM	INFORM	INFORM	INFORMA	@INFORI	+isnull(ca	if @parse	rtrim(ISNULL(@INFORMANT_DATE4,'')) +
762	INFORMANT_DATE5	Informant Page Date 5	varchar	12	Birth - Identifiers	Informant Page Date 5			N	datetime	EVENT_T	1	INFORM	INFORM	INFORM	INFORMA	@INFORI	+isnull(ca	if @parse	rtrim(ISNULL(@INFORMANT_DATE5,'')) +
763	INFORMANT_TEXT1	Informant Page Text 1	varchar	500	Birth - Identifiers	Informant Page Text 1			N	varchar	EVENT_T	1	INFORM	INFORM	INFORM	INFORMA	@INFORI	+isnull(IN	if @parse	rtrim(ISNULL(@INFORMANT_TEXT1,'')) +
764	INFORMANT_TEXT2	Informant Page Text 2	varchar	500	Birth - Identifiers	Informant Page Text 2			N	varchar	EVENT_T	1	INFORM	INFORM	INFORM	INFORMA	@INFORI	+isnull(IN	if @parse	rtrim(ISNULL(@INFORMANT_TEXT2,'')) +
765	INFORMANT_TEXT3	Informant Page Text 3	varchar	500	Birth - Identifiers	Informant Page Text 3			N	varchar	EVENT_T	1	INFORM	INFORM	INFORM	INFORMA	@INFORI	+isnull(IN	if @parse	rtrim(ISNULL(@INFORMANT_TEXT3,'')) +
766	INFORMANT_TEXT4	Informant Page Text 4	varchar	500	Birth - Identifiers	Informant Page Text 4			N	varchar	EVENT_T	1	INFORM	INFORM	INFORM	INFORMA	@INFORI	+isnull(IN	if @parse	rtrim(ISNULL(@INFORMANT_TEXT4,'')) +
767	INFORMANT_TEXT5	Informant Page Text 5	varchar	500	Birth - Identifiers	Informant Page Text 5			N	varchar	EVENT_T	1	INFORM	INFORM	INFORM	INFORMA	@INFORI	+isnull(IN	if @parse	rtrim(ISNULL(@INFORMANT_TEXT5,'')) +
768	INFORMANT_SYSTEM_CODE_ID1	Informant Page System Code 1	varchar	200	Birth - Identifiers	Informant Page System Code 1			N	int	EVENT_T	1	INFORM	INFORM	INFORM	INFORMA	@INFORI	+isnull(dt	if @parse	rtrim(ISNULL(@INFORMANT_SYSTEM_CODE_ID1,'')) +
769	INFORMANT_SYSTEM_CODE_ID2	Informant Page System Code 2	varchar	200	Birth - Identifiers	Informant Page System Code 2			N	int	EVENT_T	1	INFORM	INFORM	INFORM	INFORMA	@INFORI	+isnull(dt	if @parse	rtrim(ISNULL(@INFORMANT_SYSTEM_CODE_ID2,'')) +
770	INFORMANT_SYSTEM_CODE_ID3	Informant Page System Code 3	varchar	200	Birth - Identifiers	Informant Page System Code 3			N	int	EVENT_T	1	INFORM	INFORM	INFORM	INFORMA	@INFORI	+isnull(dt	if @parse	rtrim(ISNULL(@INFORMANT_SYSTEM_CODE_ID3,'')) +
771	INFORMANT_SYSTEM_CODE_ID4	Informant Page System Code 4	varchar	200	Birth - Identifiers	Informant Page System Code 4			N	int	EVENT_T	1	INFORM	INFORM	INFORM	INFORMA	@INFORI	+isnull(dt	if @parse	rtrim(ISNULL(@INFORMANT_SYSTEM_CODE_ID4,'')) +
772	INFORMANT_SYSTEM_CODE_ID5	Informant Page System Code 5	varchar	200	Birth - Identifiers	Informant Page System Code 5			N	int	EVENT_T	1	INFORM	INFORM	INFORM	INFORMA	@INFORI	+isnull(dt	if @parse	rtrim(ISNULL(@INFORMANT_SYSTEM_CODE_ID5,'')) +
773	PLACE_OF_BIRTH_DATE1	Place of Birth Page Date 1	varchar	12	Birth - Place of Birth	Place of Birth Page Date 1			N	datetime	EVENT_T	1	PLACE (	PLACE (	PLACE O	PLACE O	@PLACE	+isnull(ca	if @parse	rtrim(ISNULL(@PLACE_OF_BIRTH_DATE1,'')) +
774	PLACE_OF_BIRTH_DATE2	Place of Birth Page Date 2	varchar	12	Birth - Place of Birth	Place of Birth Page Date 2			N	datetime	EVENT_T	1	PLACE (	PLACE (	PLACE O	PLACE O	@PLACE	+isnull(ca	if @parse	rtrim(ISNULL(@PLACE_OF_BIRTH_DATE2,'')) +
775	PLACE_OF_BIRTH_DATE3	Place of Birth Page Date 3	varchar	12	Birth - Place of Birth	Place of Birth Page Date 3			N	datetime	EVENT_T	1	PLACE (	PLACE (	PLACE O	PLACE O	@PLACE	+isnull(ca	if @parse	rtrim(ISNULL(@PLACE_OF_BIRTH_DATE3,'')) +
776	PLACE_OF_BIRTH_DATE4	Place of Birth Page Date 4	varchar	12	Birth - Place of Birth	Place of Birth Page Date 4			N	datetime	EVENT_T	1	PLACE (	PLACE (	PLACE O	PLACE O	@PLACE	+isnull(ca	if @parse	rtrim(ISNULL(@PLACE_OF_BIRTH_DATE4,'')) +
777	PLACE_OF_BIRTH_DATE5	Place of Birth Page Date 5	varchar	12	Birth - Place of Birth	Place of Birth Page Date 5			N	datetime	EVENT_T	1	PLACE (	PLACE (	PLACE O	PLACE O	@PLACE	+isnull(ca	if @parse	rtrim(ISNULL(@PLACE_OF_BIRTH_DATE5,'')) +
778	PLACE_OF_BIRTH_TEXT1	Place of Birth Page Text 1	varchar	500	Birth - Place of Birth	Place of Birth Page Text 1			N	varchar	EVENT_T	1	PLACE (	PLACE (	PLACE O	PLACE O	@PLACE	+isnull(PL	if @parse	rtrim(ISNULL(@PLACE_OF_BIRTH_TEXT1,'')) +
779	PLACE_OF_BIRTH_TEXT2	Place of Birth Page Text 2	varchar	500	Birth - Place of Birth	Place of Birth Page Text 2			N	varchar	EVENT_T	1	PLACE (	PLACE (	PLACE O	PLACE O	@PLACE	+isnull(PL	if @parse	rtrim(ISNULL(@PLACE_OF_BIRTH_TEXT2,'')) +
780	PLACE_OF_BIRTH_TEXT3	Place of Birth Page Text 3	varchar	500	Birth - Place of Birth	Place of Birth Page Text 3			N	varchar	EVENT_T	1	PLACE (	PLACE (	PLACE O	PLACE O	@PLACE	+isnull(PL	if @parse	rtrim(ISNULL(@PLACE_OF_BIRTH_TEXT3,'')) +
781	PLACE_OF_BIRTH_TEXT4	Place of Birth Page Text 4	varchar	500	Birth - Place of Birth	Place of Birth Page Text 4			N	varchar	EVENT_T	1	PLACE (	PLACE (	PLACE O	PLACE O	@PLACE	+isnull(PL	if @parse	rtrim(ISNULL(@PLACE_OF_BIRTH_TEXT4,'')) +
782	PLACE_OF_BIRTH_TEXT5	Place of Birth Page Text 5	varchar	500	Birth - Place of Birth	Place of Birth Page Text 5			N	varchar	EVENT_T	1	PLACE (	PLACE (	PLACE O	PLACE O	@PLACE	+isnull(PL	if @parse	rtrim(ISNULL(@PLACE_OF_BIRTH_TEXT5,'')) +
783	PLACE_OF_BIRTH_SYSTEM_CODE_ID1	Place of Birth Page System Code 1	varchar	200	Birth - Place of Birth	Place of Birth Page System Code 1			N	int	EVENT_T	1	PLACE (	PLACE (	PLACE O	PLACE O	@PLACE	+isnull(dt	if @parse	rtrim(ISNULL(@PLACE_OF_BIRTH_SYSTEM_CODE_ID1,'')) +
784	PLACE_OF_BIRTH_SYSTEM_CODE_ID2	Place of Birth Page System Code 2	varchar	200	Birth - Place of Birth	Place of Birth Page System Code 2			N	int	EVENT_T	1	PLACE (	PLACE (	PLACE O	PLACE O	@PLACE	+isnull(dt	if @parse	rtrim(ISNULL(@PLACE_OF_BIRTH_SYSTEM_CODE_ID2,'')) +
785	PLACE_OF_BIRTH_SYSTEM_CODE_ID3	Place of Birth Page System Code 3	varchar	200	Birth - Place of Birth	Place of Birth Page System Code 3			N	int	EVENT_T	1	PLACE (	PLACE (	PLACE O	PLACE O	@PLACE	+isnull(dt	if @parse	rtrim(ISNULL(@PLACE_OF_BIRTH_SYSTEM_CODE_ID3,'')) +
786	PLACE_OF_BIRTH_SYSTEM_CODE_ID4	Place of Birth Page System Code 4	varchar	200	Birth - Place of Birth	Place of Birth Page System Code 4			N	int	EVENT_T	1	PLACE (	PLACE (	PLACE O	PLACE O	@PLACE	+isnull(dt	if @parse	rtrim(ISNULL(@PLACE_OF_BIRTH_SYSTEM_CODE_ID4,'')) +
787	PLACE_OF_BIRTH_SYSTEM_CODE_ID5	Place of Birth Page System Code 5	varchar	200	Birth - Place of Birth	Place of Birth Page System Code 5			N	int	EVENT_T	1	PLACE (	PLACE (	PLACE O	PLACE O	@PLACE	+isnull(dt	if @parse	rtrim(ISNULL(@PLACE_OF_BIRTH_SYSTEM_CODE_ID5,'')) +
788	PRENATAL_DATE1	Prenatal Page Date 1	varchar	12	Birth - Prenatal	Prenatal Page Date 1			N	datetime	EVENT_T	1	PRENAT	PRENAT	PRENATA	PRENATA	@PRENA	+isnull(ca	if @parse	rtrim(ISNULL(@PRENATAL_DATE1,'')) +
789	PRENATAL_DATE2	Prenatal Page Date 2	varchar	12	Birth - Prenatal	Prenatal Page Date 2			N	datetime	EVENT_T	1	PRENAT	PRENAT	PRENATA	PRENATA	@PRENA	+isnull(ca	if @parse	rtrim(ISNULL(@PRENATAL_DATE2,'')) +
790	PRENATAL_DATE3	Prenatal Page Date 3	varchar	12	Birth - Prenatal	Prenatal Page Date 3			N	datetime	EVENT_T	1	PRENAT	PRENAT	PRENATA	PRENATA	@PRENA	+isnull(ca	if @parse	rtrim(ISNULL(@PRENATAL_DATE3,'')) +
791	PRENATAL_DATE4	Prenatal Page Date 4	varchar	12	Birth - Prenatal	Prenatal Page Date 4			N	datetime	EVENT_T	1	PRENAT	PRENAT	PRENATA	PRENATA	@PRENA	+isnull(ca	if @parse	rtrim(ISNULL(@PRENATAL_DATE4,'')) +
792	PRENATAL_DATE5	Prenatal Page Date 5	varchar	12	Birth - Prenatal	Prenatal Page Date 5			N	datetime	EVENT_T	1	PRENAT	PRENAT	PRENATA	PRENATA	@PRENA	+isnull(ca	if @parse	rtrim(ISNULL(@PRENATAL_DATE5,'')) +
793	PRENATAL_TEXT1	Prenatal Page Text 1	varchar	500	Birth - Prenatal	Prenatal Page Text 1			N	varchar	EVENT_T	1	PRENAT	PRENAT	PRENATA	PRENATA	@PRENA	+isnull(PF	if @parse	rtrim(ISNULL(@PRENATAL_TEXT1,'')) +
794	PRENATAL_TEXT2	Prenatal Page Text 2	varchar	500	Birth - Prenatal	Prenatal Page Text 2			N	varchar	EVENT_T	1	PRENAT	PRENAT	PRENATA	PRENATA	@PRENA	+isnull(PF	if @parse	rtrim(ISNULL(@PRENATAL_TEXT2,'')) +
795	PRENATAL_TEXT3	Prenatal Page Text 3	varchar	500	Birth - Prenatal	Prenatal Page Text 3			N	varchar	EVENT_T	1	PRENAT	PRENAT	PRENATA	PRENATA	@PRENA	+isnull(PF	if @parse	rtrim(ISNULL(@PRENATAL_TEXT3,'')) +
796	PRENATAL_TEXT4	Prenatal Page Text 4	varchar	500	Birth - Prenatal	Prenatal Page Text 4			N	varchar	EVENT_T	1	PRENAT	PRENAT	PRENATA	PRENATA	@PRENA	+isnull(PF	if @parse	rtrim(ISNULL(@PRENATAL_TEXT4,'')) +
797	PRENATAL_TEXT5	Prenatal Page Text 5	varchar	500	Birth - Prenatal	Prenatal Page Text 5			N	varchar	EVENT_T	1	PRENAT	PRENAT	PRENATA	PRENATA	@PRENA	+isnull(PF	if @parse	rtrim(ISNULL(@PRENATAL_TEXT5,'')) +
798	PRENATAL_SYSTEM_CODE_ID1	Prenatal Page System Code 1	varchar	200	Birth - Prenatal	Prenatal Page System Code 1			N	int	EVENT_T	1	PRENAT	PRENAT	PRENATA	PRENATA	@PRENA	+isnull(dt	if @parse	rtrim(ISNULL(@PRENATAL_SYSTEM_CODE_ID1,'')) +
799	PRENATAL_SYSTEM_CODE_ID2	Prenatal Page System Code 2	varchar	200	Birth - Prenatal	Prenatal Page System Code 2			N	int	EVENT_T	1	PRENAT	PRENAT	PRENATA	PRENATA	@PRENA	+isnull(dt	if @parse	rtrim(ISNULL(@PRENATAL_SYSTEM_CODE_ID2,'')) +
800	PRENATAL_SYSTEM_CODE_ID3	Prenatal Page System Code 3	varchar	200	Birth - Prenatal	Prenatal Page System Code 3			N	int	EVENT_T	1	PRENAT	PRENAT	PRENATA	PRENATA	@PRENA	+isnull(dt	if @parse	rtrim(ISNULL(@PRENATAL_SYSTEM_CODE_ID3,'')) +
801	PRENATAL_SYSTEM_CODE_ID4	Prenatal Page System Code 4	varchar	200	Birth - Prenatal	Prenatal Page System Code 4			N	int	EVENT_T	1	PRENAT	PRENAT	PRENATA	PRENATA	@PRENA	+isnull(dt	if @parse	rtrim(ISNULL(@PRENATAL_SYSTEM_CODE_ID4,'')) +
802	PRENATAL_SYSTEM_CODE_ID5	Prenatal Page System Code 5	varchar	200	Birth - Prenatal	Prenatal Page System Code 5			N	int	EVENT_T	1	PRENAT	PRENAT	PRENATA	PRENATA	@PRENA	+isnull(dt	if @parse	rtrim(ISNULL(@PRENATAL_SYSTEM_CODE_ID5,'')) +
803	PREGNANCY_FACTORS_DATE1	Pregnancy Factors Page Date 1	varchar	200	Birth - Pregnancy Factors	Pregnancy Factors Page Date 1			N	datetime	EVENT_T	1	PREGNA	PREGNA	PREGNA	PREGNAI	@PREGN	+isnull(ca	if @parse	rtrim(ISNULL(@PREGNANCY_FACTORS_DATE1,'')) +
804	PREGNANCY_FACTORS_DATE2	Pregnancy Factors Page Date 2	varchar	200	Birth - Pregnancy Factors	Pregnancy Factors Page Date 2			N	datetime	EVENT_T	1	PREGNA	PREGNA	PREGNA	PREGNAI	@PREGN	+isnull(ca	if @parse	rtrim(ISNULL(@PREGNANCY_FACTORS_DATE2,'')) +
805	PREGNANCY_FACTORS_DATE3	Pregnancy Factors Page Date 3	varchar	200	Birth - Pregnancy Factors	Pregnancy Factors Page Date 3			N	datetime	EVENT_T	1	PREGNA	PREGNA	PREGNA	PREGNAI	@PREGN	+isnull(ca	if @parse	rtrim(ISNULL(@PREGNANCY_FACTORS_DATE3,'')) +
806	PREGNANCY_FACTORS_DATE4	Pregnancy Factors Page Date 4	varchar	200	Birth - Pregnancy Factors	Pregnancy Factors Page Date 4			N	datetime	EVENT_T	1	PREGNA	PREGNA	PREGNA	PREGNAI	@PREGN	+isnull(ca	if @parse	rtrim(ISNULL(@PREGNANCY_FACTORS_DATE4,'')) +
807	PREGNANCY_FACTORS_DATE5	Pregnancy Factors Page Date 5	varchar	200	Birth - Pregnancy Factors	Pregnancy Factors Page Date 5			N	datetime	EVENT_T	1	PREGNA	PREGNA	PREGNA	PREGNAI	@PREGN	+isnull(ca	if @parse	rtrim(ISNULL(@PREGNANCY_FACTORS_DATE5,'')) +
808	PREGNANCY_FACTORS_TEXT1	Pregnancy Factors Page Text 1	varchar	500	Birth - Pregnancy Factors	Pregnancy Factors Page Text 1			N	varchar	EVENT_T	1	PREGNA	PREGNA	PREGNA	PREGNAI	@PREGN	+isnull(PF	if @parse	rtrim(ISNULL(@PREGNANCY_FACTORS_TEXT1,'')) +
809	PREGNANCY_FACTORS_TEXT2	Pregnancy Factors Page Text 2	varchar	500	Birth - Pregnancy Factors	Pregnancy Factors Page Text 2			N	varchar	EVENT_T	1	PREGNA	PREGNA	PREGNA	PREGNAI	@PREGN	+isnull(PF	if @parse	rtrim(ISNULL(@PREGNANCY_FACTORS_TEXT2,'')) +
810	PREGNANCY_FACTORS_TEXT3	Pregnancy Factors Page Text 3	varchar	500	Birth - Pregnancy Factors	Pregnancy Factors Page Text 3			N	varchar	EVENT_T	1	PREGNA	PREGNA	PREGNA	PREGNAI	@PREGN	+isnull(PF	if @parse	rtrim(ISNULL(@PREGNANCY_FACTORS_TEXT3,'')) +
811	PREGNANCY_FACTORS_TEXT4	Pregnancy Factors Page Text 4	varchar	500	Birth - Pregnancy Factors	Pregnancy Factors Page Text 4			N	varchar	EVENT_T	1	PREGNA	PREGNA	PREGNA	PREGNAI	@PREGN	+isnull(PF	if @parse	rtrim(ISNULL(@PREGNANCY_FACTORS_TEXT4,'')) +
812	PREGNANCY_FACTORS_TEXT5	Pregnancy Factors Page Text 5	varchar	500	Birth - Pregnancy Factors	Pregnancy Factors Page Text 5			N	varchar	EVENT_T	1	PREGNA	PREGNA	PREGNA	PREGNAI	@PREGN	+isnull(PF	if @parse	rtrim(ISNULL(@PREGNANCY_FACTORS_TEXT5,'')) +
813	PREGNANCY_FACTORS_SYSTEM_CODE_ID1	Pregnancy Factors Page System Code 1	varchar	200	Birth - Pregnancy Factors	Pregnancy Factors Page System Code 1			N	int	EVENT_T	1	PREGNA	PREGNA	PREGNA	PREGNAI	@PREGN	+isnull(dt	if @parse	rtrim(ISNULL(@PREGNANCY_FACTORS_SYSTEM_CODE_ID1,'')) +
814	PREGNANCY_FACTORS_SYSTEM_CODE_ID2	Pregnancy Factors Page System Code 2	varchar	200	Birth - Pregnancy Factors	Pregnancy Factors Page System Code 2			N	int	EVENT_T	1	PREGNA	PREGNA	PREGNA	PREGNAI	@PREGN	+isnull(dt	if @parse	rtrim(ISNULL(@PREGNANCY_FACTORS_SYSTEM_CODE_ID2,'')) +
815	PREGNANCY_FACTORS_SYSTEM_CODE_ID3	Pregnancy Factors Page System Code 3	varchar	200	Birth - Pregnancy Factors	Pregnancy Factors Page System Code 3			N	int	EVENT_T	1	PREGNA	PREGNA	PREGNA	PREGNAI	@PREGN	+isnull(dt	if @parse	rtrim(ISNULL(@PREGNANCY_FACTORS_SYSTEM_CODE_ID3,'')) +
816	PREGNANCY_FACTORS_SYSTEM_CODE_ID4	Pregnancy Factors Page System Code 4	varchar	200	Birth - Pregnancy Factors	Pregnancy Factors Page System Code 4			N	int	EVENT_T	1	PREGNA	PREGNA	PREGNA	PREGNAI	@PREGN	+isnull(dt	if @parse	rtrim(ISNULL(@PREGNANCY_FACTORS_SYSTEM_CODE_ID4,'')) +
817	PREGNANCY_FACTORS_SYSTEM_CODE_ID5	Pregnancy Factors Page System Code 5	varchar	200	Birth - Pregnancy Factors	Pregnancy Factors Page System Code 5			N	int	EVENT_T	1	PREGNA	PREGNA	PREGNA	PREGNAI	@PREGN	+isnull(dt	if @parse	rtrim(ISNULL(@PREGNANCY_FACTORS_SYSTEM_CODE_ID5,'')) +
818	LABOR_DATE1	Labor Page Date 1	varchar	12	Birth - Labor	Labor Page Date 1			N	datetime	EVENT_T	1	LABOR	LABOR	LABOR	LABOR	@LABOI	+isnull(ca	if @parse	rtrim(ISNULL(@LABOR_DATE1,'')) +
819	LABOR_DATE2	Labor Page Date 2	varchar	12	Birth - Labor	Labor Page Date 2			N	datetime	EVENT_T	1	LABOR	LABOR	LABOR	LABOR	@LABOI	+isnull(ca	if @parse	rtrim(ISNULL(@LABOR_DATE2,'')) +
820	LABOR_DATE3	Labor Page Date 3	varchar	12	Birth - Labor	Labor Page Date 3			N	datetime	EVENT_T	1	LABOR	LABOR	LABOR	LABOR	@LABOI	+isnull(ca	if @parse	rtrim(ISNULL(@LABOR_DATE3,'')) +
821	LABOR_DATE4	Labor Page Date 4	varchar	12	Birth - Labor	Labor Page Date 4			N	datetime	EVENT_T	1	LABOR	LABOR	LABOR	LABOR	@LABOI	+isnull(ca	if @parse	rtrim(ISNULL(@LABOR_DATE4,'')) +
822	LABOR_DATE5	Labor Page Date 5	varchar	12	Birth - Labor	Labor Page Date 5			N	datetime	EVENT_T	1	LABOR	LABOR	LABOR	LABOR	@LABOI	+isnull(ca	if @parse	rtrim(ISNULL(@LABOR_DATE5,'')) +
823	LABOR_TEXT1	Labor Page Text 1	varchar	500	Birth - Labor	Labor Page Text 1			N	varchar	EVENT_T	1	LABOR	LABOR	LABOR	LABOR	@LABOI	+isnull(LA	if @parse	rtrim(ISNULL(@LABOR_TEXT1,'')) +
824	LABOR_TEXT2	Labor Page Text 2	varchar	500	Birth - Labor	Labor Page Text 2			N	varchar	EVENT_T	1	LABOR	LABOR	LABOR	LABOR	@LABOI	+isnull(LA	if @parse	rtrim(ISNULL(@LABOR_TEXT2,'')) +
825	LABOR_TEXT3	Labor Page Text 3	varchar	500	Birth - Labor	Labor Page Text 3			N	varchar	EVENT_T	1	LABOR	LABOR	LABOR	LABOR	@LABOI	+isnull(LA	if @parse	rtrim(ISNULL(@LABOR_TEXT3,'')) +
826	LABOR_TEXT4	Labor Page Text 4	varchar	500	Birth - Labor	Labor Page Text 4			N	varchar	EVENT_T	1	LABOR	LABOR	LABOR	LABOR	@LABOI	+isnull(LA	if @parse	rtrim(ISNULL(@LABOR_TEXT4,'')) +
827	LABOR_TEXT5	Labor Page Text 5	varchar	500	Birth - Labor	Labor Page Text 5			N	varchar	EVENT_T	1	LABOR	LABOR	LABOR	LABOR	@LABOI	+isnull(LA	if @parse	rtrim(ISNULL(@LABOR_TEXT5,'')) +
828	LABOR_SYSTEM_CODE_ID1	Labor Page System Code 1	varchar	200	Birth - Labor	Labor Page System Code 1			N	int	EVENT_T	1	LABOR	LABOR	LABOR	LABOR	@LABOI	+isnull(dt	if @parse	rtrim(ISNULL(@LABOR_SYSTEM_CODE_ID1,'')) +
829	LABOR_SYSTEM_CODE_ID2	Labor Page System Code 2	varchar	200	Birth - Labor	Labor Page System Code 2			N	int	EVENT_T	1	LABOR	LABOR	LABOR	LABOR	@LABOI	+isnull(dt	if @parse	rtrim(ISNULL(@LABOR_SYSTEM_CODE_ID2,'')) +
830	LABOR_SYSTEM_CODE_ID3	Labor Page System Code 3	varchar	200	Birth - Labor	Labor Page System Code 3			N	int	EVENT_T	1	LABOR	LABOR	LABOR	LABOR	@LABOI	+isnull(dt	if @parse	rtrim(ISNULL(@LABOR_SYSTEM_CODE_ID3,'')) +
831	LABOR_SYSTEM_CODE_ID4	Labor Page System Code 4	varchar	200	Birth - Labor	Labor Page System Code 4			N	int	EVENT_T	1	LABOR	LABOR	LABOR	LABOR	@LABOI	+isnull(dt	if @parse	rtrim(ISNULL(@LABOR_SYSTEM_CODE_ID4,'')) +
832	LABOR_SYSTEM_CODE_ID5	Labor Page System Code 5	varchar	200	Birth - Labor	Labor Page System Code 5			N	int	EVENT_T	1	LABOR	LABOR	LABOR	LABOR	@LABOI	+isnull(dt	if @parse	rtrim(ISNULL(@LABOR_SYSTEM_CODE_ID5,'')) +
833	DELIVERY_DATE1	Delivery Page Date 1	varchar	12	Birth - Delivery	Delivery Page Date 1			N	datetime	EVENT_T	1	DELIVEI	DELIVEI	DELIVEF	DELIVERY	@DELIVI	+isnull(ca	if @parse	rtrim(ISNULL(@DELIVERY_DATE1,'')) +
834	DELIVERY_DATE2	Delivery Page Date 2	varchar	12	Birth - Delivery	Delivery Page Date 2			N	datetime	EVENT_T	1	DELIVEI	DELIVEI	DELIVEF	DELIVERY	@DELIVI	+isnull(ca	if @parse	rtrim(ISNULL(@DELIVERY_DATE2,'')) +
835	DELIVERY_DATE3	Delivery Page Date 3	varchar	12	Birth - Delivery	Delivery Page Date 3			N	datetime	EVENT_T	1	DELIVEI	DELIVEI	DELIVEF	DELIVERY	@DELIVI	+isnull(ca	if @parse	rtrim(ISNULL(@DELIVERY_DATE3,'')) +
836	DELIVERY_DATE4	Delivery Page Date 4	varchar	12	Birth - Delivery	Delivery Page Date 4			N	datetime	EVENT_T	1	DELIVEI	DELIVEI	DELIVEF	DELIVERY	@DELIVI	+isnull(ca	if @parse	rtrim(ISNULL(@DELIVERY_DATE4,'')) +
837	DELIVERY_DATE5	Delivery Page Date 5	varchar	12	Birth - Delivery	Delivery Page Date 5			N	datetime	EVENT_T	1	DELIVEI	DELIVEI	DELIVEF	DELIVERY	@DELIVI	+isnull(ca	if @parse	rtrim(ISNULL(@DELIVERY_DATE5,'')) +
838	DELIVERY_TEXT1	Delivery Page Text 1	varchar	500	Birth - Delivery	Delivery Page Text 1			N	varchar	EVENT_T	1	DELIVEI	DELIVEI	DELIVEF	DELIVERY	@DELIVI	+isnull(DE	if @parse	rtrim(ISNULL(@DELIVERY_TEXT1,'')) +
839	DELIVERY_TEXT2	Delivery Page Text 2	varchar	500	Birth - Delivery	Delivery Page Text 2			N	varchar	EVENT_T	1	DELIVEI	DELIVEI	DELIVEF	DELIVERY	@DELIVI	+isnull(DE	if @parse	rtrim(ISNULL(@DELIVERY_TEXT2,'')) +
840	DELIVERY_TEXT3	Delivery Page Text 3	varchar	500	Birth - Delivery	Delivery Page Text 3			N	varchar	EVENT_T	1	DELIVEI	DELIVEI	DELIVEF	DELIVERY	@DELIVI	+isnull(DE	if @parse	rtrim(ISNULL(@DELIVERY_TEXT3,'')) +
841	DELIVERY_TEXT4	Delivery Page Text 4	varchar	500	Birth - Delivery	Delivery Page Text 4			N	varchar	EVENT_T	1	DELIVEI	DELIVEI	DELIVEF	DELIVERY	@DELIVI	+isnull(DE	if @parse	rtrim(ISNULL(@DELIVERY_TEXT4,'')) +
842	DELIVERY_TEXT5	Delivery Page Text 5	varchar	500	Birth - Delivery	Delivery Page Text 5			N	varchar	EVENT_T	1	DELIVEI	DELIVEI	DELIVEF	DELIVERY	@DELIVI	+isnull(DE	if @parse	rtrim(ISNULL(@DELIVERY_TEXT5,'')) +
843	DELIVERY_SYSTEM_CODE_ID1	Delivery Page System Code 1	varchar	200	Birth - Delivery	Delivery Page System Code 1			N	int	EVENT_T	1	DELIVEI	DELIVEI	DELIVEF	DELIVERY	@DELIVI	+isnull(dt	if @parse	rtrim(ISNULL(@DELIVERY_SYSTEM_CODE_ID1,'')) +
844	DELIVERY_SYSTEM_CODE_ID2	Delivery Page System Code 2	varchar	200	Birth - Delivery	Delivery Page System Code 2			N	int	EVENT_T	1	DELIVEI	DELIVEI	DELIVEF	DELIVERY	@DELIVI	+isnull(dt	if @parse	rtrim(ISNULL(@DELIVERY_SYSTEM_CODE_ID2,'')) +
845	DELIVERY_SYSTEM_CODE_ID3	Delivery Page System Code 3	varchar	200	Birth - Delivery	Delivery Page System Code 3			N	int	EVENT_T	1	DELIVEI	DELIVEI	DELIVEF	DELIVERY	@DELIVI	+isnull(dt	if @parse	rtrim(ISNULL(@DELIVERY_SYSTEM_CODE_ID3,'')) +
846	DELIVERY_SYSTEM_CODE_ID4	Delivery Page System Code 4	varchar	200	Birth - Delivery	Delivery Page System Code 4			N	int	EVENT_T	1	DELIVEI	DELIVEI	DELIVEF	DELIVERY	@DELIVI	+isnull(dt	if @parse	rtrim(ISNULL(@DELIVERY_SYSTEM_CODE_ID4,'')) +
847	DELIVERY_SYSTEM_CODE_ID5	Delivery Page System Code 5	varchar	200	Birth - Delivery	Delivery Page System Code 5			N	int	EVENT_T	1	DELIVEI	DELIVEI	DELIVEF	DELIVERY	@DELIVI	+isnull(dt	if @parse	rtrim(ISNULL(@DELIVERY_SYSTEM_CODE_ID5,'')) +
848	NEWBORN_DATE1	Newborn Page Date 1	varchar	12	Birth - Newborn	Newborn Page Date 1			N	datetime	EVENT_T	1	NEWBOI	NEWBOI	NEWBOR	NEWBOR	@NEWB	+isnull(ca	if @parse	rtrim(ISNULL(@NEWBORN_DATE1,'')) +
849	NEWBORN_DATE2	Newborn Page Date 2	varchar	12	Birth - Newborn	Newborn Page Date 2			N	datetime	EVENT_T	1	NEWBOI	NEWBOI	NEWBOR	NEWBOR	@NEWB	+isnull(ca	if @parse	rtrim(ISNULL(@NEWBORN_DATE2,'')) +
850	NEWBORN_DATE3	Newborn Page Date 3	varchar	12	Birth - Newborn	Newborn Page Date 3			N	datetime	EVENT_T	1	NEWBOI	NEWBOI	NEWBOR	NEWBOR	@NEWB	+isnull(ca	if @parse	rtrim(ISNULL(@NEWBORN_DATE3,'')) +
851	NEWBORN_DATE4	Newborn Page Date 4	varchar	12	Birth - Newborn	Newborn Page Date 4			N	datetime	EVENT_T	1	NEWBOI	NEWBOI	NEWBOR	NEWBOR	@NEWB	+isnull(ca	if @parse	rtrim(ISNULL(@NEWBORN_DATE4,'')) +
852	NEWBORN_DATE5	Newborn Page Date 5	varchar	12	Birth - Newborn	Newborn Page Date 5			N	datetime	EVENT_T	1	NEWBOI	NEWBOI	NEWBOR	NEWBOR	@NEWB	+isnull(ca	if @parse	rtrim(ISNULL(@NEWBORN_DATE5,'')) +
853	NEWBORN_TEXT1	Newborn Page Text 1	varchar	500	Birth - Newborn	Newborn Page Text 1			N	varchar	EVENT_T	1	NEWBOI	NEWBOI	NEWBOR	NEWBOR	@NEWB	+isnull(NE	if @parse	rtrim(ISNULL(@NEWBORN_TEXT1,'')) +
854	NEWBORN_TEXT2	Newborn Page Text 2	varchar	500	Birth - Newborn	Newborn Page Text 2			N	varchar	EVENT_T	1	NEWBOI	NEWBOI	NEWBOR	NEWBOR	@NEWB	+isnull(NE	if @parse	rtrim(ISNULL(@NEWBORN_TEXT2,'')) +
855	NEWBORN_TEXT3	Newborn Page Text 3	varchar	500	Birth - Newborn	Newborn Page Text 3			N	varchar	EVENT_T	1	NEWBOI	NEWBOI	NEWBOR	NEWBOR	@NEWB	+isnull(NE	if @parse	rtrim(ISNULL(@NEWBORN_TEXT3,'')) +
856	NEWBORN_TEXT4	Newborn Page Text 4	varchar	500	Birth - Newborn	Newborn Page Text 4			N	varchar	EVENT_T	1	NEWBOI	NEWBOI	NEWBOR	NEWBOR	@NEWB	+isnull(NE	if @parse	rtrim(ISNULL(@NEWBORN_TEXT4,'')) +
857	NEWBORN_TEXT5	Newborn Page Text 5	varchar	500	Birth - Newborn	Newborn Page Text 5			N	varchar	EVENT_T	1	NEWBOI	NEWBOI	NEWBOR	NEWBOR	@NEWB	+isnull(NE	if @parse	rtrim(ISNULL(@NEWBORN_TEXT5,'')) +
858	NEWBORN_SYSTEM_CODE_ID1	Newborn Page System Code 1	varchar	200	Birth - Newborn	Newborn Page System Code 1			N	int	EVENT_T	1	NEWBOI	NEWBOI	NEWBOR	NEWBOR	@NEWB	+isnull(dt	if @parse	rtrim(ISNULL(@NEWBORN_SYSTEM_CODE_ID1,'')) +
859	NEWBORN_SYSTEM_CODE_ID2	Newborn Page System Code 2	varchar	200	Birth - Newborn	Newborn Page System Code 2			N	int	EVENT_T	1	NEWBOI	NEWBOI	NEWBOR	NEWBOR	@NEWB	+isnull(dt	if @parse	rtrim(ISNULL(@NEWBORN_SYSTEM_CODE_ID2,'')) +
860	NEWBORN_SYSTEM_CODE_ID3	Newborn Page System Code 3	varchar	200	Birth - Newborn	Newborn Page System Code 3			N	int	EVENT_T	1	NEWBOI	NEWBOI	NEWBOR	NEWBOR	@NEWB	+isnull(dt	if @parse	rtrim(ISNULL(@NEWBORN_SYSTEM_CODE_ID3,'')) +
861	NEWBORN_SYSTEM_CODE_ID4	Newborn Page System Code 4	varchar	200	Birth - Newborn	Newborn Page System Code 4			N	int	EVENT_T	1	NEWBOI	NEWBOI	NEWBOR	NEWBOR	@NEWB	+isnull(dt	if @parse	rtrim(ISNULL(@NEWBORN_SYSTEM_CODE_ID4,'')) +
862	NEWBORN_SYSTEM_CODE_ID5	Newborn Page System Code 5	varchar	200	Birth - Newborn	Newborn Page System Code 5			N	int	EVENT_T	1	NEWBOI	NEWBOI	NEWBOR	NEWBOR	@NEWB	+isnull(dt	if @parse	rtrim(ISNULL(@NEWBORN_SYSTEM_CODE_ID5,'')) +
863	NEWBORN_FACTORS_DATE1	Newborn Factors Page Date 1	varchar	12	Birth - Newborn Factors	Newborn Factors Page Date 1			N	datetime	EVENT_T	1	NEWBOI	NEWBOI	NEWBOR	NEWBOR	@NEWB	+isnull(ca	if @parse	rtrim(ISNULL(@NEWBORN_FACTORS_DATE1,'')) +
864	NEWBORN_FACTORS_DATE2	Newborn Factors Page Date 2	varchar	12	Birth - Newborn Factors	Newborn Factors Page Date 2			N	datetime	EVENT_T	1	NEWBOI	NEWBOI	NEWBOR	NEWBOR	@NEWB	+isnull(ca	if @parse	rtrim(ISNULL(@NEWBORN_FACTORS_DATE2,'')) +
865	NEWBORN_FACTORS_DATE3	Newborn Factors Page Date 3	varchar	12	Birth - Newborn Factors	Newborn Factors Page Date 3			N	datetime	EVENT_T	1	NEWBOI	NEWBOI	NEWBOR	NEWBOR	@NEWB	+isnull(ca	if @parse	rtrim(ISNULL(@NEWBORN_FACTORS_DATE3,'')) +
866	NEWBORN_FACTORS_DATE4	Newborn Factors Page Date 4	varchar	12	Birth - Newborn Factors	Newborn Factors Page Date 4			N	datetime	EVENT_T	1	NEWBOI	NEWBOI	NEWBOR	NEWBOR	@NEWB	+isnull(ca	if @parse	rtrim(ISNULL(@NEWBORN_FACTORS_DATE4,'')) +
867	NEWBORN_FACTORS_DATE5	Newborn Factors Page Date 5	varchar	12	Birth - Newborn Factors	Newborn Factors Page Date 5			N	datetime	EVENT_T	1	NEWBOI	NEWBOI	NEWBOR	NEWBOR	@NEWB	+isnull(ca	if @parse	rtrim(ISNULL(@NEWBORN_FACTORS_DATE5,'')) +
868	NEWBORN_FACTORS_TEXT1	Newborn Factors Page Text 1	varchar	500	Birth - Newborn Factors	Newborn Factors Page Text 1			N	varchar	EVENT_T	1	NEWBOI	NEWBOI	NEWBOR	NEWBOR	@NEWB	+isnull(NE	if @parse	rtrim(ISNULL(@NEWBORN_FACTORS_TEXT1,'')) +
869	NEWBORN_FACTORS_TEXT2	Newborn Factors Page Text 2	varchar	500	Birth - Newborn Factors	Newborn Factors Page Text 2			N	varchar	EVENT_T	1	NEWBOI	NEWBOI	NEWBOR	NEWBOR	@NEWB	+isnull(NE	if @parse	rtrim(ISNULL(@NEWBORN_FACTORS_TEXT2,'')) +
870	NEWBORN_FACTORS_TEXT3	Newborn Factors Page Text 3	varchar	500	Birth - Newborn Factors	Newborn Factors Page Text 3			N	varchar	EVENT_T	1	NEWBOI	NEWBOI	NEWBOR	NEWBOR	@NEWB	+isnull(NE	if @parse	rtrim(ISNULL(@NEWBORN_FACTORS_TEXT3,'')) +
871	NEWBORN_FACTORS_TEXT4	Newborn Factors Page Text 4	varchar	500	Birth - Newborn Factors	Newborn Factors Page Text 4			N	varchar	EVENT_T	1	NEWBOI	NEWBOI	NEWBOR	NEWBOR	@NEWB	+isnull(NE	if @parse	rtrim(ISNULL(@NEWBORN_FACTORS_TEXT4,'')) +
872	NEWBORN_FACTORS_TEXT5	Newborn Factors Page Text 5	varchar	500	Birth - Newborn Factors	Newborn Factors Page Text 5			N	varchar	EVENT_T	1	NEWBOI	NEWBOI	NEWBOR	NEWBOR	@NEWB	+isnull(NE	if @parse	rtrim(ISNULL(@NEWBORN_FACTORS_TEXT5,'')) +
873	NEWBORN_FACTORS_SYSTEM_CODE_ID1	Newborn Factors Page System Code 1	varchar	200	Birth - Newborn Factors	Newborn Factors Page System Code 1			N	int	EVENT_T	1	NEWBOI	NEWBOI	NEWBOR	NEWBOR	@NEWB	+isnull(dt	if @parse	rtrim(ISNULL(@NEWBORN_FACTORS_SYSTEM_CODE_ID1,'')) +
874	NEWBORN_FACTORS_SYSTEM_CODE_ID2	Newborn Factors Page System Code 2	varchar	200	Birth - Newborn Factors	Newborn Factors Page System Code 2			N	int	EVENT_T	1	NEWBOI	NEWBOI	NEWBOR	NEWBOR	@NEWB	+isnull(dt	if @parse	rtrim(ISNULL(@NEWBORN_FACTORS_SYSTEM_CODE_ID2,'')) +
875	NEWBORN_FACTORS_SYSTEM_CODE_ID3	Newborn Factors Page System Code 3	varchar	200	Birth - Newborn Factors	Newborn Factors Page System Code 3			N	int	EVENT_T	1	NEWBOI	NEWBOI	NEWBOR	NEWBOR	@NEWB	+isnull(dt	if @parse	rtrim(ISNULL(@NEWBORN_FACTORS_SYSTEM_CODE_ID3,'')) +
876	NEWBORN_FACTORS_SYSTEM_CODE_ID4	Newborn Factors Page System Code 4	varchar	200	Birth - Newborn Factors	Newborn Factors Page System Code 4			N	int	EVENT_T	1	NEWBOI	NEWBOI	NEWBOR	NEWBOR	@NEWB	+isnull(dt	if @parse	rtrim(ISNULL(@NEWBORN_FACTORS_SYSTEM_CODE_ID4,'')) +
877	NEWBORN_FACTORS_SYSTEM_CODE_ID5	Newborn Factors Page System Code 5	varchar	200	Birth - Newborn Factors	Newborn Factors Page System Code 5			N	int	EVENT_T	1	NEWBOI	NEWBOI	NEWBOR	NEWBOR	@NEWB	+isnull(dt	if @parse	rtrim(ISNULL(@NEWBORN_FACTORS_SYSTEM_CODE_ID5,'')) +
878	ATTENDANT_CERTIFIER_DATE1	Attendant/Certifier Page Date 1	varchar	12	Birth - Attendant/Certifier	Attendant/Certifier Page Date 1			N	datetime	EVENT_T	1	ATTEND	ATTEND	ATTENDA	ATTENDA	@ATTENI	+isnull(ca	if @parse	rtrim(ISNULL(@ATTENDANT_CERTIFIER_DATE1,'')) +
879	ATTENDANT_CERTIFIER_DATE2	Attendant/Certifier Page Date 2	varchar	12	Birth - Attendant/Certifier	Attendant/Certifier Page Date 2			N	datetime	EVENT_T	1	ATTEND	ATTEND	ATTENDA	ATTENDA	@ATTENI	+isnull(ca	if @parse	rtrim(ISNULL(@ATTENDANT_CERTIFIER_DATE2,'')) +
880	ATTENDANT_CERTIFIER_DATE3	Attendant/Certifier Page Date 3	varchar	12	Birth - Attendant/Certifier	Attendant/Certifier Page Date 3			N	datetime	EVENT_T	1	ATTEND	ATTEND	ATTENDA	ATTENDA	@ATTENI	+isnull(ca	if @parse	rtrim(ISNULL(@ATTENDANT_CERTIFIER_DATE3,'')) +
881	ATTENDANT_CERTIFIER_DATE4	Attendant/Certifier Page Date 4	varchar	12	Birth - Attendant/Certifier	Attendant/Certifier Page Date 4			N	datetime	EVENT_T	1	ATTEND	ATTEND	ATTENDA	ATTENDA	@ATTENI	+isnull(ca	if @parse	rtrim(ISNULL(@ATTENDANT_CERTIFIER_DATE4,'')) +
882	ATTENDANT_CERTIFIER_DATE5	Attendant/Certifier Page Date 5	varchar	12	Birth - Attendant/Certifier	Attendant/Certifier Page Date 5			N	datetime	EVENT_T	1	ATTEND	ATTEND	ATTENDA	ATTENDA	@ATTENI	+isnull(ca	if @parse	rtrim(ISNULL(@ATTENDANT_CERTIFIER_DATE5,'')) +
883	ATTENDANT_CERTIFIER_TEXT1	Attendant/Certifier Page Text 1	varchar	500	Birth - Attendant/Certifier	Attendant/Certifier Page Text 1			N	varchar	EVENT_T	1	ATTEND	ATTEND	ATTENDA	ATTENDA	@ATTENI	+isnull(AT	if @parse	rtrim(ISNULL(@ATTENDANT_CERTIFIER_TEXT1,'')) +
884	ATTENDANT_CERTIFIER_TEXT2	Attendant/Certifier Page Text 2	varchar	500	Birth - Attendant/Certifier	Attendant/Certifier Page Text 2			N	varchar	EVENT_T	1	ATTEND	ATTEND	ATTENDA	ATTENDA	@ATTENI	+isnull(AT	if @parse	rtrim(ISNULL(@ATTENDANT_CERTIFIER_TEXT2,'')) +
885	ATTENDANT_CERTIFIER_TEXT3	Attendant/Certifier Page Text 3	varchar	500	Birth - Attendant/Certifier	Attendant/Certifier Page Text 3			N	varchar	EVENT_T	1	ATTEND	ATTEND	ATTENDA	ATTENDA	@ATTENI	+isnull(AT	if @parse	rtrim(ISNULL(@ATTENDANT_CERTIFIER_TEXT3,'')) +
886	ATTENDANT_CERTIFIER_TEXT4	Attendant/Certifier Page Text 4	varchar	500	Birth - Attendant/Certifier	Attendant/Certifier Page Text 4			N	varchar	EVENT_T	1	ATTEND	ATTEND	ATTENDA	ATTENDA	@ATTENI	+isnull(AT	if @parse	rtrim(ISNULL(@ATTENDANT_CERTIFIER_TEXT4,'')) +
887	ATTENDANT_CERTIFIER_TEXT5	Attendant/Certifier Page Text 5	varchar	500	Birth - Attendant/Certifier	Attendant/Certifier Page Text 5			N	varchar	EVENT_T	1	ATTEND	ATTEND	ATTENDA	ATTENDA	@ATTENI	+isnull(AT	if @parse	rtrim(ISNULL(@ATTENDANT_CERTIFIER_TEXT5,'')) +
888	ATTENDANT_CERTIFIER_SYSTEM_CODE_ID1	Attendant/Certifier Page System Code 1	varchar	200	Birth - Attendant/Certifier	Attendant/Certifier Page System Code 1			N	int	EVENT_T	1	ATTEND	ATTEND	ATTENDA	ATTENDA	@ATTENI	+isnull(dt	if @parse	rtrim(ISNULL(@ATTENDANT_CERTIFIER_SYSTEM_CODE_ID1,'')) +
889	ATTENDANT_CERTIFIER_SYSTEM_CODE_ID2	Attendant/Certifier Page System Code 2	varchar	200	Birth - Attendant/Certifier	Attendant/Certifier Page System Code 2			N	int	EVENT_T	1	ATTEND	ATTEND	ATTENDA	ATTENDA	@ATTENI	+isnull(dt	if @parse	rtrim(ISNULL(@ATTENDANT_CERTIFIER_SYSTEM_CODE_ID2,'')) +
890	ATTENDANT_CERTIFIER_SYSTEM_CODE_ID3	Attendant/Certifier Page System Code 3	varchar	200	Birth - Attendant/Certifier	Attendant/Certifier Page System Code 3			N	int	EVENT_T	1	ATTEND	ATTEND	ATTENDA	ATTENDA	@ATTENI	+isnull(dt	if @parse	rtrim(ISNULL(@ATTENDANT_CERTIFIER_SYSTEM_CODE_ID3,'')) +
891	ATTENDANT_CERTIFIER_SYSTEM_CODE_ID4	Attendant/Certifier Page System Code 4	varchar	200	Birth - Attendant/Certifier	Attendant/Certifier Page System Code 4			N	int	EVENT_T	1	ATTEND	ATTEND	ATTENDA	ATTENDA	@ATTENI	+isnull(dt	if @parse	rtrim(ISNULL(@ATTENDANT_CERTIFIER_SYSTEM_CODE_ID4,'')) +
892	ATTENDANT_CERTIFIER_SYSTEM_CODE_ID5	Attendant/Certifier Page System Code 5	varchar	200	Birth - Attendant/Certifier	Attendant/Certifier Page System Code 5			N	int	EVENT_T	1	ATTEND	ATTEND	ATTENDA	ATTENDA	@ATTENI	+isnull(dt	if @parse	rtrim(ISNULL(@ATTENDANT_CERTIFIER_SYSTEM_CODE_ID5,'')) +
893	IDENTIFIERS_DATE1	Identifiers Page Date 1	varchar	12	Birth - Identifiers	Identifiers Page Date 1			N	datetime	EVENT_T	1	IDENTIFI	IDENTIFI	IDENTIFI	IDENTIFII	@IDENTI	+isnull(ca	if @parse	rtrim(ISNULL(@IDENTIFIERS_DATE1,'')) +
894	IDENTIFIERS_DATE2	Identifiers Page Date 2	varchar	12	Birth - Identifiers	Identifiers Page Date 2			N	datetime	EVENT_T	1	IDENTIFI	IDENTIFI	IDENTIFI	IDENTIFII	@IDENTI	+isnull(ca	if @parse	rtrim(ISNULL(@IDENTIFIERS_DATE2,'')) +
895	IDENTIFIERS_DATE3	Identifiers Page Date 3	varchar	12	Birth - Identifiers	Identifiers Page Date 3			N	datetime	EVENT_T	1	IDENTIFI	IDENTIFI	IDENTIFI	IDENTIFII	@IDENTI	+isnull(ca	if @parse	rtrim(ISNULL(@IDENTIFIERS_DATE3,'')) +
896	IDENTIFIERS_DATE4	Identifiers Page Date 4	varchar	12	Birth - Identifiers	Identifiers Page Date 4			N	datetime	EVENT_T	1	IDENTIFI	IDENTIFI	IDENTIFI	IDENTIFII	@IDENTI	+isnull(ca	if @parse	rtrim(ISNULL(@IDENTIFIERS_DATE4,'')) +
897	IDENTIFIERS_DATE5	Identifiers Page Date 5	varchar	12	Birth - Identifiers	Identifiers Page Date 5			N	datetime	EVENT_T	1	IDENTIFI	IDENTIFI	IDENTIFI	IDENTIFII	@IDENTI	+isnull(ca	if @parse	rtrim(ISNULL(@IDENTIFIERS_DATE5,'')) +
898	IDENTIFIERS_TEXT1	Identifiers Page Text 1	varchar	500	Birth - Identifiers	Identifiers Page Text 1			N	varchar	EVENT_T	1	IDENTIFI	IDENTIFI	IDENTIFI	IDENTIFII	@IDENTI	+isnull(ID	if @parse	rtrim(ISNULL(@IDENTIFIERS_TEXT1,'')) +
899	IDENTIFIERS_TEXT2	Identifiers Page Text 2	varchar	500	Birth - Identifiers	Identifiers Page Text 2			N	varchar	EVENT_T	1	IDENTIFI	IDENTIFI	IDENTIFI	IDENTIFII	@IDENTI	+isnull(ID	if @parse	rtrim(ISNULL(@IDENTIFIERS_TEXT2,'')) +
900	IDENTIFIERS_TEXT3	Identifiers Page Text 3	varchar	500	Birth - Identifiers	Identifiers Page Text 3			N	varchar	EVENT_T	1	IDENTIFI	IDENTIFI	IDENTIFI	IDENTIFII	@IDENTI	+isnull(ID	if @parse	rtrim(ISNULL(@IDENTIFIERS_TEXT3,'')) +
901	IDENTIFIERS_TEXT4	Identifiers Page Text 4	varchar	500	Birth - Identifiers	Identifiers Page Text 4			N	varchar	EVENT_T	1	IDENTIFI	IDENTIFI	IDENTIFI	IDENTIFII	@IDENTI	+isnull(ID	if @parse	rtrim(ISNULL(@IDENTIFIERS_TEXT4,'')) +
902	IDENTIFIERS_TEXT5	Identifiers Page Text 5	varchar	500	Birth - Identifiers	Identifiers Page Text 5			N	varchar	EVENT_T	1	IDENTIFI	IDENTIFI	IDENTIFI	IDENTIFII	@IDENTI	+isnull(ID	if @parse	rtrim(ISNULL(@IDENTIFIERS_TEXT5,'')) +
903	IDENTIFIERS_SYSTEM_CODE_ID1	Identifiers Page System Code 1	varchar	200	Birth - Identifiers	Identifiers Page System Code 1			N	int	EVENT_T	1	IDENTIFI	IDENTIFI	IDENTIFI	IDENTIFII	@IDENTI	+isnull(dt	if @parse	rtrim(ISNULL(@IDENTIFIERS_SYSTEM_CODE_ID1,'')) +
904	IDENTIFIERS_SYSTEM_CODE_ID2	Identifiers Page System Code 2	varchar	200	Birth - Identifiers	Identifiers Page System Code 2			N	int	EVENT_T	1	IDENTIFI	IDENTIFI	IDENTIFI	IDENTIFII	@IDENTI	+isnull(dt	if @parse	rtrim(ISNULL(@IDENTIFIERS_SYSTEM_CODE_ID2,'')) +
905	IDENTIFIERS_SYSTEM_CODE_ID3	Identifiers Page System Code 3	varchar	200	Birth - Identifiers	Identifiers Page System Code 3			N	int	EVENT_T	1	IDENTIFI	IDENTIFI	IDENTIFI	IDENTIFII	@IDENTI	+isnull(dt	if @parse	rtrim(ISNULL(@IDENTIFIERS_SYSTEM_CODE_ID3,'')) +
906	IDENTIFIERS_SYSTEM_CODE_ID4	Identifiers Page System Code 4	varchar	200	Birth - Identifiers	Identifiers Page System Code 4			N	int	EVENT_T	1	IDENTIFI	IDENTIFI	IDENTIFI	IDENTIFII	@IDENTI	+isnull(dt	if @parse	rtrim(ISNULL(@IDENTIFIERS_SYSTEM_CODE_ID4,'')) +
907	IDENTIFIERS_SYSTEM_CODE_ID5	Identifiers Page System Code 5	varchar	200	Birth - Identifiers	Identifiers Page System Code 5			N	int	EVENT_T	1	IDENTIFI	IDENTIFI	IDENTIFI	IDENTIFII	@IDENTI	+isnull(dt	if @parse	rtrim(ISNULL(@IDENTIFIERS_SYSTEM_CODE_ID5,'')) +
908	LAST_UPDATE_DATE	Date the Case was last updated	varchar	12	INTERNAL USE ONLY				N	int	EVENT_T	1	IDENTIFI	IDENTIFI	IDENTIFI	IDENTIFII	@IDENTI	+isnull(dt	if @parse	rtrim(ISNULL(@IDENTIFIERS_SYSTEM_CODE_ID5,'')) +
909	BIRTH_TASK_MOTHER_ANCESTRY_NON_HISPANIC_OBJECT_PROPERTY_OBJECT_PROPERTY	Mother - Ancestry	varchar	200	Birth - Mother Attributes	(Italian, African Ame	1	118	N											
910	BIRTH_TASK_MOTHER_ANCESTRY_NON_HISPANIC_OBJECT_PROPERTY_OBJECT_PROPERTY	Mother - Ancestry	varchar	200	Birth - Mother Attributes	(Italian, African Ame	1	118	N											
911	BIRTH_TASK_MOTHER_ANCESTRY_NON_HISPANIC_OBJECT_PROPERTY_OBJECT_PROPERTY	Mother - Ancestry	varchar	200	Birth - Mother Attributes	(Italian, African Ame	1	118	N											
912	BIRTH_TASK_MOTHER_ANCESTRY_NON_HISPANIC_OBJECT_PROPERTY_OBJECT_PROPERTY	Mother - Ancestry	varchar	200	Birth - Mother Attributes	(Italian, African Ame	1	118	N											
913	BIRTH_TASK_MOTHER_ANCESTRY_NON_HISPANIC_OBJECT_PROPERTY_OBJECT_PROPERTY	Mother - Ancestry	varchar	200	Birth - Mother Attributes	(Italian, African Ame	1	118	N											
914	BIRTH_TASK_FATHER_ANCESTRY_NON_HISPANIC_OBJECT_PROPERTY_OBJECT_PROPERTY	Father - Ancestry	varchar	200	Birth - Father Attributes	(Italian, African Ame	1	118	N											
915	BIRTH_TASK_FATHER_ANCESTRY_NON_HISPANIC_OBJECT_PROPERTY_OBJECT_PROPERTY	Father - Ancestry	varchar	200	Birth - Father Attributes	(Italian, African Ame	1	118	N											
916	BIRTH_TASK_FATHER_ANCESTRY_NON_HISPANIC_OBJECT_PROPERTY_OBJECT_PROPERTY	Father - Ancestry	varchar	200	Birth - Father Attributes	(Italian, African Ame	1	118	N											
917	BIRTH_TASK_FATHER_ANCESTRY_NON_HISPANIC_OBJECT_PROPERTY_OBJECT_PROPERTY	Father - Ancestry	varchar	200	Birth - Father Attributes	(Italian, African Ame	1	118	N											
918	BIRTH_TASK_FATHER_ANCESTRY_NON_HISPANIC_OBJECT_PROPERTY_OBJECT_PROPERTY	Father - Ancestry	varchar	200	Birth - Father Attributes	(Italian, African Ame	1	118	N											
919	BIRTH_REGISTRATION_BIRTH_MOTHER_MOTHER_QUIT_SMOKING_CD_ID	Mother Health - Did mother quit smoking	varchar	200	Birth - Mother Health	Did Mother quit smo	1	BIRTH_REGISTRATION_BIRTH_MOTHER_QUIT_SMOKING_CD_ID	N											
920	BIRTH_REGISTRATION_BIRTH_MOTHER_MOTHER_QUIT_SMOKING_DATE_LONG	Mother Health - Date Mother Quit Smoking?	varchar	12	Birth - Mother Health	Date Mother quit sm	1		N											
921	BIRTH_REGISTRATION_BIRTH_MOTHER_HOUSEHOLD_MEMBERS_SMOKE_CD_ID	Mother Health - Others in household smoke?	varchar	200	Birth - Mother Health	Others in household	1	BIRTH_REGISTRATION_BIRTH_MOTHER_HOUSEHOLD_MEMBERS_SMOKE_C	N											
922	BIRTH_TASK_CHILD_IS_ADOPTION_LEGAL_PROCEEDING_EXPECTED_CD_ID	Child - Is infant to be adopted?	varchar	200	Birth - Child	Is infant to be adopt	1	BIRTH_TASK_CHILD_IS_ADOPTION_LEGAL_PROCEEDING_EXPECTED_CD_II	N											

923	BIRTH_REGISTRATION_IMMUNIZATION_REGISTRY_HEPATITIS_B_VACCINE_CD_ID_1	Birth Registration - IMMUNIZATION REGISTRY - HEPA	vaccha	200	Please specify if the	Birth - Immunization	Did infant receive ch	1 HEPB_VACCINE	N
924	BIRTH_REGISTRATION_IMMUNIZATION_REGISTRY_HEPATITIS_B_ADMINISTERED_DATE_LONG	Birth Registration - IMMUNIZATION REGISTRY - HEPA	vaccha	12	Enter Date Administ	Birth - Immunization	Date Administered	1	N
925	BIRTH_REGISTRATION_IMMUNIZATION_REGISTRY_HIBO_CD_ID_1	Birth Registration - IMMUNIZATION REGISTRY - HIBO	vaccha	200	Please specify if the	Birth - Immunization	Did infant receive ch	1 HIBO_RECEIVED_29	N
926	BIRTH_REGISTRATION_IMMUNIZATION_REGISTRY_HIBO_ADMINISTERED_DATE_LONG_1	Birth Registration - IMMUNIZATION REGISTRY - HIBO	vaccha	12	Enter Date Administ	Birth - Immunization	Date Administered	1	N
927	BIRTH_REGISTRATION_REGISTRATION_DOCUMENT_NUMBER	Document Number	vaccha	100		Birth - Identifiers	Document Number	1	N
928	BIRTH_REGISTRATION_BIRTH_MOTHER_HIV_TEST_CD_ID	Prenatal - Mother tested for HIV	vaccha	200		Birth - Prenatal	Mother tested for HIV	1 Mother HIV Test	N
929	BIRTH_REGISTRATION_BIRTH_DELIVERY_CESAREAN_NECESSARY_TO_PREVENT_DISEASE_T	Was Cesarean needed to prevent disease transmissi	vaccha	200		Birth - Delivery	Was Cesarean need	1 BIRTH_REGISTRATION_BIRTH_DELIVERY_CESAREAN_NECESSARY_TO_PRE	N
930	BIRTH_REGISTRATION_REGISTRATION_LOCAL_FILE_NUMBER	Birth Local File Number	vaccha	50	Enter Local File Nu	Birth - Identifiers	Local File Number	1	N
931	BIRTH_REGISTRATION_BIRTH_COURT_RULED_HUSBAND_NOT_FATHER_CD_ID	Marital Status - Did a court rule that the husband was	vaccha	200		Birth - Marital Status	Did a court rule that	1 COURT_RULED_HUSBAND_NOT_FATHER	N

Item	**Description**
File Name	Use defined upon initiation of job
Frequency	
File Format	The text file must be formatted to comply with the ASCII DOCS standard.
Delimiter	Field Delimiter is the pipe symbol "|"

Other Process	Special statuses (ie BIRTH_REGISTRATION_REGISTRATION_STATUS_SPECIAL_STATUS1) like "Converted" or "Legacy" record should be inserted into one of the special status columns in fields 476, 479, 482 etc if you want the "Converted" status to appear on the Life Events status line.
General Formatting Instructions	Files containing unicode characters cannot be reliably read by the load process. File must be ASCII DOCS character set The last data record in the file should also contain a CRLF at the end. (ie the last characters in the file should be the CRLF of the last data record.) no trailing spaces. Character columns should not exceed the defined max length. Date_Long columns should be formatted as 12 Digit numeric values using the Dave standard (YYYYMMDDHHmm) Where YYYY 4 digit numeric Year, MM 2 digit numeric Month, DD 2 digit numeric Day, HH 2 digit military Hour, mm 2 Digit numeric Minute Example: 20190630000 would represent June 30th 2019 at 7:27 pm Unknown Date values are represented by 0 or 9999 and unknown time values are represented by 0. Example: 20190600000 represents an unknown day in June, 2018 at 7pm with an unknown minute. Example: 20190600000 represents an unknown day in June, 2018 at 7pm with an unknown minute. Example: 20190600000 represents an unknown day in June, 2018 at 15 minutes past an unknown hour. Example: 19812370000 represents December 7, 1981 with unknown time. Field 589 Action should be blank or 0 if this is an insert of a new case into Dave Vital Records system, or 1 if this is an update to an existing Dave Vital Records case. Event Year and File Number should uniquely identify registered cases. Existing cases are located using searches of these columns: BIRTH_TASK_PLACE_OF_BIRTH_FIPS_STATE_GEO_CODE_GEO_CODE_VALUE (this is the 2 digit FIPS state code for the place of birth) BIRTH_REGISTRATION_REGISTRATION_EVENT_DATE_LONG (12 digit date of event formatted as described in above examples) BIRTH_REGISTRATION_REGISTRATION_FILE_NUMBER (State File Number) BIRTH_REGISTRATION_REGISTRATION_DOS_FILE_NUMBER (out of state file number) For conversions of state residents whose births happened to occur out of state this is the file_number given to the case by the owner of record state. If no value for field 234 REGISTRATION_STATUS is supplied the default for the loaded case will be "Registered"
Parameters	File to load, load_birth Select a properly formatted conversion file from your file system to load into Dave
Status Change	Yes